



State of Ohio Environmental Protection Agency

Street Address:
1800 WaterMark Drive
Columbus, OH 43215-1099

TELE: (614) 644-3020 FAX: (614) 644-2329

Mailing Address:
P.O. Box 1049
Columbus, OH 43216-1049

Van Wert County
Application No: **03-3142**
DATE: March 10, 1999

RE: Draft Permit to Install

Mercer Landmark, Inc.-Elgin Branch
Keith Martin
P.O. Box 328
Celina, OH 45822-0328

You are hereby notified that the Ohio Environmental Protection Agency has made a draft action recommending that the Director issue a Permit to Install for the air contaminant source(s) [emissions unit(s)] shown on the enclosed draft permit. This draft action is not an authorization to begin construction or modification of your emissions unit(s). The purpose of this draft is to solicit public comments on the proposed installation. A public notice concerning the draft permit will appear in the Ohio EPA Weekly Review and the newspaper in the county where the will be located. Public comments will be accepted by the field office within 30 days of the date of publication in the newspaper. Any comments you have on the draft permit should be directed to the appropriate field office within the comment period. A copy of your comments should also be mailed to Robert Hodanbosi, Division of Air Pollution Control, Ohio EPA, P.O. Box 1049, Columbus, OH, 43266-0149.

A Permit to Install may be issued in proposed or final form based on the draft action, any written public comments received within 30 days of the public notice, or record of a public meeting if one is held. You will be notified in writing of a scheduled public meeting.

Upon issuance of a final Permit to Install a fee of **\$4,000.00** will be due. Please do not submit any payment now.

The Ohio EPA is urging companies to investigate pollution prevention and energy conservation. Not only will this reduce pollution and energy consumption, but it can also save you money. If you would like to learn ways you can save money while protecting the environment, please contact our Office of Pollution Prevention at (614) 644-3469.

If you have any questions about this draft permit, please contact the field office where you submitted your application, or Mike Ahern, Field Operations & Permit Section at (614) 644-3631.

Very truly yours,

A handwritten signature in cursive script that reads "Thomas G. Rigo".

Thomas G. Rigo, Manager
Field Operations and Permit Section
Division of Air Pollution Control

cc: USEPA
Ohio EPA, Northwest District Office, DAPC



STATE OF OHIO ENVIRONMENTAL PROTECTION AGENCY

Application Number: 03-3142

Permit
Title

APS Premise Number: 0381000041

Number:

Permit Fee: **TO BE IDENTIFIED UPON FINAL ISSUANCE**

Name of Facility: Mercer Landmark, Inc.-Elgin Branch

Person to Contact: Keith Martin

Address: P.O. Box 328
Celina, OH 45822-0328

Location of proposed air contaminant source(s) [emissions unit(s)]:

**18110 SANDS ROAD
ELGIN, OHIO**

Description of proposed emissions unit(s):

3000 BU/HR RAILCAR LOADOUT AND 6000 CU/HR COLUMN GRAIN DRYER.

Date of Issuance: **TO BE IDENTIFIED UPON FINAL ISSUANCE**

Issuance:

Effective Date: **TO BE IDENTIFIED UPON FINAL ISSUANCE**

The above named entity is hereby granted a Permit to Install for the above described emissions unit(s) pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this permit does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the above described emissions unit(s) of environmental pollutants will operate in compliance with applicable State and Federal laws and regulations, and does not constitute expressed or implied assurance that if constructed or modified in accordance with those plans and specifications, the above described emissions unit(s) of pollutants will be granted the necessary permits to operate (air) or NPDES permits as applicable.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency

Director

Draft PTI - Date to be entered upon final issuance**Part I - GENERAL TERMS AND CONDITIONS****A. Permit to Install General Terms and Conditions****1. Compliance Requirements**

The emissions unit(s) identified in this Permit to Install shall remain in full compliance with all applicable State laws and regulations and the terms and conditions of this permit.

2. Reporting Requirements Related to Monitoring and Recordkeeping Requirements

The permittee shall submit required reports in the following manner:

- a. Reports of any required monitoring and/or recordkeeping information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
- b. Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (a) any deviations (excursions) from emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and recordkeeping requirements specified in this permit, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the appropriate Ohio EPA District Office or local air agency. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

3. Records Retention Requirements

Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.

4. Inspections and Information Requests

The Director of the Ohio EPA, or an authorized representative of the Director, may, subject to the safety requirements of the permittee and without undue delay, enter upon

Draft PTI - Date to be entered upon final issuance

the premises of this source at any reasonable time for purposes of making inspections, conducting tests, examining records or reports pertaining to any emission of air contaminants, and determining compliance with any applicable State air pollution laws and regulations and the terms and conditions of this permit. The permittee shall furnish to the Director of the Ohio EPA, or an authorized representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon verbal or written request, the permittee shall also furnish to the Director of the Ohio EPA, or an authorized representative of the Director, copies of records required to be kept by this permit.

5. Scheduled Maintenance/Malfunction Reporting

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction of any emissions units or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emissions unit(s) that is (are) served by such control system(s).

6. Permit Transfers

Any transferee of this permit shall assume the responsibilities of the prior permit holder. The appropriate Ohio EPA District Office or local air agency must be notified in writing of any transfer of this permit.

7. Air Pollution Nuisance

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

8. Termination of Permit to Install

This Permit to Install shall terminate within eighteen months of the effective date of the Permit to Install if the owner or operator has not undertaken a continuing program of installation or modification or has not entered into a binding contractual obligation to undertake and complete within a reasonable time a continuing program of installation or modification. This deadline may be extended by up to 12 months if application is made to the Director within a reasonable time before the termination date and the party shows good cause for any such extension.

9. Construction of New Sources(s)

Draft PTI - Date to be entered upon final issuance

The proposed emissions unit(s) shall be constructed in strict accordance with the plans and application submitted for this permit to the Director of the Ohio Environmental Protection Agency. There may be no deviation from the approved plans without the express, written approval of the Agency. Any deviations from the approved plans or the above conditions may lead to such sanctions and penalties as provided under Ohio law. Approval of these plans does not constitute an assurance that the proposed facilities will operate in compliance with all Ohio laws and regulations. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed sources are inadequate or cannot meet applicable standards.

If the construction of the proposed emissions unit(s) has already begun or has been completed prior to the date the Director of the Environmental Protection Agency approves the permit application and plans, the approval does not constitute expressed or implied assurance that the proposed facility has been constructed in accordance with the approved plans. The action of beginning and/or completing construction prior to obtaining the Director's approval constitutes a violation of OAC rule 3745-31-02. Furthermore, issuance of the Permit to Install does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. Approval of the plans in any case is not to be construed as an approval of the facility as constructed and/or completed. Moreover, issuance of the Permit to Install is not to be construed as a waiver of any rights that the Ohio Environmental Protection Agency (or other persons) may have against the applicant for starting construction prior to the effective date of the permit. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed facilities prove to be inadequate or cannot meet applicable standards.

10. Public Disclosure

The facility is hereby notified that this permit, and all agency records concerning the operation of this permitted source, are subject to public disclosure in accordance with OAC rule 3745-49-03.

11. Applicability

This Permit to Install is applicable only to the emissions unit(s) identified in the Permit to Install. Separate application must be made to the Director for the installation or modification of any other emissions unit(s).

12. Best Available Technology

As specified in OAC Rule 3745-31-05, all new sources must employ Best Available Technology (BAT). Compliance with the terms and conditions of this permit will fulfill this requirement.

13. Source Operation and Operating Permit Requirements After Completion of

Draft PTI - Date to be entered upon final issuance

Construction

This facility is permitted to operate each source described by this Permit to Install for a period of up to one year from the date the source commenced operation. This permission to operate is granted only if the facility complies with all requirements contained in this permit and all applicable air pollution laws, regulations, and policies. Pursuant to OAC Chapter 3745-35, the permittee shall submit a complete operating permit application within thirty (30) days after commencing operation of the emissions unit(s) covered by this permit.

14. Construction Compliance Certification

The applicant shall provide Ohio EPA with a written certification (see enclosed form) that the facility has been constructed in accordance with the Permit to Install application and the terms and conditions of the Permit to Install. The certification shall be provided to Ohio EPA upon completion of construction but prior to startup of the source.

15. Fees

The permittee shall pay fees to the Director of the Ohio EPA in accordance with ORC section 3745.11 and OAC Chapter 3745-78. The permittee shall pay all applicable Permit to Install fees within 30 days after the issuance of this Permit to Install.

B. Permit to Install Summary of Allowable Emissions

The following information summarizes the total allowable emissions, by pollutant, based on the individual allowable emissions of each air contaminant source identified in this permit.

**SUMMARY (for informational purposes only)
TOTAL PERMIT TO INSTALL ALLOWABLE EMISSIONS**

<u>Pollutant</u>	<u>Tons Per Year</u>
Fugitive PE	2.70
Fugitive PM ₁₀	1.03
NO _x	0.88
CO	0.21

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. Applicable Emissions Limitations and/or Control Requirements

- 1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
3000 bu/hr railcar loadout	OAC rule 3745-31-05	0.13 TPY fugitive PE 0.011 TPY fugitive PM ₁₀ Visible emissions of fugitive dust shall not exceed 5% opacity Control measures (See A.2.a)

2. Additional Terms and Conditions

- a. The "Best Available Technology (BAT)" control requirements for emissions unit F001 are the use of adjustable chutes and a two-sided shed (enclosure).

B. Operational Restrictions

- 1. The maximum annual throughput for emissions unit F001 shall not exceed 96,000 tons of grain.

C. Monitoring and/or Recordkeeping Requirements

- 1. The permittee shall maintain annual records of grain throughput for emissions unit F001.

D. Reporting Requirements

None.

Draft PTI - Date to be entered upon final issuance**E. Testing Requirements**1. Compliance Methods Requirements:a. Emission Limitation:

0.13 TPY fugitive PE

Applicable Compliance Method:

Calculations, using AP-42 emission factors (Section 9.9.1, revised 5/98), an overall reduction efficiency of 90% for control with adjustable chutes and a two-sided enclosure, and the maximum grain throughput of the emissions unit, shall be performed to quantify PE fugitive emissions.

b. Emission Limitation:

0.13 TPY fugitive PE

Applicable Compliance Method:

Calculations, using AP-42 emission factors (Section 9.9.1, revised 5/98), an overall reduction efficiency of 90% for control with adjustable chutes and a two-sided enclosure, and the maximum grain throughput of the emissions unit, shall be performed to quantify PM₁₀ fugitive emissions.

c. Emission Limitation:

Visible particulate emissions of fugitive dust shall not exceed 5% opacity.

Applicable Compliance Method:Method 9 of 40 CFR Part 60, Appendix A**F. Miscellaneous Requirements**

None.

Draft PTI - Date to be entered upon final issuance

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S) [Continued]

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
6000 bu/hr column grain dryer	OAC rule 3745-31-05	2.57 TPY fugitive PE 1.02 TPY fugitive PM ₁₀ 9.42 lbs NO _x /hr; 0.88 TPY NO _x 2.36 lbs CO/hr; 0.21 TPY CO Visible emissions of fugitive dust shall not exceed 20% opacity, as a 3-minute average Control measures (See A.2.a)

2. **Additional Terms and Conditions**

- a. The "Best Available Technology (BAT)" control requirement for emissions unit F002 is the use of column plate perforations less than 0.094 inches.

B. Operational Restrictions

1. The maximum annual throughput for emissions unit F002 shall not exceed 37,200 tons of grain.

C. Monitoring and/or Recordkeeping Requirements

1. The permittee shall maintain annual records of grain throughput for emissions unit F002.

D. Reporting Requirements

None.

Draft PTI - Date to be entered upon final issuance**E. Testing Requirements**1. Compliance Methods Requirements:a. Emission Limitation:

2.57 TPY fugitive PE

Applicable Compliance Method:

Calculations, using AP-42 emission factors (Section 9.9.1, revised 5/98) and the actual annual grain throughput of the emissions unit, shall be performed to quantify PE fugitive emissions.

b. Emission Limitation:1.02 TPY fugitive PM₁₀Applicable Compliance Method:

Calculations, using AP-42 emission factors (Section 9.9.1, revised 5/98) and the actual annual grain throughput of the emissions unit, shall be performed to quantify PM₁₀ fugitive emissions.

c. Emission Limitation:9.42 lbs NO_x/hr, 0.88 TPY NO_xApplicable Compliance Method:

Calculations, using AP-42, Section 1.4 emission factors (revised 3/98) and the maximum heat input of the emission unit (67.3 mmBTU/hr), shall be performed to quantify NO_x emissions.

d. Emission Limitation: 2.36 lbs CO/hr, 0.21 TPY COApplicable Compliance Method:

Calculations, using AP-42, Section 1.4 emission factors (revised 3/98) and the maximum

Draft PTI - Date to be entered upon final issuance

heat input of the emission unit (67.3 mmBTU/hr), shall be performed to quantify CO emissions.

e. Emission Limitation:

Visible particulate emissions of fugitive dust shall not exceed 20% opacity, as a 3-minute average.

Applicable Compliance Method:

Method 9 of 40 CFR Part 60, Appendix A

F. Miscellaneous Requirements

None.