



Environmental Protection Agency

John R. Kasich, Governor
Mary Taylor, Lt. Governor
Scott J. Nally, Director

2/16/2011

MARK ABERNATHY
DAYTON WHEEL CONCEPTS INC
115 COMPARK RD
DAYTON, OH 45459

RE: FINAL AIR POLLUTION PERMIT-TO-INSTALL AND OPERATE
Facility ID: 0857023103
Permit Number: P0107051
Permit Type: Renewal
County: Montgomery

Certified Mail

No	TOXIC REVIEW
No	PSD
No	SYNTHETIC MINOR TO AVOID MAJOR NSR
No	CEMS
Yes	MACT/GACT
No	NSPS
No	NESHAPS
No	NETTING
No	MAJOR NON-ATTAINMENT
No	MODELING SUBMITTED
No	SYNTHETIC MINOR TO AVOID TITLE V
No	FEDERALLY ENFORCABLE PTIO (FEPTIO)

Dear Permit Holder:

Enclosed please find a final Air Pollution Permit-to-Install and Operate (PTIO) which will allow you to install, modify, and/or operate the described emissions unit(s) in the manner indicated in the permit. Because this permit contains conditions and restrictions, please read it very carefully. Please complete a survey at www.epa.ohio.gov/dapc/permitsurvey.aspx and give us feedback on your permitting experience. We value your opinion.

The issuance of this PTI is a final action of the Director and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00, made payable to "Ohio Treasurer Josh Mandel," which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
309 South Fourth Street, Room 222
Columbus, OH 43215

If you have any questions, please contact Regional Air Pollution Control Agency at (937)225-4435 or the Office of Compliance Assistance and Pollution Prevention at (614) 644-3469. This permit can be accessed electronically on the DAPC Web page, www.epa.ohio.gov/dapc, by clicking the "Issued Air Pollution Control Permits" link.

Sincerely,

Michael W. Ahern, Manager
Permit Issuance and Data Management Section, DAPC

Cc: RAPCA



FINAL

**Division of Air Pollution Control
Permit-to-Install and Operate
for
DAYTON WHEEL CONCEPTS INC**

Facility ID:	0857023103
Permit Number:	P0107051
Permit Type:	Renewal
Issued:	2/16/2011
Effective:	2/16/2011
Expiration:	2/16/2021



Division of Air Pollution Control
Permit-to-Install and Operate
for
DAYTON WHEEL CONCEPTS INC

Table of Contents

Authorization 1
A. Standard Terms and Conditions 3
1. What does this permit-to-install and operate ("PTIO") allow me to do?..... 4
2. Who is responsible for complying with this permit? 4
3. What records must I keep under this permit? 4
4. What are my permit fees and when do I pay them?..... 4
5. When does my PTIO expire, and when do I need to submit my renewal application? 4
6. What happens to this permit if my project is delayed or I do not install or modify my source? 5
7. What reports must I submit under this permit? 5
8. If I am required to obtain a Title V operating permit in the future, what happens to the operating provisions and PER obligations under this permit? 5
9. What are my obligations when I perform scheduled maintenance on air pollution control equipment? ... 5
10. Do I have to report malfunctions of emissions units or air pollution control equipment? If so, how must I report? 6
11. Can Ohio EPA or my local air agency inspect the facility where the emission unit(s) is/are located? 6
12. What happens if one or more emissions units operated under this permit is/are shut down permanently? 6
13. Can I transfer this permit to a new owner or operator?..... 7
14. Does compliance with this permit constitute compliance with OAC rule 3745-15-07, "air pollution nuisance"? 7
15. What happens if a portion of this permit is determined to be invalid? 7
B. Facility-Wide Terms and Conditions..... 8
C. Emissions Unit Terms and Conditions 10
1. P001, Plating Room 11
2. P002, Polishing Room..... 21

Authorization

Facility ID: 0857023103
Application Number(s): A0040066, A0040353
Permit Number: P0107051
Permit Description: PTIO renewal for a plating room and a polishing room.
Permit Type: Renewal
Permit Fee: \$0.00
Issue Date: 2/16/2011
Effective Date: 2/16/2011
Expiration Date: 2/16/2021
Permit Evaluation Report (PER) Annual Date: Jan 1 - Dec 31, Due Feb 15

This document constitutes issuance to:

DAYTON WHEEL CONCEPTS INC
115 COMPARK RD.
CENTERVILLE, OH 45459

of a Permit-to-Install and Operate for the emissions unit(s) identified on the following page.


Ohio EPA District Office or local air agency responsible for processing and administering your permit:

Regional Air Pollution Control Agency
117 South Main Street
Dayton, OH 45422-1280
(937)225-4435

The above named entity is hereby granted this Permit-to-Install and Operate for the air contaminant source(s) (emissions unit(s)) listed in this section pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this permit does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the described emissions unit(s) will operate in compliance with applicable State and federal laws and regulations.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency


Scott J. Nally
Director



Authorization (continued)

Permit Number: P0107051
Permit Description: PTIO renewal for a plating room and a polishing room.

Permits for the following Emissions Unit(s) or groups of Emissions Units are in this document as indicated below:

Emissions Unit ID:	P001
Company Equipment ID:	Plating Room
Superseded Permit Number:	08-3589
General Permit Category and Type:	Not Applicable
Emissions Unit ID:	P002
Company Equipment ID:	Polishing Room
Superseded Permit Number:	08-3603
General Permit Category and Type:	Not Applicable

A. Standard Terms and Conditions



1. What does this permit-to-install and operate ("PTIO") allow me to do?

This permit allows you to install and operate the emissions unit(s) identified in this PTIO. You must install and operate the unit(s) in accordance with the application you submitted and all the terms and conditions contained in this PTIO, including emission limits and those terms that ensure compliance with the emission limits (for example, operating, recordkeeping and monitoring requirements).

2. Who is responsible for complying with this permit?

The person identified on the "Authorization" page, above, is responsible for complying with this permit until the permit is revoked, terminated, or transferred. "Person" means a person, firm, corporation, association, or partnership. The words "you," "your," or "permittee" refer to the "person" identified on the "Authorization" page above.

The permit applies only to the emissions unit(s) identified in the permit. If you install or modify any other equipment that requires an air permit, you must apply for an additional PTIO(s) for these sources.

3. What records must I keep under this permit?

You must keep all records required by this permit, including monitoring data, test results, strip-chart recordings, calibration data, maintenance records, and any other record required by this permit for five years from the date the record was created. You can keep these records electronically, provided they can be made available to Ohio EPA during an inspection at the facility. Failure to make requested records available to Ohio EPA upon request is a violation of this permit requirement.

4. What are my permit fees and when do I pay them?

There are two fees associated with permitted air contaminant sources in Ohio:

- PTIO fee. This one-time fee is based on a fee schedule in accordance with Ohio Revised Code (ORC) section 3745.11, or based on a time and materials charge for permit application review and permit processing if required by the Director.

You will be sent an invoice for this fee after you receive this PTIO and payment is due within 30 days of the invoice date. You are required to pay the fee for this PTIO even if you do not install or modify your operations as authorized by this permit.

- Annual emissions fee. Ohio EPA will assess a separate fee based on the total annual emissions from your facility. You self-report your emissions in accordance with Ohio Administrative Code (OAC) Chapter 3745-78. This fee assessed is based on a fee schedule in ORC section 3745.11 and funds Ohio EPA's permit compliance oversight activities. Unless otherwise specified, facilities subject to one or more synthetic minor restrictions must use Ohio EPA's "Air Services" to submit annual emissions associated with this permit requirement. Ohio EPA will notify you when it is time to report your emissions and to pay your annual emission fees.

5. When does my PTIO expire, and when do I need to submit my renewal application?

This permit expires on the date identified at the beginning of this permit document (see "Authorization" page above) and you must submit a renewal application to renew the permit. Ohio EPA will send a renewal notice to you approximately six months prior to the expiration date of this permit. However, it is

very important that you submit a complete renewal permit application (postmarked prior to expiration of this permit) even if you do not receive the renewal notice.

If a complete renewal application is submitted before the expiration date, Ohio EPA considers this a timely application for purposes of ORC section 119.06, and you are authorized to continue operating the emissions unit(s) covered by this permit beyond the expiration date of this permit until final action is taken by Ohio EPA on the renewal application.

6. What happens to this permit if my project is delayed or I do not install or modify my source?

This PTIO expires 18 months after the issue date identified on the "Authorization" page above unless otherwise specified if you have not (1) started constructing the new or modified emission sources identified in this permit, or (2) entered into a binding contract to undertake such construction. This deadline can be extended by up to 12 months, provided you apply to Ohio EPA for this extension within a reasonable time before the 18-month period has ended and you can show good cause for any such extension.

7. What reports must I submit under this permit?

An annual permit evaluation report (PER) is required in addition to any malfunction reporting required by OAC rule 3745-15-06 or other specific rule-based reporting requirement identified in this permit. Your PER due date is identified in the Authorization section of this permit.

8. If I am required to obtain a Title V operating permit in the future, what happens to the operating provisions and PER obligations under this permit?

If you are required to obtain a Title V permit under OAC Chapter 3745-77 in the future, the permit-to-operate portion of this permit will be superseded by the issued Title V permit. From the effective date of the Title V permit forward, this PTIO will effectively become a PTI (permit-to-install) in accordance with OAC rule 3745-31-02(B). The following terms and conditions will no longer be applicable after issuance of the Title V permit: Section B, Term 1.b) and Section C, for each emissions unit, Term a)(2).

The PER requirements in this permit remain effective until the date the Title V permit is issued and is effective, and cease to apply after the effective date of the Title V permit. The final PER obligation will cover operations up to the effective date of the Title V permit and must be submitted on or before the submission deadline identified in this permit on the last day prior to the effective date of the Title V permit.

9. What are my obligations when I perform scheduled maintenance on air pollution control equipment?

You must perform scheduled maintenance of air pollution control equipment in accordance with OAC rule 3745-15-06(A). If scheduled maintenance requires shutting down or bypassing any air pollution control equipment, you must also shut down the emissions unit(s) served by the air pollution control equipment during maintenance, unless the conditions of OAC rule 3745-15-06(A)(3) are met. Any emissions that exceed permitted amount(s) under this permit (unless specifically exempted by rule) must be reported as deviations in the annual permit evaluation report (PER), including nonexempt excess emissions that occur during approved scheduled maintenance.

10. Do I have to report malfunctions of emissions units or air pollution control equipment? If so, how must I report?

If you have a reportable malfunction of any emissions unit(s) or any associated air pollution control system, you must report this to the Regional Air Pollution Control Agency in accordance with OAC rule 3745-15-06(B). Malfunctions that must be reported are those that result in emissions that exceed permitted emission levels. It is your responsibility to evaluate control equipment breakdowns and operational upsets to determine if a reportable malfunction has occurred.

If you have a malfunction, but determine that it is not a reportable malfunction under OAC rule 3745-15-06(B), it is recommended that you maintain records associated with control equipment breakdown or process upsets. Although it is not a requirement of this permit, Ohio EPA recommends that you maintain records for non-reportable malfunctions.

11. Can Ohio EPA or my local air agency inspect the facility where the emission unit(s) is/are located?

Yes. Under Ohio law, the Director or his authorized representative may inspect the facility, conduct tests, examine records or reports to determine compliance with air pollution laws and regulations and the terms and conditions of this permit. You must provide, within a reasonable time, any information Ohio EPA requests either verbally or in writing.

12. What happens if one or more emissions units operated under this permit is/are shut down permanently?

Ohio EPA can terminate the permit terms associated with any permanently shut down emissions unit. "Shut down" means the emissions unit has been physically removed from service or has been altered in such a way that it can no longer operate without a subsequent "modification" or "installation" as defined in OAC Chapter 3745-31.

You should notify Ohio EPA of any emissions unit that is permanently shut down by submitting¹ a certification that identifies the date on which the emissions unit was permanently shut down. The certification must be submitted by an authorized official from the facility. You cannot continue to operate an emissions unit once the certification has been submitted to Ohio EPA by the authorized official.

You must comply with all recordkeeping and reporting for any permanently shut down emissions unit in accordance with the provisions of the permit, regulations or laws that were enforceable during the period of operation, such as the requirement to submit a PER, air fee emission report, or malfunction report. You must also keep all records relating to any permanently shutdown emissions unit, generated while the emissions unit was in operation, for at least five years from the date the record was generated.

Again, you cannot resume operation of any emissions unit certified by the authorized official as being permanently shut down without first applying for and obtaining a permit pursuant to OAC Chapter 3745-31.

¹ Permittees that use Ohio EPA's "Air Services" can mark the affected emissions unit(s) as "permanently shutdown" in the facility profile along with the date the emissions unit(s) was permanently removed and/or disabled. Submitting the facility profile update will constitute notifying of the permanent shutdown of the affected emissions unit(s).

13. Can I transfer this permit to a new owner or operator?

You can transfer this permit to a new owner or operator. If you transfer the permit, you must follow the procedures in OAC Chapter 3745-31, including notifying Ohio EPA or the local air agency of the change in ownership or operator. Any transferee of this permit must assume the responsibilities of the transferor permit holder.

14. Does compliance with this permit constitute compliance with OAC rule 3745-15-07, "air pollution nuisance"?

This permit and OAC rule 3745-15-07 prohibit operation of the air contaminant source(s) regulated under this permit in a manner that causes a nuisance. Ohio EPA can require additional controls or modification of the requirements of this permit through enforcement orders or judicial enforcement action if, upon investigation, Ohio EPA determines existing operations are causing a nuisance.

15. What happens if a portion of this permit is determined to be invalid?

If a portion of this permit is determined to be invalid, the remainder of the terms and conditions remain valid and enforceable. The exception is where the enforceability of terms and conditions are dependent on the term or condition that was declared invalid.

B. Facility-Wide Terms and Conditions

1. This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).
 - a) For the purpose of a permit-to-install document, the facility-wide terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.
 - (1) None.
 - b) For the purpose of a permit-to-operate document, the facility-wide terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.
 - (1) None.

C. Emissions Unit Terms and Conditions



1. P001, Plating Room

Operations, Property and/or Equipment Description:

Decorative Copper/Nickel/Chrome/Gold Plating

a) This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

(1) For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.

a. None.

(2) For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.

a. None.

b) Applicable Emissions Limitations and/or Control Requirements

(1) The specific operation(s), property, and/or equipment that constitute each emissions unit along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures are identified below. Emissions from each unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
a.	OAC rule 3745-31-05(A)(3) PTI 08-03589 issued 3/19/1997	The Chromium (Cr) emissions from this emissions unit shall not exceed 1.6 E-3 ton/yr. The particulate emissions (PE) from this emissions unit shall not exceed 2.41 tons/yr. The requirements of this rule includes compliance with the requirements of OAC rule 3745-17-11(B), 3745-17-07(A) and 40 CFR Part 63 Subpart N.
b.	National Emissions Standards for Hazardous Air Pollutants (NESHAP), 40 CFR, Part 63, Subpart N, for Chromium Emissions from Hard and Decorative Chromium Electroplating and Chromium Anodizing Tanks.	The permittee, using a chemical fume suppressant containing a wetting agent, shall not allow the surface tension of the decorative chromium electroplating or anodizing bath(s), P001, to exceed 45 dynes per centimeter (3.1 x 10 ⁻³ pound-force/foot) as measured by a stalagmometer or 35 dynes per centimeter (2.4 x 10 ⁻³ pound-force/foot)



	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
		as measured by a tensiometer at any time during tank operation. This limitation also applies during startup and shutdown operations, but not during periods of malfunction where work practice standards address and correct any malfunction event
c.	OAC rule 3745-17-11(B)	The PE from this emissions unit shall not exceed 0.551 lb/hr.
d.	OAC rule 3745-17-07(A)	Visible particulate emissions from the stack serving this emissions unit shall not exceed 20 percent opacity as a six-minute average, except as provided by rule. The presence of water vapor in the scrubber plume does not constitute visible emissions.

(2) Additional Terms and Conditions

a. None.

c) Operational Restrictions

(1) The permittee shall implement the following operational, maintenance, and work practices standards for the chromium electroplating and anodizing tanks:

a. At all times, including periods of startup, shutdown, and malfunction, the permittee shall operate and maintain the chromium electroplating or anodizing tank(s), including the associated air pollution control device(s) and monitoring equipment, in a manner consistent with the operation and maintenance plan required by these terms and conditions.

b. Malfunctions shall be corrected as soon as practicable after their occurrence in accordance with the operation and maintenance plan.

c. Determination of whether acceptable operation and maintenance procedures are being used shall be based on the facility records, which shall be made available to the regulating agency (appropriate Ohio EPA Division of Air Pollution Control, District Office or local air agency) upon request, and which may include, but not be limited to: monitoring results; review of the operation and maintenance plan, procedures, and records; and inspection of the emissions unit. Based on this information, the regulating agency may require that the permittee make changes to the operation and maintenance plan if that plan:

i. does not address a malfunction that has occurred;

ii. fails to provide for the proper operation of the emissions unit, the air pollution control techniques, or the control system and process monitoring

equipment during a malfunction in a manner consistent with good air pollution practices; or

- iii. does not provide adequate procedures for correcting malfunctioning process equipment, air pollution control equipment, and/or monitoring equipment as quickly as practicable.

(2) The permittee shall prepare an operation and maintenance plan to be implemented no later than the startup of the unit or the compliance date. The plan shall include the following elements:

- a. The plan shall specify the operation and maintenance criteria for the affected source, the add-on air pollution control device, and the process and control system monitoring equipment, and shall include a standardized checklist to document the operation and maintenance of the equipment.
- b. The plan shall incorporate the work practice standards for the add-on air pollution control device and monitoring equipment required to demonstrate compliance with the standard.
- c. The plan shall specify procedures to be followed to ensure that equipment or process malfunctions due to poor maintenance or other preventable conditions do not occur.
- d. The plan shall include a systematic procedure for identifying malfunctions of process equipment, add-on air pollution control device(s), and process and control system monitoring equipment, and for implementing corrective actions to address any malfunctions.
- e. If the operation and maintenance plan fails to address or inadequately addresses an event that meets the characteristics of a malfunction at the time the plan is initially developed, the permittee shall revise the operation and maintenance plan within 45 days after such an event occurs. The revised plan shall include procedures for operating and maintaining the process equipment, add-on air pollution control device, or monitoring equipment during similar malfunction events, and a program for corrective action for such events.
- f. If actions taken by the permittee during periods of malfunction are inconsistent with the procedures specified in the operation and maintenance plan, the permittee shall record the actions taken for that event and shall report such actions by phone to the regulating agency (appropriate Ohio EPA Division of Air Pollution Control, District Office or local air agency) within 2 working days following the actions performed inconsistent with the plan. This verbal report shall be followed by a letter within 7 working days following the event, unless the permittee makes alternative reporting arrangements, in advance, with the regulating agency.
- g. The permittee shall maintain the written operation and maintenance plan on record at the facility; and it shall be made readily available for inspection, at the request of the regulating agency and for the life of the emissions unit. If the operation and maintenance plan is revised, the permittee shall maintain previous versions of the plan at the facility for a period of five years following each

revision; the superceded version(s) of the plan shall also be made available for inspection, if so requested by the regulating agency.

- h. The permittee may use applicable standard operating procedure (SOP) manuals, Occupational Safety and Health Administration (OSHA) plans, or other existing plans to meet the operation and maintenance plan requirements as long as the alternative plans meet the requirements of 40 CFR 63.342(f)(3).

- (3) The operation and maintenance plan shall incorporate the maintenance and operational practices recommended by the manufacturer of the stalagmometer or tensiometer, which shall be used to measure surface tension of the electroplating or anodizing bath. Until performance testing is conducted and an alternative parameter limitation is established, the surface tension of the electroplating or anodizing bath shall not exceed 45 dynes per centimeter (3.1×10^{-3} pound-force/foot) as measured by a stalagmometer or 35 dynes per centimeter (2.4×10^{-3} pound-force/foot) as measured by a tensiometer at any time during tank operation.

d) Monitoring and/or Recordkeeping Requirements

- (1) In addition to fulfilling all record keeping requirements contained in the General Provisions to 40 CFR Part 63, Subpart A, as they apply to the emissions unit, the permittee shall also maintain the following records:
 - a. inspection records for the add-on air pollution control device and monitoring equipment, to document that the inspection and maintenance required by the work practice standards contained in this permit have been performed. The record can take the form of a checklist and should identify the device inspected, the date of inspection, a brief description of the working condition of the device during the inspection, and any actions taken to correct deficiencies found during the inspection;
 - b. records of all maintenance performed on the emissions unit, add-on air pollution control device, and monitoring equipment;
 - c. records of the occurrence, duration, and cause (if known) of each malfunction of process, add-on air pollution control device, and monitoring equipment;
 - d. records of actions taken during periods of malfunction when such actions are inconsistent with the operation and maintenance plan;
 - e. other records, which may take the form of checklists, necessary to demonstrate consistency with the provisions of the operation and maintenance plan;
 - f. test reports documenting results of all performance tests;
 - g. all measurements as may be necessary to determine the conditions of performance tests;
 - h. records of monitoring data that are used to demonstrate compliance with the standard including the date and time the data are collected;
 - i. the specific identification (i.e., the date and time of commencement and completion) of each period of excess emissions, as indicated by monitoring data,

- that occurs during malfunction of the process, add-on air pollution control device, or monitoring equipment;
- j. the specific identification (i.e., the date and time of commencement and completion) of each period of excess emissions, as indicated by monitoring data, that occurs during periods other than malfunction of the process, add-on air pollution control device, or monitoring equipment;
 - k. the total process operating time of the emissions unit during the reporting period; and
 - l. all documentation supporting the notifications and reports as outlined in the "Reporting Requirements" section of this permit and the general reporting requirements in 40 CFR 63.9 and 40 CFR 63.10, from subpart A.
 - m. records of the actual cumulative rectifier capacity of hard chromium electroplating tanks expended during each month of the reporting period, and the total capacity expended to date for a reporting period; and
 - n. records of the date and time that fume suppressants are added to the electroplating or anodizing bath; and
 - o. All records shall be maintained for a period of five years.
- (2) The permittee shall perform the following monitoring and record keeping requirements in order to demonstrate compliance through the use of the wetting agent or combination wetting agent/foam blanket fume suppressant:
- a. The permittee shall monitor the surface tension of the electroplating or anodizing bath according to the schedule in d)(2)b. Operation of the emissions unit at a surface tension no greater than 45 dynes per centimeter (3.1×10^{-3} pound-force/foot) as measured by a stalagmometer or 35 dynes per centimeter (2.4×10^{-3} pound-force/foot) as measured by a tensiometer, if the permittee is using this value as the maximum surface tension value, shall constitute compliance with the standard.
 - b. The surface tension shall be monitored using either a stalagmometer or a tensiometer as specified in Method 306B of 40 CFR Part 63, Appendix A of Subpart N and according to the following schedule:
 - i. Following the compliance date, the surface tension shall be measured once every four hours during tank operation.
 - ii. The time between monitoring can be increased if there have been no exceedances. If there are no exceedances during 40 hours of tank operation, surface tension measurement may be conducted once every 8 hours of tank operation. Again if there are no exceedances during 40 hours of tank operation, surface tension measurement may be conducted once every 40 hours of tank operation on an ongoing basis, until an exceedance occurs. The minimum frequency of surface tension measurements shall be once in every 40 hours of tank operation.

- iii. Once an exceedance has occurred, as indicated through surface tension monitoring, the original monitoring schedule of once every four hours must be resumed and a subsequent decrease in frequency shall follow the schedule in paragraph (ii) above.
 - iv. Once a bath solution is drained from the affected tank and a new solution added, the original monitoring schedule of once every four hours must be resumed, with a decrease in monitoring frequency allowed as in paragraph (ii) above.
- (3) The permittee shall perform daily checks, when the emissions unit is in operation and when the weather conditions allow, for any visible particulate emissions from the stack serving this emissions unit. The presence or absence of any visible emissions shall be noted in an operations log. If visible emissions are observed, the permittee shall also note the following in the operations log:
 - a. the color of the emissions;
 - b. whether the emissions are representative of normal operations;
 - c. if the emissions are not representative of normal operations, the cause of the abnormal emissions;
 - d. the total duration of any visible emissions incident; and
 - e. any corrective actions taken to minimize or eliminate the visible emissions.
- (4) If visible emissions are present, a visible emissions incident has occurred. The observer does not have to document the exact start and end times for the visible emissions incident under item (d) above or continue the daily check until the incident has ended. The observer may indicate that the visible emissions incident was continuous during the observation period (or, if known, continuous during the operation of the emissions unit). With respect to the documentation of corrective actions, the observer may indicate that no corrective actions were taken if the visible emissions were representative of normal operations, or specify the minor corrective actions that were taken to ensure that the emissions unit continued to operate under normal conditions, or specify the corrective actions that were taken to eliminate abnormal visible emissions.
- (5) The permittee may, upon receipt of written approval from the appropriate Ohio EPA District Office or local air agency, modify the above-mentioned frequencies for performing the visible emissions checks if operating experience indicates that less frequent visible emissions checks would be sufficient to ensure compliance with the above-mentioned applicable requirements.
- (6) An exceedance of the visible particulate emission limitations specified in OAC rule 3745-17-07(A)(1) that is caused by a malfunction is not a violation and does not need to be reported as a deviation if the permittee complies with the requirements of OAC rule 3745-15-06 and none of the conditions listed in OAC rule 3745-15-06(C) are applicable to the source.

e) Reporting Requirements

- (1) The permittee, qualifying as an area source, shall prepare an annual "Summary Report" ("Ongoing Compliance Status Report") to document ongoing compliance. The "Summary Report" shall be maintained onsite and made available to the regulating agency (appropriate Ohio EPA Division of Air Pollution Control, District Office or local air agency) upon request. This report shall include the following:
 - a. the company name and address of the emissions unit;
 - b. a description of the source, type of process performed, and the air pollution control method and monitoring device(s) that is/are/shall be used to demonstrate continuous compliance;
 - c. an identification of the operating parameter(s) that is/are/shall be monitored for compliance determination;
 - d. the relevant emission limitation for the emissions unit, and the operating parameter value(s), or range of values, established during compliance testing and reported in the notification of compliance status report(s);
 - e. the beginning and ending dates of the reporting period;
 - f. the total operating time of the emissions unit during the reporting period;
 - g. a summary of operating parameter values, including the total duration of excess emissions during the reporting period as indicated by those values, the total duration of excess emissions expressed as a percent of the total emissions unit operating time during that reporting period; and a breakdown of the total duration of excess emissions during the reporting period into those that are due to process upsets, control equipment malfunctions, other known causes, and unknown causes;
 - h. a certification by a responsible official that the work practice standards in this permit were followed in accordance with the operation and maintenance plan for the emissions unit;
 - i. if the operation and maintenance plan required by this permit was not followed, an explanation of the reasons for not following the provisions, an assessment of whether any excess emission and/or parameter monitoring exceedances are believed to have occurred, and a copy of the reports required by the work practices in this permit;
 - j. a description of any changes in monitoring, processes, or controls since the last reporting period;
 - k. the date of the report;
 - l. the name, title, and signature of the responsible official who is certifying the accuracy of the report; and
 - m. the report shall be completed annually and retained on site, and made available to the regulating agency upon request.

- (2) The "Summary Report" shall be prepared annually, unless it is determined that more frequent reporting is required; semiannual reports shall be prepared and submitted to the regulating agency (appropriate Ohio EPA Division of Air Pollution Control, District Office or local air agency) if both of the following conditions are met:
- a. the total duration of excess emissions is one percent or greater of the total operating time for the reporting period; and
 - b. the total duration of malfunctions of the add-on air pollution control device and/or monitoring equipment is 5 percent or greater of the total operating time.

Once the permittee reports an exceedance or malfunction meeting these conditions, ongoing compliance status reports shall be submitted semiannually until a request to reduce reporting frequency is approved.

- (3) The regulating agency may determine, on a case-by-case basis, if the "Summary Report" ("Ongoing Compliance Status Report") shall be completed more frequently than annually or if to require it be submitted (rather than retained onsite), if these measures are necessary to accurately assess the compliance status of the emissions unit(s).
- (4) The permittee, who qualifies as an area source but has been required to submit "Summary Reports" on a semiannual (or more frequent) basis, or is required to submit its annual report instead of retaining it on site, may reduce the frequency of reporting to annual (or semi-annual if quarterly) and/or may be permitted to maintain the report on site, rather than submit the annual or semi-annual report, if all of the following conditions are met:
- a. for 1 full year (e.g., 2 semiannual or 4 quarterly reporting periods), the ongoing compliance status reports demonstrate that the affected emissions unit is in compliance with the relevant emission limit;
 - b. the permittee continues to comply with all applicable record keeping and monitoring requirements of 40 CFR Part 63, subpart A and this permit; and
 - c. the regulating agency does not object to a reduced reporting frequency.
- (5) The frequency of completing and/or submitting the "Summary Reports" may be reduced or the report maintained on site (not required to be submitted) only after the permittee notifies the regulating agency in writing of the intention to make the change and the same agency does not object. In deciding whether to approve a reduced reporting frequency or to allow the report to be retained on site, the Ohio EPA regulating agency may request to review information concerning the facility's previous performance history during the 5-year record keeping period prior to the intended change in reporting frequency, or the record keeping period since the emissions unit's compliance date, whichever is shorter. Records subject to review include performance test results, monitoring data, and evaluations of the permittee's conformance with emission limitations and work practice standards. If the permittee's request is disapproved, the regulating agency will notify the permittee in writing within 45 days after receiving notice. This notification will specify the grounds on which the disapproval is based. In the absence of a notice of disapproval within 45 days, approval is automatically granted.

- (6) As soon as the monitoring data show that the facility is not in compliance with the relevant emission limit, the frequency of reporting shall revert to semiannually, and the permittee shall document this exceedance in the "Ongoing Compliance Status/Summary Report", for the next reporting period. After demonstrating ongoing compliance with the relevant emission limit for another full year, the permittee may again request approval to reduce the reporting frequency.
- (3) The permittee shall identify the following information in the annual permit evaluation report in accordance with the monitoring requirements for visible emissions in d)(3):
- all days during which any visible particulate emissions were observed from the stack serving this emissions unit; and
 - any corrective actions taken to minimize or eliminate the visible particulate emissions.
- (4) Annual Permit Evaluation Report (PER) forms will be mailed to the permittee at the end of the reporting period specified in the Authorization section of this permit. The permittee shall submit the PER in the form and manner provided by the director by the due date identified in the Authorization section of this permit. The permit evaluation report shall cover a reporting period of no more than twelve-months for each air contaminant source identified in this permit.
- f) Testing Requirements
- (1) Compliance with the emission limitations in b)(1) of the terms and conditions of this permit shall be determined in accordance with the following methods:
- Emission Limitation

The permittee, using a chemical fume suppressant containing a wetting agent, shall not allow the surface tension of the decorative chromium electroplating or anodizing bath(s), P001, to exceed 45 dynes per centimeter (3.1×10^{-3} pound-force/foot) as measured by a stalagmometer or 35 dynes per centimeter (2.4×10^{-3} pound-force/foot) as measured by a tensiometer at any time during tank operation.

Applicable Compliance Method

Ongoing compliance shall be based upon the record keeping specified in d)(2).

If required, Method 306B, "Surface Tension Measurement and Record keeping for Tanks Used at Decorative Chromium Electroplating and Anodizing Facilities", shall be used to measure the surface tension of the electroplating and/or anodizing bath.
 - Emission Limitation

The emissions of Cr from this emissions unit shall not exceed 1.6 E-3 ton/yr.

Applicable Compliance Method

The 1.6 E-3 ton/yr emissions limitation was developed by multiplying the 0.000374 lb/hour by a maximum annual operating schedule of 8,760 hours/year divided by 2,000 pounds per ton. Therefore, provided compliance is shown with the hourly limitation, compliance will also be shown with the annual limitation.

c. Emission Limitation

The PE from this emissions unit shall not exceed 0.551 lb/hr.

Applicable Compliance Method

The PE limitation was developed using OAC rule 3745-17-11(B), Table I.

If requested, the permittee shall demonstrate compliance by emission testing in accordance with the procedures specified in 40 CFR Part 60, Appendix A, Methods 1 through 5 and the procedures specified in OAC rule 3745-17-03(B)(10).

d. Emission Limitation

The PE from this emissions unit shall not exceed 2.41 tons/yr.

Applicable Compliance Method

The 2.41 tons/yr emissions limitation was developed by multiplying the 0.551 lb/hour by a maximum annual operating schedule of 8,760 hours/year divided by 2,000 pounds per ton. Therefore, provided compliance is shown with the hourly limitation, compliance will also be shown with the annual limitation.

e. Emission Limitation

Visible particulate emissions from the stack shall not exceed 20 percent opacity as a six-minute average, except as specified by rule.

Applicable Compliance Method

When requested compliance with the stack visible particulate emissions limitation shall be determined through visible emissions observations performed in accordance with U.S. EPA Method 9.

g) Miscellaneous Requirements

- (1) None.



2. P002, Polishing Room

Operations, Property and/or Equipment Description:

Polishing Room - Rotating, Buffing/Polishing Machines

a) This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

(1) For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.

a. None.

(2) For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.

a. None.

b) Applicable Emissions Limitations and/or Control Requirements

(1) The specific operation(s), property, and/or equipment that constitute each emissions unit along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures are identified below. Emissions from each unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
a.	OAC rule 3745-31-05(A)(3) PTI 08-03603 issued 11/06/1996	Particulate emissions (PE) from the stack shall not exceed 0.02 grains per dry standard cubic foot of exhaust gases. PE from this emissions unit shall not exceed 0.32 tons/yr. Visible PE from the stack serving this emissions unit shall not exceed 5 percent opacity, as a 3-minute average.
b.	OAC rule 3745-17-07(A) and OAC rule 3745-17-11(B)	The requirements established pursuant to OAC rule 3745-17-07(A) and OAC rule 3745-17-11(B) are less stringent than the requirements than the requirements established pursuant to OAC rule 3745-31-05(A)(3).

- (2) Additional Terms and Conditions
- a. The emissions from this emissions unit shall be vented to the baghouse at all times the emissions unit is in operation.
- c) Operational Restrictions
- (1) None.
- d) Monitoring and/or Recordkeeping Requirements
- (1) In order to maintain compliance with the applicable emission limitation(s) contained in this permit, the acceptable range established for the pressure drop across the baghouse is between 1 to 6 inches of water.
- (2) The permittee shall properly install, operate, and maintain equipment to continuously monitor the pressure drop, in inches of water, across the baghouse when the controlled emissions unit(s) is/are in operation, including periods of startup and shutdown. The permittee shall record the pressure drop across the baghouse on weekly basis. The monitoring equipment shall be installed, calibrated, operated, and maintained in accordance with the manufacturer's recommendations, instructions, and operating manual(s), with any modifications deemed necessary by the permittee.

Whenever the monitored value for the pressure drop deviates from the limit or range established in accordance with this permit, the permittee shall promptly investigate the cause of the deviation. The permittee shall maintain records of the following information for each investigation:

- a. the date and time the deviation began;
- b. the magnitude of the deviation at that time;
- c. the date the investigation was conducted;
- d. the name(s) of the personnel who conducted the investigation; and
- e. the findings and recommendations.

In response to each required investigation to determine the cause of a deviation, the permittee shall take prompt corrective action to bring the operation of the control equipment within the acceptable range specified in this permit, unless the permittee determines that corrective action is not necessary and documents the reasons for that determination and the date and time the deviation ended. The permittee shall maintain records of the following information for each corrective action taken:

- a. a description of the corrective action;
- b. the date corrective action was completed;
- c. the date and time the deviation ended;
- d. the total period of time (in minutes) during which there was a deviation;

- e. the pressure drop readings immediately after the corrective action was implemented; and
- f. the name(s) of the personnel who performed the work.

Investigation and records required by this paragraph do not eliminate the need to comply with the requirements of OAC rule 3745-15-06 if it is determined that a malfunction has occurred.

- (3) This range or limit on the pressure drop across the baghouse is effective for the duration of this permit, unless revisions are requested by the permittee and approved in writing by the appropriate Ohio EPA District Office or local air agency. The permittee may request revisions to the permitted limit or range for the pressure drop based upon information obtained during future testing that demonstrate compliance with the allowable particulate emission rate for the controlled emissions unit(s). In addition, approved revisions to the range or limit will not constitute a relaxation of the monitoring requirements of this permit and may be incorporated into this permit by means of a administrative modification.
- (4) The permittee shall perform daily checks, when the emissions unit is in operation and when the weather conditions allow, for any visible particulate emissions from the stack serving this emissions unit. The presence or absence of any visible emissions shall be noted in an operations log. If visible emissions are observed, the permittee shall also note the following in the operations log:
 - a. the color of the emissions;
 - b. whether the emissions are representative of normal operations;
 - c. if the emissions are not representative of normal operations, the cause of the abnormal emissions;
 - d. the total duration of any visible emissions incident; and
 - e. any corrective actions taken to minimize or eliminate the visible emissions.

If visible emissions are present, a visible emissions incident has occurred. The observer does not have to document the exact start and end times for the visible emissions incident under item (d) above or continue the daily check until the incident has ended. The observer may indicate that the visible emissions incident was continuous during the observation period (or, if known, continuous during the operation of the emissions unit). With respect to the documentation of corrective actions, the observer may indicate that no corrective actions were taken if the visible emissions were representative of normal operations, or specify the minor corrective actions that were taken to ensure that the emissions unit continued to operate under normal conditions, or specify the corrective actions that were taken to eliminate abnormal visible emissions.

- (5) The permittee may, upon receipt of written approval from the appropriate Ohio EPA District Office or local air agency, modify the above-mentioned frequencies for performing the visible emissions checks if operating experience indicates that less frequent visible emissions checks would be sufficient to ensure compliance with the above-mentioned applicable requirements.

e) Reporting Requirements

- (1) Annual Permit Evaluation Report (PER) forms will be mailed to the permittee at the end of the reporting period specified in the Authorization section of this permit. The permittee shall submit the PER in the form and manner provided by the director by the due date identified in the Authorization section of this permit. The permit evaluation report shall cover a reporting period of no more than twelve-months for each air contaminant source identified in this permit.
- (2) The permittee shall identify in the annual permit evaluation report the following information concerning the operations of the baghouse during the 12-month reporting period for this emissions unit:
 - a. each period of time (start time and date, and end time and date) when the pressure drop across the baghouse was outside of the acceptable range;
 - b. any period of time (start time and date, and end time and date) when the emissions unit(s) was/were in operation and the process emissions were not vented to the baghouse;
 - c. each incident of deviation described in "a" (above) where a prompt investigation was not conducted;
 - d. each incident of deviation described in "a" where prompt corrective action, that would bring the pressure drop into compliance with the acceptable range, was determined to be necessary and was not taken; and
 - e. each incident of deviation described in "a" where proper records were not maintained for the investigation and/or the corrective action(s), as identified in the monitoring and record keeping requirements of this permit.
- (3) The permittee shall identify the following information in the annual permit evaluation report in accordance with the monitoring requirements for visible emissions in term number d)(1) above:
 - a. all days during which any visible particulate emissions were observed from the stack serving this emissions unit; and
 - b. any corrective actions taken to minimize or eliminate the visible particulate emissions.

f) Testing Requirements

- (1) Compliance with the emission limitations in b)(1) of the terms and conditions of this permit shall be determined in accordance with the following methods:
 - a. Emission Limitation

PE from the stack shall not exceed 0.02 grains per dry standard cubic foot of exhaust gases.

Applicable Compliance Method

If required, the permittee shall demonstrate compliance by emission testing in accordance with the procedures specified in 40 CFR Part 60, Appendix A, Methods 1 through 5 and the procedures specified in OAC rule 3745-17-03(B)(10).

b. Emission Limitation

PE from this emissions unit shall not exceed 0.32 ton/yr.

Applicable Compliance Method

Compliance shall be based on the 0.02 gr/dscf (0.074 lb/hr) limit and a maximum annual operating schedule of 8760 hours. Therefore, provided compliance is shown with the 0.02 gr/dscf (0.074 lb/hr) limit, compliance will also be shown with the annual limitation.

c. Emission Limitation -

Visible particulate emissions from the stack shall not exceed 5 percent opacity as a three-minute average.

Applicable Compliance Method-

Compliance with the stack visible particulate emissions limitation shall be determined through visible emissions observations performed in accordance with U.S. EPA Method 9.

g) Miscellaneous Requirements

(1) None.