



Environmental Protection Agency

John R. Kasich, Governor  
Mary Taylor, Lt. Governor  
Scott J. Nally, Director

10/14/2011

Richard Bissler  
Bissler& Sons Funeral Home and Crematory  
628 W. Main Street  
Kent, OH 44240

RE: FINAL AIR POLLUTION PERMIT-TO-INSTALL AND OPERATE

Facility ID: 1667040147  
Permit Number: P0108733  
Permit Type: Renewal  
County: Portage

Certified Mail

No	TOXIC REVIEW
No	PSD
No	SYNTHETIC MINOR TO AVOID MAJOR NSR
No	CEMS
No	MACT/GACT
No	NSPS
No	NESHAPS
No	NETTING
No	MAJOR NON-ATTAINMENT
No	MODELING SUBMITTED
No	SYNTHETIC MINOR TO AVOID TITLE V
No	FEDERALLY ENFORCABLE PTIO (FEPTIO)
No	SYNTHETIC MINOR TO AVOID MAJOR GHG

Dear Permit Holder:

Enclosed please find a final Air Pollution Permit-to-Install and Operate (PTIO) which will allow you to install, modify, and/or operate the described emissions unit(s) in the manner indicated in the permit. Because this permit contains conditions and restrictions, please read it very carefully. Please complete a survey at [www.epa.ohio.gov/dapc/permitsurvey.aspx](http://www.epa.ohio.gov/dapc/permitsurvey.aspx) and give us feedback on your permitting experience. We value your opinion.

The issuance of this PTI is a final action of the Director and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00, made payable to "Ohio Treasurer Josh Mandel," which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission  
309 South Fourth Street, Room 222  
Columbus, OH 43215

If you have any questions, please contact Akron Regional Air Quality Management District at (330)375-2480 or the Office of Compliance Assistance and Pollution Prevention at (614) 644-3469. This permit can be accessed electronically on the DAPC Web page, [www.epa.ohio.gov/dapc](http://www.epa.ohio.gov/dapc), by clicking the "Issued Air Pollution Control Permits" link.

Sincerely,

Michael W. Ahern, Manager  
Permit Issuance and Data Management Section, DAPC

Cc: ARAQMD





**FINAL**

**Division of Air Pollution Control  
Permit-to-Install and Operate  
for  
Bissler& Sons Funeral Home and Crematory**

Facility ID:	1667040147
Permit Number:	P0108733
Permit Type:	Renewal
Issued:	10/14/2011
Effective:	10/14/2011
Expiration:	10/14/2021





Division of Air Pollution Control
Permit-to-Install and Operate
for
Bissler& Sons Funeral Home and Crematory

Table of Contents

Authorization ..... 1
A. Standard Terms and Conditions ..... 3
1. What does this permit-to-install and operate ("PTIO") allow me to do?..... 4
2. Who is responsible for complying with this permit? ..... 4
3. What records must I keep under this permit? ..... 4
4. What are my permit fees and when do I pay them?..... 4
5. When does my PTIO expire, and when do I need to submit my renewal application? ..... 4
6. What happens to this permit if my project is delayed or I do not install or modify my source? ..... 5
7. What reports must I submit under this permit? ..... 5
8. If I am required to obtain a Title V operating permit in the future, what happens to the operating provisions and PER obligations under this permit? ..... 5
9. What are my obligations when I perform scheduled maintenance on air pollution control equipment? ... 5
10. Do I have to report malfunctions of emissions units or air pollution control equipment? If so, how must I report? ..... 6
11. Can Ohio EPA or my local air agency inspect the facility where the emission unit(s) is/are located? ..... 6
12. What happens if one or more emissions units operated under this permit is/are shut down permanently? ..... 6
13. Can I transfer this permit to a new owner or operator?..... 7
14. Does compliance with this permit constitute compliance with OAC rule 3745-15-07, "air pollution nuisance"? ..... 7
15. What happens if a portion of this permit is determined to be invalid? ..... 7
B. Facility-Wide Terms and Conditions..... 8
C. Emissions Unit Terms and Conditions ..... 10
1. N001, Power PAK II Crematory..... 11



## Authorization

Facility ID: 1667040147  
Application Number(s): A0042740  
Permit Number: P0108733  
Permit Description: Renewal permit for a human crematory incinerator (100 lbs/hr) with updated emission calculations to revise BAT limits. This is the first PTIO issued to the facility.  
Permit Type: Renewal  
Permit Fee: \$0.00  
Issue Date: 10/14/2011  
Effective Date: 10/14/2011  
Expiration Date: 10/14/2021  
Permit Evaluation Report (PER) Annual Date: Jan 1 - Dec 31, Due Feb 15

This document constitutes issuance to:

Bissler& Sons Funeral Home and Crematory  
628 W. Main Street  
Kent, OH 44240

of a Permit-to-Install and Operate for the emissions unit(s) identified on the following page.


Ohio EPA District Office or local air agency responsible for processing and administering your permit:

Akron Regional Air Quality Management District  
146 South High Street, Room 904  
Akron, OH 44308  
(330)375-2480

The above named entity is hereby granted this Permit-to-Install and Operate for the air contaminant source(s) (emissions unit(s)) listed in this section pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this permit does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the described emissions unit(s) will operate in compliance with applicable State and federal laws and regulations.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency

  
Scott J. Nally  
Director



## **Authorization (continued)**

Permit Number: P0108733  
Permit Description: Renewal permit for a human crematory incinerator (100 lbs/hr) with updated emission calculations to revise BAT limits. This is the first PTIO issued to the facility.

Permits for the following Emissions Unit(s) or groups of Emissions Units are in this document as indicated below:

<b>Emissions Unit ID:</b>	<b>N001</b>
Company Equipment ID:	Power PAK II Crematory
Superseded Permit Number:	16-1532
General Permit Category and Type:	Not Applicable



## **A. Standard Terms and Conditions**

**1. What does this permit-to-install and operate ("PTIO") allow me to do?**

This permit allows you to install and operate the emissions unit(s) identified in this PTIO. You must install and operate the unit(s) in accordance with the application you submitted and all the terms and conditions contained in this PTIO, including emission limits and those terms that ensure compliance with the emission limits (for example, operating, recordkeeping and monitoring requirements).

**2. Who is responsible for complying with this permit?**

The person identified on the "Authorization" page, above, is responsible for complying with this permit until the permit is revoked, terminated, or transferred. "Person" means a person, firm, corporation, association, or partnership. The words "you," "your," or "permittee" refer to the "person" identified on the "Authorization" page above.

The permit applies only to the emissions unit(s) identified in the permit. If you install or modify any other equipment that requires an air permit, you must apply for an additional PTIO(s) for these sources.

**3. What records must I keep under this permit?**

You must keep all records required by this permit, including monitoring data, test results, strip-chart recordings, calibration data, maintenance records, and any other record required by this permit for five years from the date the record was created. You can keep these records electronically, provided they can be made available to Ohio EPA during an inspection at the facility. Failure to make requested records available to Ohio EPA upon request is a violation of this permit requirement.

**4. What are my permit fees and when do I pay them?**

There are two fees associated with permitted air contaminant sources in Ohio:

- PTIO fee. This one-time fee is based on a fee schedule in accordance with Ohio Revised Code (ORC) section 3745.11, or based on a time and materials charge for permit application review and permit processing if required by the Director.

You will be sent an invoice for this fee after you receive this PTIO and payment is due within 30 days of the invoice date. You are required to pay the fee for this PTIO even if you do not install or modify your operations as authorized by this permit.

- Annual emissions fee. Ohio EPA will assess a separate fee based on the total annual emissions from your facility. You self-report your emissions in accordance with Ohio Administrative Code (OAC) Chapter 3745-78. This fee assessed is based on a fee schedule in ORC section 3745.11 and funds Ohio EPA's permit compliance oversight activities. Unless otherwise specified, facilities subject to one or more synthetic minor restrictions must use Ohio EPA's "Air Services" to submit annual emissions associated with this permit requirement. Ohio EPA will notify you when it is time to report your emissions and to pay your annual emission fees.

**5. When does my PTIO expire, and when do I need to submit my renewal application?**

This permit expires on the date identified at the beginning of this permit document (see "Authorization" page above) and you must submit a renewal application to renew the permit. Ohio EPA will send a renewal notice to you approximately six months prior to the expiration date of this permit. However, it is

very important that you submit a complete renewal permit application (postmarked prior to expiration of this permit) even if you do not receive the renewal notice.

If a complete renewal application is submitted before the expiration date, Ohio EPA considers this a timely application for purposes of ORC section 119.06, and you are authorized to continue operating the emissions unit(s) covered by this permit beyond the expiration date of this permit until final action is taken by Ohio EPA on the renewal application.

**6. What happens to this permit if my project is delayed or I do not install or modify my source?**

This PTIO expires 18 months after the issue date identified on the "Authorization" page above unless otherwise specified if you have not (1) started constructing the new or modified emission sources identified in this permit, or (2) entered into a binding contract to undertake such construction. This deadline can be extended by up to 12 months, provided you apply to Ohio EPA for this extension within a reasonable time before the 18-month period has ended and you can show good cause for any such extension.

**7. What reports must I submit under this permit?**

An annual permit evaluation report (PER) is required in addition to any malfunction reporting required by OAC rule 3745-15-06 or other specific rule-based reporting requirement identified in this permit. Your PER due date is identified in the Authorization section of this permit.

**8. If I am required to obtain a Title V operating permit in the future, what happens to the operating provisions and PER obligations under this permit?**

If you are required to obtain a Title V permit under OAC Chapter 3745-77 in the future, the permit-to-operate portion of this permit will be superseded by the issued Title V permit. From the effective date of the Title V permit forward, this PTIO will effectively become a PTI (permit-to-install) in accordance with OAC rule 3745-31-02(B). The following terms and conditions will no longer be applicable after issuance of the Title V permit: Section B, Term 1.b) and Section C, for each emissions unit, Term a)(2).

The PER requirements in this permit remain effective until the date the Title V permit is issued and is effective, and cease to apply after the effective date of the Title V permit. The final PER obligation will cover operations up to the effective date of the Title V permit and must be submitted on or before the submission deadline identified in this permit on the last day prior to the effective date of the Title V permit.

**9. What are my obligations when I perform scheduled maintenance on air pollution control equipment?**

You must perform scheduled maintenance of air pollution control equipment in accordance with OAC rule 3745-15-06(A). If scheduled maintenance requires shutting down or bypassing any air pollution control equipment, you must also shut down the emissions unit(s) served by the air pollution control equipment during maintenance, unless the conditions of OAC rule 3745-15-06(A)(3) are met. Any emissions that exceed permitted amount(s) under this permit (unless specifically exempted by rule) must be reported as deviations in the annual permit evaluation report (PER), including nonexempt excess emissions that occur during approved scheduled maintenance.

**10. Do I have to report malfunctions of emissions units or air pollution control equipment? If so, how must I report?**

If you have a reportable malfunction of any emissions unit(s) or any associated air pollution control system, you must report this to the Akron Regional Air Quality Management District in accordance with OAC rule 3745-15-06(B). Malfunctions that must be reported are those that result in emissions that exceed permitted emission levels. It is your responsibility to evaluate control equipment breakdowns and operational upsets to determine if a reportable malfunction has occurred.

If you have a malfunction, but determine that it is not a reportable malfunction under OAC rule 3745-15-06(B), it is recommended that you maintain records associated with control equipment breakdown or process upsets. Although it is not a requirement of this permit, Ohio EPA recommends that you maintain records for non-reportable malfunctions.

**11. Can Ohio EPA or my local air agency inspect the facility where the emission unit(s) is/are located?**

Yes. Under Ohio law, the Director or his authorized representative may inspect the facility, conduct tests, examine records or reports to determine compliance with air pollution laws and regulations and the terms and conditions of this permit. You must provide, within a reasonable time, any information Ohio EPA requests either verbally or in writing.

**12. What happens if one or more emissions units operated under this permit is/are shut down permanently?**

Ohio EPA can terminate the permit terms associated with any permanently shut down emissions unit. "Shut down" means the emissions unit has been physically removed from service or has been altered in such a way that it can no longer operate without a subsequent "modification" or "installation" as defined in OAC Chapter 3745-31.

You should notify Ohio EPA of any emissions unit that is permanently shut down by submitting<sup>1</sup> a certification that identifies the date on which the emissions unit was permanently shut down. The certification must be submitted by an authorized official from the facility. You cannot continue to operate an emissions unit once the certification has been submitted to Ohio EPA by the authorized official.

You must comply with all recordkeeping and reporting for any permanently shut down emissions unit in accordance with the provisions of the permit, regulations or laws that were enforceable during the period of operation, such as the requirement to submit a PER, air fee emission report, or malfunction report. You must also keep all records relating to any permanently shutdown emissions unit, generated while the emissions unit was in operation, for at least five years from the date the record was generated.

Again, you cannot resume operation of any emissions unit certified by the authorized official as being permanently shut down without first applying for and obtaining a permit pursuant to OAC Chapter 3745-31.

---

<sup>1</sup>Permittees that use Ohio EPA's "Air Services" can mark the affected emissions unit(s) as "permanently shutdown" in the facility profile along with the date the emissions unit(s) was permanently removed and/or disabled. Submitting the facility profile update will constitute notifying of the permanent shutdown of the affected emissions unit(s).

**13. Can I transfer this permit to a new owner or operator?**

You can transfer this permit to a new owner or operator. If you transfer the permit, you must follow the procedures in OAC Chapter 3745-31, including notifying Ohio EPA or the local air agency of the change in ownership or operator. Any transferee of this permit must assume the responsibilities of the transferor permit holder.

**14. Does compliance with this permit constitute compliance with OAC rule 3745-15-07, "air pollution nuisance"?**

This permit and OAC rule 3745-15-07 prohibit operation of the air contaminant source(s) regulated under this permit in a manner that causes a nuisance. Ohio EPA can require additional controls or modification of the requirements of this permit through enforcement orders or judicial enforcement action if, upon investigation, Ohio EPA determines existing operations are causing a nuisance.

**15. What happens if a portion of this permit is determined to be invalid?**

If a portion of this permit is determined to be invalid, the remainder of the terms and conditions remain valid and enforceable. The exception is where the enforceability of terms and conditions are dependent on the term or condition that was declared invalid.

## **B. Facility-Wide Terms and Conditions**

1. This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).
  - a) For the purpose of a permit-to-install document, the facility-wide terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.
    - (1) None.
  - b) For the purpose of a permit-to-operate document, the facility-wide terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.
    - (1) None.

## **C. Emissions Unit Terms and Conditions**



1. N001, Power PAK II Crematory

Operations, Property and/or Equipment Description:

100 lbs/hr Power Pak II (Model IE43-P11) human crematory incinerator manufactured by Matthews Cremation Division

a) This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

(1) For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.

a. None.

(2) For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.

a. None.

b) Applicable Emissions Limitations and/or Control Requirements

(1) The specific operation(s), property, and/or equipment that constitute each emissions unit along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures are identified below. Emissions from each unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
a.	OAC rule 3745-31-05(A)(3), PTI 16-1532 issued 12/11/1996	Visible particulate emissions (PE) from any stack shall not exceed 1% opacity, as a 6-minute average.  0.55 ton of sulfur dioxide (SO <sub>2</sub> ) per year 2.19 tons of carbon monoxide (CO) per year 0.66 ton of nitrogen oxide (NO <sub>x</sub> ) per year 0.66 ton of organic compounds (OC) per year 0.04 ton of mercury per year  See b)(2)a.
b.	OAC rule 3745-17-07(A)(1)	See b)(2)b.
c.	OAC rule 3745-17-09(B) & (C)	0.10 pound of particulates per 100 pounds of material charged.  See b)(2)c.

- (2) Additional Terms and Conditions
  - a. The Best Available Technology (BAT) requirements include compliance with OAC rule 3745-17-09.
  - b. The visible emissions limitation specified in this rule is less stringent than the limitation established pursuant to OAC rule 3745-31-05(A)(3).
  - c. This cremation unit and all associated equipment and grounds, shall be designed, operated, and maintained so as to prevent the emission of objectionable odors.
- c) Operational Restrictions
  - (1) The permittee shall use only natural gas as fuel in this emissions unit.
  - (2) This cremation unit must be equipped with an afterburner, achieving at least 2.0 seconds retention time in the secondary chamber that shall be used at all times the cremation unit is in operation.
  - (3) The permittee shall install, operate, and properly maintain a temperature gauge which continuously monitors the temperature of the secondary chamber. The cremation unit shall not be operated unless the temperature monitoring device is operating properly.
  - (4) This cremation unit shall be installed, operated, and maintained in accordance with the manufacturer's specifications. This includes but is not limited to:
    - a. during start-up, the temperature controller for the secondary chamber shall be set to at least the minimum temperature recommended by the manufacturer, but not less than 1600 degrees Fahrenheit (°F);
    - b. for the first cremation of the day, or for subsequent cremations after the unit has entered or completed the cool-down state, the secondary chamber must reach the minimum temperature recommended by the manufacturer, but not less than 1600°F, as measured by the secondary chamber indicator, before ignition of the primary burner to start the cremation; and
    - c. the secondary chamber temperature shall be maintained at or above the minimum temperature noted above during the entire cremation cycle except for the brief period of time when the charge is inserted into the primary chamber allowing excess air to enter the cremation unit.
  - (5) The manufacturer's representative or another qualified training source shall provide adequate instruction to all new operators of existing cremation units. The training shall include all of the following elements:
    - a. principles of combustion;
    - b. operating monitors and controls;
    - c. the proper operating sequence under normal conditions;

- d. safety and operating procedures under foreseeable upset conditions (e.g., power or fuel interruption, burner malfunction, visible emissions, high and low temperature incidents, etc);
- e. regulatory requirements;
- f. calibration, adjustment, and replacement of thermocouples;
- g. preventive maintenance practices, procedures, and recommended frequencies; and
- h. record keeping requirements and procedures.

A copy of all the training records for each operator shall be maintained on file as long as that operator is employed for that job and shall be immediately available to the appropriate Ohio EPA District Office or local air agency upon request.

- (6) Ashes shall be removed from the primary chamber on a daily basis.
  - (7) To the extent possible, non-combustible material (except for personal items requested to be included by the family) shall be removed from the material charged to this cremation unit.
  - (8) The permittee shall cremate only human bodies with their appropriate containers. The containers shall not be comprised of any heavy metals or chlorinated plastics.
  - (9) The permittee shall not cremate any human bodies known to contain radioactive material.
  - (10) The crematory stack shall be designed to minimize any building downwash impacts from emissions and/or odors on employees and nearby residences, businesses, or public or private spaces. The design shall meet good engineering practices so as not to result in excessive concentrations of air contaminants and/or odors in locations at, near, or in such a configuration, as to affect any air intake for heating and cooling of buildings or at operable windows or doors.
  - (11) The permittee shall operate and maintain an opacity monitor to regulate the operation of the emissions unit.
- d) Monitoring and/or Recordkeeping Requirements
- (1) The permittee shall perform daily checks, when the cremation unit is in operation and when the weather conditions allow, for any visible particulate emissions from the afterburner stack serving this cremation unit. The presence of any visible emissions shall be noted in an operations log. If visible emissions are observed, the permittee shall also note the following in the operations log:
    - a. the color of the emissions;
    - b. the total duration of any observed visible emission incident; and
    - c. any corrective actions taken to eliminate the visible emissions

- (2) The permittee shall collect and record the temperatures of the secondary chamber on a continuous basis. These records shall be kept for a minimum of two years and shall be made available to the Director (Ohio EPA District Office or local air agency) for review during normal business hours.
  - (3) The permittee shall maintain daily records of the following information for this cremation unit:
    - a. for each cremation, record all periods of time during which the temperature of the secondary chamber dropped below 1600°F, except as noted in c)(5)c. above;
    - b. the weight of each charge; and
    - c. the amount of time needed to complete cremation for each charge.
  - (4) The permittee shall inspect the cremation unit using preventive maintenance procedures recommended by the equipment manufacturer. The inspections should be done at least semi-annually (more often if recommended by the equipment manufacturer). Each inspection shall include a written log which documents the findings of the inspection and identifies any needed cleaning or repairs to both the primary burner and afterburner chambers. If cleaning or repairs are needed, the cremation unit shall not be operated if the operation would result in any exceedance of the emission limits detailed in this permit.
  - (5) Copies of contractor's invoices of maintenance and repairs shall be maintained on site for no less than five (5) years.
  - (6) For each day during which the permittee burns a fuel other than natural gas, the permittee shall maintain a record of the type and quantity of fuel burned in this cremation unit.
- e) Reporting Requirements
- (1) The reports required by this permit may be submitted through the Ohio EPA's eBusiness Center: Air Services online web portal; or they may be mailed as a hard copy to the appropriate Ohio EPA district office or local air agency.
  - (2) Annual Permit Evaluation Report (PER) forms will be mailed to the permittee at the end of the reporting period specified in the Authorization section of this permit. The permittee shall submit the PER in the form and manner provided by the director by the due date identified in the Authorization section of this permit. The permit evaluation report shall cover a reporting period of no more than twelve-months for each air contaminant source identified in this permit. The PER shall include the following:
    - a. the day(s) and time(s) during which the secondary chamber temperature dropped below 1600°F during operation of the cremation unit, the actual temperature values during the excursion, and the corrective actions that were taken to achieve proper operating temperature;



- b. the day(s) during which visible particulate emissions were observed from the afterburner stack and the corrective actions taken to eliminate the visible emissions; and
- c. the day(s) during which a fuel other than natural gas was burned in the cremation unit, including the type and quantity of fuel used.

f) Testing Requirements

- (1) Compliance with the Emissions Limitations and/or Control Requirements specified in section b) of these terms and conditions shall be determined in accordance with the following methods:

a. Emissions Limitation:

Visible particulate emissions (PE) from any stack shall not exceed 1% opacity, as a 6-minute average.

Applicable Compliance Method:

If required, compliance with the opacity limit identified above shall be determined in accordance with the procedures specified in 40 CFR Part 60, Appendix A, Method 9.

b. Emissions Limitation:

0.55 ton SO<sub>2</sub>/yr

Applicable Compliance Methods:

Compliance with the SO<sub>2</sub> emissions limitation identified above shall be demonstrated by multiplying an emission factor of 2.50 lbs/ton (AP-42 Table 2.1-12, October 1996) by the maximum hourly charge rate of the emissions unit (100 lbs/hr) and a conversion factor of 1 ton/2,000 lbs. This value is converted to an annual format by multiplying by 8,760 hrs/yr and 1 ton/2,000 lbs.

If required, compliance with the above SO<sub>2</sub> emissions limitation shall be determined in accordance with the procedures specified in 40 CFR Part 60, Appendix A, Methods 1 through 4 and 6.

c. Emissions Limitation:

2.19 tons CO/yr

Applicable Compliance Methods:

Compliance with the CO emissions limitation identified above shall be demonstrated by multiplying the emission factor of 10.0 lbs/ton (AP-42 Table 2.1-12 dated 10/96) by the maximum hourly charge rate of the emissions unit (100 lbs/hr) and a conversion factor of 1 ton/2,000 lbs. This value is converted to an annual format by multiplying by 8,760 hrs/yr and 1 ton/2,000 lbs.

If required, compliance with the above CO emissions limitation shall be determined in accordance with the procedures specified in 40 CFR Part 60, Appendix A, Methods 1 through 4 and either 10 or 10B, as appropriate.

d. Emissions Limitation:

0.66 ton NO<sub>x</sub>/yr

Applicable Compliance Methods:

Compliance with the NO<sub>x</sub> emissions limitation identified above shall be demonstrated by multiplying the emission factor of 3.0 lbs/ton (AP-42 Table 2.1-12 dated 10/96) by the maximum hourly charge rate of the emissions unit (100 lbs/hr) and a conversion factor of 1 ton/2,000 lbs. This value is converted to an annual format by multiplying by 8,760 hrs/yr and 1 ton/2,000 lbs.

If required, compliance with the above NO<sub>x</sub> emissions limitation shall be determined in accordance with the procedures specified in 40 CFR Part 60, Appendix A, Methods 1 through 4 and 7

e. Emissions Limitation:

0.66 ton OC/yr

Applicable Compliance Methods:

Compliance with the OC emissions limitation identified above shall be demonstrated by multiplying the emission factor of 3.0 lbs/ton (AP-42 Table 2.1-12 dated 10/96) by the maximum hourly charge rate of the emissions unit (100 lbs/hr) and a conversion factor of 1 ton/2,000 lbs. This value is converted to an annual format by multiplying by 8,760 hrs/yr and 1 ton/2,000 lbs.

If required, compliance with the above OC emissions limitation shall be determined in accordance with the procedures specified in 40 CFR Part 60, Appendix A, Methods 1 through 4 and either 25 or 25A, as appropriate.

f. Emissions Limitation:

0.04 ton mercury/yr

Applicable Compliance Methods:

Compliance with the mercury emissions limitation identified above shall be demonstrated by multiplying the emission factor of 2.06 E-06 lbs/case (California Air Resources Board "Evaluation Test on Two Propane Fired Crematories at Camelia Memorial Lawn Cemetery" dated 10/29/92) by the maximum cases per year and a conversion factor of 1 ton/2,000 lbs.

g. Emissions Limitation:

0.10 lb PE/100 lbs material charged

Applicable Compliance Methods:

If required, compliance with the PE emissions limitation identified above shall be determined in accordance with the procedures specified in 40 CFR Part 60, Appendix A, Methods 1 through 5 and the procedures specified in OAC rule 3745-17-03(B)(10).

g) **Miscellaneous Requirements**

- (1) In accordance with ORC section 4717.13(A)(9), the permittee shall not cremate animals in a cremation chamber in which dead human bodies or body parts are cremated and the permittee shall not cremate dead human bodies or human body parts in a cremation chamber in which dead animals are cremated.
- (2) Modeling to demonstrate compliance with the Toxic Air Contaminant Statute, ORC 3704.03(F)(4)(b), was not necessary because the emissions unit's maximum annual emissions for each toxic air contaminant, as defined in OAC rule 3745-114-01, will be less than 1.0 ton per year. OAC Chapter 3745-31 requires permittees to apply for and obtain a new or modified permit to install and operate (PTIO) prior to making a "modification" as defined by OAC rule 3745-31-01. The permittee is hereby advised that changes in the composition of the materials, or use of new materials, that would cause the emissions of any toxic air contaminant to increase to above 1.0 ton per year may require the permittee to apply for and obtain a new permit.