



State of Ohio Environmental Protection Agency

RE: DRAFT PERMIT TO INSTALL CERTIFIED MAIL
SHELBY COUNTY

Street Address:

Lazarus Gov. Center TELE: (614) 644-3020 FAX: (614) 644-2329

Mailing Address:

Lazarus Gov. Center

Application No: 05-10472

DATE: 6/7/00

Honda of America Mfg Inc
JEFF MCCORMACK
12500 MERANDA RD
ANNA, OH 453029699

You are hereby notified that the Ohio Environmental Protection Agency has made a draft action recommending that the Director issue a Permit to Install for the air contaminant source(s) [emissions unit(s)] shown on the enclosed draft permit. This draft action is not an authorization to begin construction or modification of your emissions unit(s). The purpose of this draft is to solicit public comments on the proposed installation. A public notice concerning the draft permit will appear in the Ohio EPA Weekly Review and the newspaper in the county where the facility will be located. Public comments will be accepted by the field office within 30 days of the date of publication in the newspaper. Any comments you have on the draft permit should be directed to the appropriate field office within the comment period. A copy of your comments should also be mailed to Robert Hodanbosi, Division of Air Pollution Control, Ohio EPA, P.O. Box 1049, Columbus, OH, 43266-0149.

A Permit to Install may be issued in proposed or final form based on the draft action, any written public comments received within 30 days of the public notice, or record of a public meeting if one is held. You will be notified in writing of a scheduled public meeting. Upon issuance of a final Permit to Install a fee of \$800 will be due. Please do not submit any payment now.

The Ohio EPA is urging companies to investigate pollution prevention and energy conservation. Not only will this reduce pollution and energy consumption, but it can also save you money. If you would like to learn ways you can save money while protecting the environment, please contact our Office of Pollution Prevention at (614) 644-3469. If you have any questions about this draft permit, please contact the field office where you submitted your application, or Mike Ahern, Field Operations & Permit Section at (614) 644-3631.

Very truly yours,

Thomas G. Rigo
Field Operations and Permit Section
Division of Air Pollution Control

CC: USEPA

SWDO

INDIANA



STATE OF OHIO ENVIRONMENTAL PROTECTION AGENCY

DRAFT PERMIT TO INSTALL 05-10472

Application Number: 05-10472
APS Premise Number: 0575000174
Permit Fee: **To be entered upon final issuance**
Name of Facility: Honda of America Mfg Inc
Person to Contact: JEFF MCCORMACK
Address: 12500 MERANDA RD
ANNA, OH 453029699

Location of proposed air contaminant source(s) [emissions unit(s)]:
12500 Meranda Rd
Anna, Ohio

Description of proposed emissions unit(s):
HOLDING FURNACE AND TRANSIT LADLE SYSTEM LINE 1.

The above named entity is hereby granted a Permit to Install for the above described emissions unit(s) pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this permit does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the above described emissions unit(s) of environmental pollutants will operate in compliance with applicable State and Federal laws and regulations, and does not constitute expressed or implied assurance that if constructed or modified in accordance with those plans and specifications, the above described emissions unit(s) of pollutants will be granted the necessary permits to operate (air) or NPDES permits as applicable.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency

Director

Honda of America Mfg Inc

PTI Application: 05-10472

Issued: To be entered upon final issuance

Part 1 - GENERAL TERMS AND CONDITIONS

Facility ID: 0575000174

A. State and Federally Enforceable Permit To Install General Terms and Conditions

1. Monitoring and Related Recordkeeping and Reporting Requirements

- a. Except as may otherwise be provided in the terms and conditions for a specific emissions unit, the permittee shall maintain records that include the following, where applicable, for any required monitoring under this permit:
 - i. The date, place (as defined in the permit), and time of sampling or measurements.
 - ii. The date(s) analyses were performed.
 - iii. The company or entity that performed the analyses.
 - iv. The analytical techniques or methods used.
 - v. The results of such analyses.
 - vi. The operating conditions existing at the time of sampling or measurement.
- b. Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.
- c. Except as may otherwise be provided in the terms and conditions for a specific emissions unit, the permittee shall submit required reports in the following manner:
 - i. Reports of any required monitoring and/or recordkeeping of federally enforceable information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
 - ii. Quarterly written reports of (i) any deviations from federally enforceable emission limitations, operational restrictions, and control device operating parameter limitations, excluding deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06, that have been detected by the testing, monitoring and recordkeeping requirements specified in this permit, (ii) the probable cause of such deviations, and (iii) any corrective actions or preventive measures taken, shall be

Honda of America Mfg Inc
PTI Application: 05-10472

Facility ID: 0575000174

Issued: To be entered upon final issuance

made to the appropriate Ohio EPA District Office or local air agency. The written reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. See B.11 below if no deviations occurred during the quarter.

- iii. Written reports, which identify any deviations from the federally enforceable monitoring, recordkeeping, and reporting requirements contained in this permit shall be submitted to the appropriate Ohio EPA District Office or local air agency every six months, i.e., by January 31 and July 31 of each year for the previous six calendar months. If no deviations occurred during a six-month period, the permittee shall submit a semi-annual report, which states that no deviations occurred during that period.
- iv. Each written report shall be signed by a responsible official certifying that, based on information and belief formed after reasonable inquiry, the statements and information in the report are true, accurate, and complete.

2. Scheduled Maintenance/Malfunction Reporting

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction, i.e., upset, of any emissions units or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. (The definition of an upset condition shall be the same as that used in OAC rule 3745-15-06(B)(1) for a malfunction.) The verbal and written reports shall be submitted pursuant to OAC rule 3745-15-06. Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emission unit(s) that is (are) served by such control system(s).

3. Risk Management Plans

If the permittee is required to develop and register a risk management plan pursuant to section 112(r) of the Clean Air Act, as amended, 42 U.S.C. 7401 et seq. ("Act"), the permittee shall comply with the requirement to register such a plan.

4. Title IV Provisions

If the permittee is subject to the requirements of 40 CFR Part 72 concerning acid rain, the permittee shall ensure that any affected emissions unit complies with those requirements. Emissions exceeding any allowances that are lawfully held under Title IV of the Act, or any regulations adopted thereunder, are prohibited.

Honda of America Mfg Inc**Facility ID: 0575000174****PTI Application: 05-10472****Issued: To be entered upon final issuance****5. Severability Clause**

A determination that any term or condition of this permit is invalid shall not invalidate the force or effect of any other term or condition thereof, except to the extent that any other term or condition depends in whole or in part for its operation or implementation upon the term or condition declared invalid.

6. General Requirements

- a. The permittee must comply with all terms and conditions of this permit. Any noncompliance with the federally enforceable terms and conditions of this permit constitutes a violation of the Act, and is grounds for enforcement action or for permit revocation, revocation and reissuance, or modification, or for denial of a permit renewal application.
- b. It shall not be a defense for the permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the federally enforceable terms and conditions of this permit.
- c. This permit may be modified, reopened, revoked, or revoked and reissued, for cause. The filing of a request by the permittee for a permit modification, revocation and reissuance, or revocation, or of a notification of planned changes or anticipated noncompliance does not stay any term and condition of this permit.
- d. This permit does not convey any property rights of any sort, or any exclusive privilege.
- e. The permittee shall furnish to the Director of the Ohio EPA, or an authorized representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon request, the permittee shall also furnish to the Director or an authorized representative of the Director, copies of records required to be kept by this permit. For information claimed to be confidential in the submittal to the Director, if the Administrator of the U.S. EPA requests such information, the permittee may furnish such records directly to the Administrator along with a claim of confidentiality.

7. Fees

The permittee shall pay fees to the Director of the Ohio EPA in accordance with ORC section 3745.11 and OAC Chapter 3745-78. The permittee shall pay all applicable Permit To Install fees within 30 days after the issuance of this Permit To Install.

Honda of America Mfg Inc

PTI Application: 05-10472

Issued: To be entered upon final issuance

Facility ID: 0575000174

8. Federal and State Enforceability

Only those terms and conditions designated in this permit as federally enforceable, that are required under the Act, or any of its applicable requirements, including relevant provisions designed to limit the potential to emit of a source, are enforceable by the Administrator of the U.S. EPA, the State, and citizens under the Act. All other terms and conditions of this permit shall not be federally enforceable and shall be enforceable under State law only.

9. Compliance Requirements

- a. Any document (including reports) required to be submitted and required by a federally applicable requirement in this permit shall include a certification by a responsible official that, based on information and belief formed after reasonable inquiry, the statements in the document are true, accurate, and complete.
- b. Upon presentation of credentials and other documents as may be required by law, the permittee shall allow the Director of the Ohio EPA or an authorized representative of the Director to:
 - i. At reasonable times, enter upon the permittee's premises where a source is located or the emissions-related activity is conducted, or where records must be kept under the conditions of this permit.
 - ii. Have access to and copy, at reasonable times, any records that must be kept under the conditions of this permit, subject to the protection from disclosure to the public of confidential information consistent with ORC section 3704.08.
 - iii. Inspect at reasonable times any facilities, equipment (including monitoring and air pollution control equipment), practices, or operations regulated or required under this permit.
 - iv. As authorized by the Act, sample or monitor at reasonable times substances or parameters for the purpose of assuring compliance with the permit and applicable requirements.
- c. The permittee shall submit progress reports to the appropriate Ohio EPA District Office or local air agency concerning any schedule of compliance for meeting an applicable requirement. Progress reports shall be submitted semiannually, or more frequently if specified in the applicable requirement or by the Director of the Ohio EPA. Progress reports shall contain the following:
 - i. Dates for achieving the activities, milestones, or compliance required in any schedule of compliance, and dates when such activities, milestones, or compliance were achieved.
 - ii. An explanation of why any dates in any schedule of compliance were not or will not be met, and any preventive or corrective measures adopted.

10. Permit To Operate Application

- a. If the permittee is required to apply for a Title V permit pursuant to OAC Chapter 3745-77, the permittee shall submit a complete Title V permit application or a complete Title V permit modification application within twelve (12) months after commencing operation of the emissions units covered by this permit. However, if the proposed new or modified source(s) would be prohibited by the terms and conditions of an existing Title V permit, a Title V permit modification must be obtained before the operation of such new or modified source(s) pursuant to OAC rule 3745-77-04(D) and OAC rule 3745-77-08(C)(3)(d).
- b. If the permittee is required to apply for permit(s) pursuant to OAC Chapter 3745-35, the source(s) identified in this Permit To Install is (are) permitted to operate for a period of up to one year from the date the source(s) commenced operation. Permission to operate is granted only if the facility complies with all requirements contained in this permit and all applicable air pollution laws, regulations, and policies. Pursuant to OAC Chapter 3745-35, the permittee shall submit a complete operating permit application within thirty (30) days after commencing operation of the source(s) covered by this permit.

Honda of America Mfg Inc

Facility ID: 0575000174

PTI Application: 05-10472

Issued: To be entered upon final issuance

B. State Only Enforceable Permit To Install General Terms and Conditions

1. Compliance Requirements

The emissions unit(s) identified in this Permit to Install shall remain in full compliance with all applicable State laws and regulations and the terms and conditions of this permit.

2. Reporting Requirements Related to Monitoring and Recordkeeping Requirements

The permittee shall submit required reports in the following manner:

- a. Reports of any required monitoring and/or recordkeeping of state-only enforceable information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
- b. Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (a) any deviations (excursions) from state-only required emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and recordkeeping requirements specified in this permit, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the appropriate Ohio EPA District Office or local air agency. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

3. Permit Transfers

Any transferee of this permit shall assume the responsibilities of the prior permit holder. The appropriate Ohio EPA District Office or local air agency must be notified in writing of any transfer of this permit.

4. Air Pollution Nuisance

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

5. Termination of Permit To Install

This permit to install shall terminate within eighteen months of the effective date of the permit to install if the owner or operator has not undertaken a continuing program of installation or modification or has not entered into a binding contractual obligation to undertake and complete within a reasonable time a continuing program of installation or modification. This deadline may be extended by up to 12 months if application is made to the Director within a reasonable time before the termination date and the party shows good cause for any such extension.

6. Construction of New Sources(s)

The proposed emissions unit(s) shall be constructed in strict accordance with the plans and application submitted for this permit to the Director of the Ohio Environmental Protection Agency. There may be no deviation from the approved plans without the express, written approval of the Agency. Any deviations from the approved plans or the above conditions may lead to such sanctions and penalties as provided under Ohio law. Approval of these plans does not constitute an assurance that the proposed facilities will operate in compliance with all Ohio laws and regulations. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed sources are inadequate or cannot meet applicable standards.

If the construction of the proposed emissions unit(s) has already begun or has been completed prior to the date the Director of the Environmental Protection Agency approves the permit application and plans, the approval does not constitute expressed or implied assurance that the proposed facility has been constructed in accordance with the approved plans. The action of beginning and/or completing construction prior to obtaining the Director's approval constitutes a violation of OAC rule 3745-31-02. Furthermore, issuance of the Permit to Install does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. Approval of the plans in any case is not to be construed as an approval of the facility as constructed and/or completed. Moreover, issuance of the Permit to Install is not to be construed as a waiver of any rights that the Ohio Environmental Protection Agency (or other persons) may have against the applicant for starting construction prior to the effective date of the permit. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed facilities prove to be inadequate or cannot meet applicable standards.

7. Public Disclosure

The facility is hereby notified that this permit, and all agency records concerning the operation of this permitted source, are subject to public disclosure in accordance with OAC rule 3745-49-03.

8. Applicability

This Permit to Install is applicable only to the emissions unit(s) identified in the Permit To Install. Separate application must be made to the Director for the installation or modification of any other emissions unit(s).

9. Best Available Technology

As specified in OAC Rule 3745-31-05, all new sources must employ Best Available Technology (BAT). Compliance with the terms and conditions of this permit will fulfill this requirement.

Honda of America Mfg Inc

Facility ID: 0575000174

PTI Application: 05-10472

Issued: To be entered upon final issuance

10. Construction Compliance Certification

The applicant shall provide Ohio EPA with a written certification (see enclosed form) that the facility has been constructed in accordance with the Permit To Install application and the terms and conditions of the Permit to Install. The certification shall be provided to Ohio EPA upon completion of construction but prior to startup of the source.

11. Additional Reporting Requirements When There Are No Deviations of Federally Enforceable Emission Limitations, Operational Restrictions, or Control Device Operating Parameter Limitations (See Section A of This Permit)

If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters.

C. Permit To Install Summary of Allowable Emissions

The following information summarizes the total allowable emissions, by pollutant, based on the individual allowable emissions of each air contaminant source identified in this permit.

**SUMMARY (for informational purposes only)
TOTAL PERMIT TO INSTALL ALLOWABLE EMISSIONS**

<u>Pollutant</u>	<u>Tons Per Year</u>
PE-stack & fugitive	11.92
PM-10	11.92

Honda of America Mfg Inc

Facility ID: 0575000174

PTI Application: 05-10472

Issued: To be entered upon final issuance

Part II - FACILITY SPECIFIC TERMS AND CONDITIONS

A. State and Federally Enforceable Permit To Install Facility Specific Terms and Conditions

The particulate and/or particulate matter <10 micron emissions from fabric filter BH-20 serving emissions units P015, P017, P901, P902 and P910 shall not exceed 0.010 grain per actual cubic foot of the total exhaust gases.

The permittee reserves the right to direct the particulate and/or particulate matter <10 micron emissions from any other existing or new emissions units (once permitted and thereby considered existing) to these fabric filters with the understanding that emissions will not exceed 0.010 grain per actual cubic foot of the total exhaust gases and/or individual emission unit's permitted allowable emission limitation.

This right is allowed as long as the permittee does not trigger the modification definition pursuant to Ohio Administrative Code (OAC) rule 3745-31-01 and submits information to the Ohio EPA within thirty days after the change(s) documenting the change(s). This information would include, but not limited to, the following: a description of which emissions units were redirected to which baghouse, and calculations supporting the permittee's contention that the redirection of existing emissions units would not trigger the modification definition pursuant to Ohio Administrative Code (OAC) rule 3745-31-01.

B. State Only Enforceable Permit To Install Facility Specific Terms and Conditions

None

**Honda
PTI A**

Emissions Unit ID: **P910**

Issued: To be entered upon final issuance

Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P910 - holding furnace and transit ladle system line 1	OAC rule 3745-31-05(D)	11.92 tons PE (stack and fugitive)/yr.*, as a rolling, 12-month summation; see term A.II.1.
		3.18 lbs. PE/hour* from the stack
	OAC rule 3745-31-05(A) (3)	0.792 lbs. PE/hour* from the fugitive dust source
		9.54 tons PE/year from the stack
		2.376 tons PE/year from the fugitive dust source
		0.010 gr./dscf
		0% opacity, as a six minute average, from the stack
		20% opacity, as a three minute average, from the fugitive dust source
		*PE emissions are assumed to be all PM-10 emissions
		The emissions limitation specified by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3).
		The emissions limitation specified by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3).
	OAC rule 3745-17-11	
	OAC rule 3745-17-07(A)(1)	This emissions unit is exempt from the visible particulate limitation specified in OAC rule 3745-17-07(B)(1), pursuant to OAC rule 3745-17-07(B)(11)(e), because the emissions unit is not a fugitive dust emissions unit located within the geographical area specified in Appendix A of OAC rule 3745-17-08.
	OAC rule 3745-17-07(B)(1)	

2. Additional Terms and Conditions

- 2.a Compliance with OAC rule 3745-31-05 shall be demonstrated by the use of hooding and venting to a baghouse(s) and compliance with the limits in term A.I.1.

II. Operational Restrictions

1. The maximum annual operating hours for this emissions unit shall not exceed 6,000 hours per year, based upon a rolling, 12- month summation of the operating hours.

This is an existing source and the applicant has historical data demonstrating compliance with the rolling 12-month summation of operating hours.

Honda of America Mfg Inc
PTI Application: 05-10472
Issued

Facility ID: 0575000174

Emissions Unit ID: P910

2. The pressure drop across the baghouse shall be maintained within the range of 1 to 15 inches of water while any emission unit controlled by the baghouse is in operation except for the first 45 days following a change of at least 50% of the fabric bags, when the pressure drop shall be maintained below 15 inches of water while any emission unit controlled by the baghouse is in operation.

III. Monitoring and/or Recordkeeping Requirements

1. The permittee shall maintain monthly records of the following information:
 - a. The operating hours for each month.
 - b. The rolling , 12-month summation of the operating hours.

**Honda
PTI A**

Emissions Unit ID: **P910**

Issued: To be entered upon final issuance

- 2. The permittee shall properly install, operate, and maintain equipment to monitor the pressure drop across the baghouse(s) while the emissions unit(s) is in operation. The monitoring equipment shall be installed, calibrated, and maintained in accordance with the manufacturer's recommendations, instructions, and operating manual(s). The permittee shall record the pressure drop across the baghouse once each operating day.

IV. Reporting Requirements

- 1. The permittee shall submit deviation (excursion) reports which identify all exceedances of the rolling, 12-month operating hours limitation excluding deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.
- 2. The permittee shall submit pressure drop deviation (excursion) reports that identify all periods of time during which the emission unit was in operation and the pressure drop across the baghouse did not comply with the allowable range specified in the permit.
- 3. These reports, as denoted in terms A.IV.1. and 2., are due by the date described in Part 1- General Terms and Conditions of the permit under section (A) (1).

V. Testing Requirements

- 1. The permittee shall conduct, or have conducted, emission testing for the baghouse in accordance with the following requirements:
 - a. The emission testing shall be conducted 6 months prior to Title V permit renewal.
 - b. The emissions testing shall be conducted to demonstrate compliance with the allowable mass emission rate for particulate.
 - c. The following test method(s) shall be employed to demonstrate compliance with the allowable mass emission rate(s):

<u>Pollutant</u>	<u>Test Method</u>	<u>Location</u>
Particulate	Method 5	40 CFR Part 60, Appendix A
 - d. The test(s) shall be conducted while the emissions unit is operating at or near its maximum capacity, unless otherwise specified or approved by the appropriate Ohio EPA District Office or local air agency.

Not later than 30 days prior to the proposed test date(s), the permittee shall submit an "Intent to Test" notification to the appropriate Ohio EPA District Office or local air agency. The "Intent to Test" notification shall describe in detail the proposed test methods and

Honda
PTI A

Emissions Unit ID: **P910**

Issued: To be entered upon final issuance

procedures, the emissions unit(s) operating parameters, the time(s) and date(s) of the test(s), and the person(s) who will be conducting the test(s). Failure to submit such notification for review and approval prior to the test(s) may result in the Ohio EPA District Office's or local air agency's refusal to accept the results of the emission test(s).

Personnel from the appropriate Ohio EPA District Office or local air agency shall be permitted to witness the test(s), examine the testing equipment, and acquire data and information necessary to ensure that the operation of the emissions unit(s) and the testing procedures provide a valid characterization of the emissions from the emissions unit(s) and/or the performance of the control equipment.

A comprehensive written report on the results of the emission test(s) shall be signed by the person or persons responsible for the tests and submitted to the appropriate Ohio EPA District Office or local air agency within 30 days following the completion of the test(s).

2. Compliance with the 11.92 tons of PE* per rolling limitation shall be assumed as long as the 6,000 hours per rolling 12-month summation is met. This is based both on the record keeping requirements in term A.III. and the following calculation:

$$(\text{MASER})(\text{AOH})(\text{CONV}) + (\text{MAFER})(\text{AOH})(\text{CONV}) = 11.92 \text{ tons of PE* per year}$$

where

MASER = the maximum allowable stack emission rate (3.18 lbs PE*/hr.)
 MAFER = the maximum allowable fugitive emission rate (0.792 lbs PE*/hr.)
 AOH = the actual operating hours**
 CONV = conversion factor (1 ton/2000 lbs.)

* PE emissions are assumed to be all PM-10 emissions.

** As long as the 12-month hours of operation limitation in term A.II. is met, compliance with this limitation is demonstrated.

3. Emission Limitation:

0% opacity, as a six-minute average, from the stack

Applicable Compliance Method:

Compliance shall be determined according to test Method 9 as set forth in "Appendix on Test Methods" in 40 CFR Part 60.

Honda of America Mfg Inc
PTI Application: 05 10473
Issued

Facility ID: 0575000174

Emissions Unit ID: P910

4. Emission Limitation:
 20% opacity, as a three-minute average, from the fugitive dust source
Applicable Compliance Method:
 40 CFR Part 60, Method 9, with opacity readings taken from any exit of the building.
5. Emission Limitation:
 0.792 lbs. PE/hr of fugitive emissions
Applicable Compliance Method:
 $(MPWR)(CONV)(EF)(1 - CEF) = 0.792 \text{ lbs. PE/hr}$
 Where:
 MPWR = maximum process weight rate (33,000 lbs./hour)
 CONV = conversion factor (1 ton/2000 pounds)
 EF = emission factor (0.48 lbs. PE/ton)
 CEF = capture efficiency (0.9)
6. Emission Limitation:
 2.376 tons of PE per year of fugitive emissions
Applicable Compliance Method:
 $(MAER)(MAH)(CONV) = 2.376 \text{ tons of PE per year of fugitive emissions}$
 where
 MAER= the maximum allowable emission rate (0.792 lb. PE/hr.-fugitive)
 MAH= the maximum annual hours of operation (6,000 hrs./yr.)
 CONV= conversion factor (1 ton/2000 lbs.)

VI. Miscellaneous Requirements

None

**Honda
PTI A**

Emissions Unit ID: **P910**

Issued: To be entered upon final issuance

B. State Only Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P910 - holding furnace and transit ladle system line 1		

2. Additional Terms and Conditions

None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

None

NEW SOURCE REVIEW FORM B

PTI Number: 05-10472 Facility ID: 0575000174

FACILITY NAME HONDA OF AMERICA MFG INC

FACILITY DESCRIPTION HOLDING FURNACE AND TRANSIT LADLE SYSTEM LINE 1 CITY/TWP ANNA

SIC CODE 3714 SCC CODE _____ EMISSIONS UNIT ID P910

EMISSIONS UNIT DESCRIPTION holding furnace and transit ladle system line 1

DATE INSTALLED _____

EMISSIONS: (Click on bubble help for Air Quality Descriptions)

Pollutants	Air Quality Description	Actual Emissions Rate		PTI Allowable	
		Short Term Rate	Tons Per Year	Short Term Rate	Tons Per Year
Particulate Matter	Pounds per hour	3.18-stack 0.972-fugitive	9.54-stack 2.376-fugitive	3.18-stack 0.972-fugitive	9.54-stack 2.376-fugitive
PM-10					
Sulfur Dioxide					
Organic Compounds					
Nitrogen Oxides					
Carbon Monoxide					
Lead					
Other: Air Toxics					

APPLICABLE FEDERAL RULES:

NSPS? _____ NESHAP? _____ PSD? _____ OFFSET POLICY? _____

WHAT IS THE BAT DETERMINATION, AND WHAT IS THE BASIS FOR THE DETERMINATION?

Enter Determination: Use of a fabric filter

IS THIS SOURCE SUBJECT TO THE AIR TOXICS POLICY? No _____

OPTIONAL: WHAT IS THE CAPITAL COST OF CONTROL EQUIPMENT? \$ _____

TOXIC AIR CONTAMINANTS

Ohio EPA's air toxics policy applies to contaminants for which the American Conference of Governmental Industrial Hygienists (ACGIH) has a listed threshold limit value.

AIR TOXICS MODELING PERFORMED*? _____ YES _____ NO

IDENTIFY THE AIR CONTAMINANTS: particulate matter _____