



State of Ohio Environmental Protection Agency

Street Address:

Lazarus Gov. Center
122 S. Front Street
Columbus, OH 43215

TELE: (614) 644-3020 FAX: (614) 644-2329

Mailing Address:

Lazarus Gov. Center
P.O. Box 1049
Columbus, OH 43216-1049

**RE: FINAL PERMIT TO INSTALL MODIFICATION
PREBLE COUNTY
Application No: 08-00358**

CERTIFIED MAIL

	TOXIC REVIEW
	PSD
	SYNTHETIC MINOR
	CEMS
	MACT
	NSPS
	NESHAPS
	NETTING
	MAJOR NON-ATTAINMENT
	MODELING SUBMITTED
	GASOLINE DISPENSING FACILITY

DATE: 12/12/2002

Camden Ready Mix-Camden
Carroll Wysong
P.O. Box 159
Lewisburg, OH 45338-0159

Enclosed Please find a modification to the Ohio EPA Permit To Install referenced above which will modify the terms and conditions.

You are hereby notified that this action by the Director is final and may be appealed to the Ohio Environmental Review Appeals Commission pursuant to Chapter 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. It must be filed within thirty (30) days after the notice of the Directors action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
236 East Town Street, Room 300
Columbus, Ohio 43215

Very truly yours,

Michael W. Ahern, Supervisor
Field Operations and Permit Section
Division of Air Pollution Control

cc: USEPA

RAPCA



FINAL ADMINISTRATIVE MODIFICATION OF PERMIT TO INSTALL 08-00358

Application Number: 08-00358

APS Premise Number: 0868790149

Permit Fee: **\$0**

Name of Facility: Camden Ready Mix-Camden

Person to Contact: Carroll Wysong

Address: P.O. Box 159
Lewisburg, OH 45338-0159

Location of proposed air contaminant source(s) [emissions unit(s)]:
478 Camden-College Corner Rd
Camden, Ohio

Description of proposed emissions unit(s):
administrative modification to increase emissions due to new AP-42 emission factors.

The above named entity is hereby granted a modification to the permit to install described above pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this modification does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the above described source(s) of environmental pollutants will operate in compliance with applicable State and Federal laws and regulations, and does not constitute expressed or implied assurance that if constructed or modified in accordance with those plans included in the application, the above described source(s) of pollutants will be granted the necessary operating permits.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency

Director

Part I - GENERAL TERMS AND CONDITIONS

A. Permit to Install General Terms and Conditions

1. Compliance Requirements

The emissions unit(s) identified in this Permit to Install shall remain in full compliance with all applicable State laws and regulations and the terms and conditions of this permit.

2. Reporting Requirements Related to Monitoring and Recordkeeping Requirements

The permittee shall submit required reports in the following manner:

- a. Reports of any required monitoring and/or recordkeeping information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
- b. Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (a) any deviations (excursions) from emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and recordkeeping requirements specified in this permit, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the appropriate Ohio EPA District Office or local air agency. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

3. Records Retention Requirements

Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.

4. Inspections and Information Requests

The Director of the Ohio EPA, or an authorized representative of the Director, may, subject to the safety requirements of the permittee and without undue delay, enter upon the premises of this source at any reasonable time for purposes of making inspections, conducting tests, examining records or reports pertaining to any emission of air contaminants, and determining compliance with any applicable State air pollution laws and regulations and the terms and conditions of this permit. The permittee shall furnish to the Director of the Ohio EPA, or an authorized representative of the Director, upon receipt of a written request and within a reasonable time, any information that may

be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon verbal or written request, the permittee shall also furnish to the Director of the Ohio EPA, or an authorized representative of the Director, copies of records required to be kept by this permit.

5. Scheduled Maintenance/Malfunction Reporting

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction of any emissions units or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emissions unit(s) that is (are) served by such control system(s).

6. Permit Transfers

Any transferee of this permit shall assume the responsibilities of the prior permit holder. The appropriate Ohio EPA District Office or local air agency must be notified in writing of any transfer of this permit.

7. Air Pollution Nuisance

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

8. Termination of Permit to Install

This Permit to Install shall terminate within eighteen months of the effective date of the Permit to Install if the owner or operator has not undertaken a continuing program of installation or modification or has not entered into a binding contractual obligation to undertake and complete within a reasonable time a continuing program of installation or modification. This deadline may be extended by up to 12 months if application is made to the Director within a reasonable time before the termination date and the party shows good cause for any such extension.

9. Construction of New Sources(s)

The proposed emissions unit(s) shall be constructed in strict accordance with the plans and application submitted for this permit to the Director of the Ohio Environmental Protection Agency. There may be no deviation from the approved plans without the express, written approval of the Agency. Any deviations from the approved plans or the above conditions may lead to such sanctions and penalties as provided under Ohio law. Approval of these plans does not constitute an assurance that the proposed facilities will operate in compliance with all Ohio laws and regulations. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed sources cannot meet the requirements of this permit or cannot meet applicable standards.

If the construction of the proposed emissions unit(s) has already begun or has been completed prior to the date the Director of the Environmental Protection Agency approves the permit application and plans, the approval does not constitute expressed or implied assurance that the proposed facility has been constructed in accordance with the approved plans. The action of beginning and/or completing construction prior to obtaining the Director's approval constitutes a violation of OAC rule 3745-31-02. Furthermore, issuance of the Permit to Install does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. Approval of the plans in any case is not to be construed as an approval of the facility as constructed and/or completed. Moreover, issuance of the Permit to Install is not to be construed as a waiver of any rights that the Ohio Environmental Protection Agency (or other persons) may have against the applicant for starting construction prior to the effective date of the permit. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed facilities cannot meet the requirements of this permit or cannot meet applicable standards.

10. Public Disclosure

The facility is hereby notified that this permit, and all agency records concerning the operation of this permitted source, are subject to public disclosure in accordance with OAC rule 3745-49-03.

11. Applicability

This Permit to Install is applicable only to the emissions unit(s) identified in the Permit to Install. Separate application must be made to the Director for the installation or modification of any other emissions unit(s).

12. Best Available Technology

As specified in OAC Rule 3745-31-05, all new sources must employ Best Available Technology (BAT). Compliance with the terms and conditions of this permit will fulfill this requirement.

13. Source Operation and Operating Permit Requirements After Completion of Construction

- a. If the permittee is required to apply for a Title V permit pursuant to OAC Chapter 3745-77, the permittee shall submit a complete Title V permit application or a complete Title V permit modification application within twelve (12) months after commencing operation of the emissions units covered by this permit. However, if the proposed new or modified source(s) would be prohibited by the terms and conditions of an existing Title V permit, a Title V permit modification must be obtained before the operation of such new or modified source(s) pursuant to OAC rule 3745-77-04(D) and OAC rule 3745-77-08(C)(3)(d).
- b. If the permittee is required to apply for permit(s) pursuant to OAC Chapter 3745-35, the source(s) identified in this Permit To Install is (are) permitted to operate for a period of up to one year from the date the source(s) commenced operation. Permission to operate is granted only if the facility complies with all requirements contained in this permit and all applicable air pollution laws, regulations, and policies. Pursuant to OAC Chapter 3745-35,

the permittee shall submit a complete operating permit application within thirty (30) days after commencing operation of the source(s) covered by this permit.

14. Construction Compliance Certification

The applicant shall provide Ohio EPA with a written certification (see enclosed form) that the facility has been constructed in accordance with the Permit to Install application and the terms and conditions of the Permit to Install. The certification shall be provided to Ohio EPA upon completion of construction but prior to startup of the source.

15. Fees

The permittee shall pay fees to the Director of the Ohio EPA in accordance with ORC section 3745.11 and OAC Chapter 3745-78. The permittee shall pay all applicable Permit to Install fees within 30 days after the issuance of this Permit to Install.

B. Permit to Install Summary of Allowable Emissions

The following information summarizes the total allowable emissions, by pollutant, based on the individual allowable emissions of each air contaminant source identified in this permit.

**SUMMARY (for informational purposes only)
TOTAL PERMIT TO INSTALL ALLOWABLE EMISSIONS**

<u>Pollutant</u>	<u>Tons Per Year</u>
Particulate	7.88

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P901 - Ready Mix Concrete Batch Plant *Modification	OAC rule 3745-31-05(A)(3)	7.58 lbs/hr and 7.88 TPY particulate emissions (PE)
Transfer of sand and aggregate to elevated bins	OAC rule 3745-31-05(A)(3)	The drop height of the front-end loader bucket shall be minimized to the extent possible in order to minimize or eliminate visible emissions of fugitive dust from the conveyor loading area. The requirements established pursuant to this rule are equivalent to the requirements of OAC rules 3745-17-07(B). The visible PE shall not exceed 20 percent opacity as a 3-minute average.
	OAC rule 3745-17-07(B)	See Section A.2.b.
	OAC rule 3745-17-08	The emission limitation specified by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3). See Section A.2.b.
Cement delivery to silo	OAC rule 3745-31-05(A)(3)	The silo shall be adequately enclosed and vented to the bin vent filter; the enclosure shall be sufficient to

		<p>eliminate visible emissions of fugitive dust.</p> <p>The bin vent filter shall achieve an outlet emission rate of not greater than 0.020 grain of PE per dry standard cubic foot of exhaust gases, combined, or there shall be no visible emissions from the outlet, whichever is less stringent.</p> <p>The visible PE shall not exceed 20 percent opacity as a 3-minute average.</p>
	OAC rule 3745-17-11	<p>The emission limitation specified by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3).</p>
	OAC rule 3745-17-07(A)	<p>The opacity limitation specified by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3).</p>
Weigh hopper loading of cement, sand and aggregate	OAC rule 3745-31-05(A)(3)	<p>The weigh hopper shall be adequately enclosed; the enclosure shall be sufficient to eliminate visible emissions of fugitive dust as the last point of capture.</p> <p>The requirements established pursuant to this rule are equivalent to the requirements of OAC rules 3745-17-07(B).</p> <p>The visible PE shall not exceed 20 percent opacity as a 3-minute average.</p>
	OAC rule 3745-17-07(B)	<p>See section A.2.b.</p> <p>The emission limitation specified by this rule is less stringent than the emission limitation established</p>

Transit-mix truck loading	<p>OAC rule 3745-17-08</p> <p>OAC rule 3745-31-05(A)(3)</p> <p>OAC rule 3745-17-07(B)</p> <p>OAC rule 3745-17-08</p>	<p>pursuant to OAC rule 3745-31-05(A)(3).</p> <p>See Section A.2.b.</p> <p>The water spray ring shall be used to the extent possible in order to minimize or eliminate visible emissions of fugitive dust from mix truck loading</p> <p>The requirements established pursuant to this rule are equivalent to the requirements of OAC rules 3745-17-07(B).</p> <p>The visible PE shall not exceed 20 percent opacity as a 3-minute average.</p> <p>See Section A.2.b.</p> <p>The emission limitation specified by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3).</p> <p>See Section A.2.b.</p>
---------------------------	---	--

2. Additional Terms and Conditions

- 2.a** The 7.58 lbs/hr limitation was established for PTI purposes to reflect the potential to emit for the emission unit. Therefore, it is not necessary to develop record keeping and/or reporting requirements to ensure compliance with this limit.
- 2.b** OAC rules 3745-17-07(B) and 3745-17-08(D) are not applicable. The emissions unit is not located in an Appendix A area as specified in OAC rule 3745-17-08.

B. Operational Restrictions

- 1. The emissions unit shall not operate more than 2,080 hours per year.
- 2. The pressure differential across the bin vent filter shall be maintained at a range of 2-5 inches of water while the emissions unit is in operation.
- 3. The water spray ring shall be used at all times during transit-mix truck loading.

C. Monitoring and/or Recordkeeping Requirements

1. The permittee shall properly install, operate, and maintain equipment to monitor the pressure differential across the bin vent filter while the emission unit is in operation. The monitoring equipment shall be installed, calibrated, operated, and maintained in accordance with the manufacturer's recommendations, instructions, and operating manual(s). The permittee shall record the pressure drops across the bin vent filters on a daily basis.
2. The permittee shall maintain records of the following information for this emissions unit:
 - a. the annual concrete production rate, in cubic yards;
 - b. the annual particulate emission rate, in tons (as calculated in Section E.1.b.);
3. The permittee shall perform daily checks while the equipment is in operation for any visible particulate emissions from the bin vent filter control system and for any visible emissions of fugitive dust. The presence or absence of any visible emissions shall be noted in an operations log. If any visible particulate emissions are observed from either system, corrective actions shall be taken to minimize or eliminate the visible particulate emissions, and these actions shall also be noted in the operations log.

D. Reporting Requirements

1. The permittee shall submit quarterly deviation (excursion) reports that include an identification of:
 - a. all periods of time during which the pressure drop across the bin vent filter did not comply with the allowable range specified above;
 - b. all periods of time when concrete was loaded to mix trucks without the use of the water spray ring.
 - c. exceedances of the 2,080 hours per year operating restriction.

The quarterly deviation (excursion) reports shall be submitted in accordance with section A.2.b. of the General Terms and Conditions.

2. The permittee shall submit annual reports to the Director (the appropriate Ohio EPA District Office or local air agency) for this emissions unit that specify:
 - a. The total annual concrete production, in cubic yards.
 - b. The total particulate emissions, in tons.

These reports shall be submitted by January 31 of each year and shall cover the previous calendar year.

E. Testing Requirements

1. Compliance with the specified emission limitations in Section A.1. of this permit shall be demonstrated in accordance with the following methods:

a. Emission Limitation -
7.58 lbs/hr particulate emissions

Applicable Compliance Method -
Compliance shall be determined by totaling the following products:

i. Sand and aggregate transfer to elevated bins:

The maximum process rate of 100 cubic yards of concrete multiplied by 0.0015 lb particulate/cubic yard of concrete for sand transfer and 0.0064 lb particulate/cubic yard of concrete for aggregate transfer (AP-42,Chapter 11, Table 11.12-3 (10/01)) for an uncontrolled emission rate of 0.79 lb/hr.

ii. Cement unloading to elevated silo (pneumatic):

The maximum process rate of 100 cubic yards of concrete multiplied by multiplied by the emission factor, 0.002 lb particulate/cubic yard of concrete for cement delivery to the silo (AP-42,Chapter 11, Table 11.12-3 (10/01)) for a controlled emission rate of 0.200 lb/hr.

iii. Weigh hopper loading:

The maximum process rate of 100 cubic yards of concrete multiplied by the emission factor, 0.0079 lb particulate/cubic yard of concrete for weigh hopper loading (AP-42,Chapter 11, Table 11.12-3 (10/01)) for an uncontrolled emission rate of 0.79 lb/hr.

iv. Transit-mix truck loading:

The maximum hourly production rate 100 cubic yards/hr multiplied by the emission factor, 0.058 lb particulate/cubic yard of concrete for transit-mix truck loading (AP-42,Chapter 11, Table 11.12-3 (10/01)) for a controlled emission rate of 5.8 lbs/hr.

b. Emission Limitation -
7.88 TPY particulate emissions

Applicable Compliance Method -
The 7.88 TPY particulate emissions limitation was developed by multiplying the maximum emission rate, 7.58 lbs/hr particulate emissions, by the annual operating schedule of 2,080 hours. Therefore, compliance shall be based upon the record keeping requirements specified in Section C.2.a. of this permit, divided by the maximum hourly production rate of 100 cubic

yards and multiplied by the maximum emission rate of 7.58 lbs/hr particulate emissions divided by 2000 lbs/ton.

- c. Emission Limitation -
Visible fugitive PE emissions shall not exceed 20 percent opacity as a 3-minute average

Applicable Compliance Method -

Compliance shall be determined by visible emission evaluations performed in accordance with OAC rule 3745-17-03(B)(3) using the methods and procedures specified in USEPA Reference Method 9.

- d. Emission Limitation -
No visible emissions

Compliance shall be determined by visible emission evaluations performed in accordance with OAC rule 3745-17-03(B)(3) using the methods and procedures specified in USEPA Reference Method 22.

F. Miscellaneous Requirements

1. This PTI is an administrative modification of the original PTI issued May 19, 1981, to reflect revisions in the AP-42 emission factors that were used to calculate the particulate emission rate. This modification reflects a particulate emission increase of 5.24 TPY.