



State of Ohio Environmental Protection Agency

Street Address:  
1800 WaterMark Drive  
Columbus, OH 43215-1049

TELE: (614) 644-3020 FAX: (614) 644-2329

Mailing Address:  
P.O. Box 1049  
Columbus, OH 43216-1049

Certified Mail

10/07/98

RE: Air Permit to Operate Application  
Submitted 09/25/97  
For Emissions Unit F001, F002, F003

Traylor bros., Inc.  
Scott A Turnpaugh  
1017 West Second Street  
Maysville, KY 41056

Dear Scott A Turnpaugh:

This letter is in response to your 09/25/97 submittal of an air permit to operate application for the above-referenced air pollution source(s). The Ohio EPA has completed a preliminary review of your application and has determined that the application is complete. This completeness review does not imply that the application is approvable, only that the Ohio EPA has enough information to continue the review.

The next step for your application is for us to do a technical review. The technical reviews are done generally on a first-come, first-served basis. As soon as the complete permit applications received before yours are reviewed, your application will be reviewed. At that time, a permit reviewer may contact you for additional information or for clarification. Once the technical review is complete, a recommendation will be forwarded to the Ohio EPA, Division of Air Pollution Control (DAPC). If the DAPC review determines the recommendation is appropriate, then an air permit to operate an emissions unit will either be issued or the application will be denied.

Please be assured that we will do everything possible to process your application in an expeditious fashion. If you have any questions on your permit application, please contact me at (740) 353-5156.

Sincerely,

Patty Centofanti  
Portsmouth Air Pollution Group

cc: Permit Review Supervisor