



State of Ohio Environmental Protection Agency

Street Address:

Lazarus Gov. Center
122 S. Front Street
Columbus, OH 43215

TELE: (614) 644-3020 FAX: (614) 644-2329

Mailing Address:

Lazarus Gov. Center
P.O. Box 1049
Columbus, OH 43216-1049

RE: FINAL PERMIT TO INSTALL MODIFICATION

CERTIFIED MAIL

HAMILTON COUNTY

Application No: 14-03184

Fac ID: 1431072600

DATE: 11/15/2005

Spring Grove Resource Recovery Inc
Michael Crisenbery
4879 Spring Grove Ave
Cincinnati, OH 452321975

| | |
|--|------------------------------|
| | TOXIC REVIEW |
| | PSD |
| | SYNTHETIC MINOR |
| | CEMS |
| | MACT |
| | NSPS |
| | NESHAPS |
| | NETTING |
| | MAJOR NON-ATTAINMENT |
| | MODELING SUBMITTED |
| | GASOLINE DISPENSING FACILITY |

Enclosed Please find a modification to the Ohio EPA Permit To Install referenced above which will modify the terms and conditions.

You are hereby notified that this action by the Director is final and may be appealed to the Ohio Environmental Review Appeals Commission pursuant to Chapter 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. It must be filed within thirty (30) days after the notice of the Directors action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
309 South Fourth Street, Room 222
Columbus, Ohio 43215

Sincerely,

Michael W. Ahern, Manager
Permit Issuance and Data Management Section
Division of Air Pollution Control

CC: USEPA

HCDES



FINAL ADMINISTRATIVE MODIFICATION OF PERMIT TO INSTALL 14-03184

Application Number: 14-03184

Facility ID: 1431072600

Permit Fee: **\$300**

Name of Facility: Spring Grove Resource Recovery Inc

Person to Contact: Michael Crisenbery

Address: 4879 Spring Grove Ave
Cincinnati, OH 452321975

Location of proposed air contaminant source(s) [emissions unit(s)]:
4879 Spring Grove Ave
Cincinnati, Ohio

Description of proposed emissions unit(s):
6 Fixed Roof Storage Tanks with Carbon Canisters for Aqueous Wastes and Wastewaters Modification.

The above named entity is hereby granted a modification to the permit to install described above pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this modification does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the above described source(s) of environmental pollutants will operate in compliance with applicable State and Federal laws and regulations, and does not constitute expressed or implied assurance that if constructed or modified in accordance with those plans included in the application, the above described source(s) of pollutants will be granted the necessary operating permits.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency

Director

Part I - GENERAL TERMS AND CONDITIONS

A. Permit to Install General Terms and Conditions

1. Compliance Requirements

The emissions unit(s) identified in this Permit to Install shall remain in full compliance with all applicable State laws and regulations and the terms and conditions of this permit.

2. Reporting Requirements

The permittee shall submit required reports in the following manner:

- a. Reports of any required monitoring and/or recordkeeping information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
- b. Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (a) any deviations (excursions) from emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and recordkeeping requirements specified in this permit, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the appropriate Ohio EPA District Office or local air agency. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

3. Records Retention Requirements

Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.

4. Inspections and Information Requests

The Director of the Ohio EPA, or an authorized representative of the Director, may, subject to the safety requirements of the permittee and without undue delay, enter upon the premises of this source at any reasonable time for purposes of making inspections, conducting tests, examining records or reports pertaining to any emission of air contaminants, and determining compliance with any applicable State air pollution laws and

regulations and the terms and conditions of this permit. The permittee shall furnish to the Director of the Ohio EPA, or an authorized representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon verbal or written request, the permittee shall also furnish to the Director of the Ohio EPA, or an authorized representative of the Director, copies of records required to be kept by this permit.

5. Scheduled Maintenance/Malfunction Reporting

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction of any emissions units or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emissions unit(s) that is (are) served by such control system(s).

6. Permit Transfers

Any transferee of this permit shall assume the responsibilities of the prior permit holder. The appropriate Ohio EPA District Office or local air agency must be notified in writing of any transfer of this permit.

7. Air Pollution Nuisance

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

8. Termination of Permit to Install

This Permit to Install shall terminate within eighteen months of the effective date of the Permit to Install if the owner or operator has not undertaken a continuing program of installation or modification or has not entered into a binding contractual obligation to undertake and complete within a reasonable time a continuing program of installation or modification. This deadline may be extended by up to 12 months if application is made to the Director within a reasonable time before the termination date and the party shows good cause for any such extension.

9. Construction of New Sources(s)

The proposed emissions unit(s) shall be constructed in strict accordance with the plans and application submitted for this permit to the Director of the Ohio Environmental Protection Agency. There may be no deviation from the approved plans without the express, written approval of the Agency. Any deviations from the approved plans or the above conditions

may lead to such sanctions and penalties as provided under Ohio law. Approval of these plans does not constitute an assurance that the proposed facilities will operate in compliance with all Ohio laws and regulations. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed sources cannot meet the requirements of this permit or cannot meet applicable standards.

If the construction of the proposed emissions unit(s) has already begun or has been completed prior to the date the Director of the Environmental Protection Agency approves the permit application and plans, the approval does not constitute expressed or implied assurance that the proposed facility has been constructed in accordance with the approved plans. The action of beginning and/or completing construction prior to obtaining the Director's approval constitutes a violation of OAC rule 3745-31-02. Furthermore, issuance of the Permit to Install does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. Approval of the plans in any case is not to be construed as an approval of the facility as constructed and/or completed. Moreover, issuance of the Permit to Install is not to be construed as a waiver of any rights that the Ohio Environmental Protection Agency (or other persons) may have against the applicant for starting construction prior to the effective date of the permit. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed facilities cannot meet the requirements of this permit or cannot meet applicable standards.

10. Public Disclosure

The facility is hereby notified that this permit, and all agency records concerning the operation of this permitted source, are subject to public disclosure in accordance with OAC rule 3745-49-03.

11. Applicability

This Permit To Install is applicable only to the emissions unit(s) identified in the Permit To Install. Separate Permit To Install for the installation or modification of any other emissions unit(s) are required for any emissions unit for which a Permit To Install is required.

12. Best Available Technology

As specified in OAC Rule 3745-31-05, all new sources must employ Best Available Technology (BAT). Compliance with the terms and conditions of this permit will fulfill this requirement.

13. Source Operation and Operating Permit Requirements After Completion of Construction

This facility is permitted to operate each source described by this Permit to Install for a period of up to one year from the date the source commenced operation. This permission to operate is granted only if the facility complies with all requirements contained in this

permit and all applicable air pollution laws, regulations, and policies. Pursuant to OAC Chapter 3745-35, the permittee shall submit a complete operating permit application within ninety (90) days after commencing operation of the emissions unit(s) covered by this permit.

14. Construction Compliance Certification

The applicant shall provide Ohio EPA with a written certification (see enclosed form) that the facility has been constructed in accordance with the Permit to Install application and the terms and conditions of the Permit to Install. The certification shall be provided to Ohio EPA upon completion of construction but prior to startup of the source.

15. Fees

The permittee shall pay fees to the Director of the Ohio EPA in accordance with ORC section 3745.11 and OAC Chapter 3745-78. The permittee shall pay all applicable Permit to Install fees within 30 days after the issuance of this Permit to Install.

B. Permit to Install Summary of Allowable Emissions

The following information summarizes the total allowable emissions, by pollutant, based on the individual allowable emissions of each air contaminant source identified in this permit.

SUMMARY (for informational purposes only)
TOTAL PERMIT TO INSTALL ALLOWABLE EMISSIONS

| <u>Pollutant</u> | <u>Tons Per Year</u> |
|------------------|----------------------|
| OC | 1.33 |

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

| <u>Operations, Property, and/or Equipment</u> | <u>Applicable Rules/Requirements</u> | <u>Applicable Emissions Limitations/Control Measures</u> |
|--|--------------------------------------|--|
| T012 - 10,350 Gallon Fixed Roof Aqueous Waste/Wastewater Storage Tank TK1 - Modification | OAC rule 3745-31-05(A)(3) | Organic compound emissions(OC) shall not exceed 0.20 ton per year (TPY) See term B.1. |
| | OAC rule 3745-21-07(D)(2) | The control measure specified by this rule is less stringent than the control measures specified by OAC rule 3745-31-05(A)(3). |

2. **Additional Terms and Conditions**

- 2.a Compliance with OAC rule 3745-31-05(A)(3) shall be demonstrated by the use of submerged fill and a carbon adsorption system with a control efficiency of 95% by weight or greater.
- 2.b The annual emission limitation outlined is based upon the emissions unit's Potential to Emit (PTE). Therefore, no records or reports are required to demonstrate compliance with this limit.

B. Operational Restrictions

1. The permittee shall install, operate and maintain a fixed-roof and closed vent system that routes all organic vapors vented from the tank to a carbon adsorption system with a control efficiency of 95%, by weight or greater.

C. Monitoring and/or Recordkeeping Requirements

1. For a carbon adsorption system that does not regenerate the carbon bed directly on site in the control device, the concentration level of the organic compounds in the exhaust vent

stream from the carbon adsorption system shall be monitored on a regular schedule, and the existing carbon shall be replaced with fresh carbon immediately when carbon breakthrough is indicated. The device shall be monitored on a daily basis or at intervals no greater than 20% of the design carbon replacement interval, whichever is greater.

As an alternative to conducting the above monitoring, the permittee may replace the carbon in the carbon adsorption system with fresh carbon at a regular, predetermined time interval that is less than the carbon replacement interval that is determined by a maximum design flow rate and the organic concentration in the gas stream vented to the carbon adsorption system.

D. Reporting Requirements

None

E. Testing Requirements

1. Compliance with the emissions limitations outlined in this permit shall be demonstrated by the emission factors, control efficiencies (if applicable) and the operational parameters as submitted in PTI 14-03184 submitted July 28, 1993.

F. Miscellaneous Requirements

1. The terms and conditions of this permit shall supercede permit to install (PTI)14-03184 as issued on August 3, 1994.

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

| <u>Operations, Property, and/or Equipment</u> | <u>Applicable Rules/Requirements</u> | <u>Applicable Emissions Limitations/Control Measures</u> |
|--|--------------------------------------|--|
| T013 - 10,350 Gallon Fixed Roof Aqueous Waste/Wastewater Storage Tank TK2 - Modification | OAC rule 3745-31-05(A)(3) | Organic compound emissions(OC) shall not exceed 0.20 ton per year (TPY) See term B.1. |
| | OAC rule 3745-21-07(D)(2) | The control measure specified by this rule is less stringent than the control measures specified by OAC rule 3745-31-05(A)(3). |

2. **Additional Terms and Conditions**

- 2.a Compliance with OAC rule 3745-31-05(A)(3) shall be demonstrated by the use of submerged fill and a carbon adsorption system with a control efficiency of 95% by weight or greater.
- 2.b The annual emission limitation outlined is based upon the emissions unit's Potential to Emit (PTE). Therefore, no records or reports are required to demonstrate compliance with this limit.

B. Operational Restrictions

1. The permittee shall install, operate and maintain a fixed-roof and closed vent system that routes all organic vapors vented from the tank to a carbon adsorption system with a control efficiency of 95%, by weight or greater.

C. Monitoring and/or Recordkeeping Requirements

1. For a carbon adsorption system that does not regenerate the carbon bed directly on site in the control device, the concentration level of the organic compounds in the exhaust vent stream from the carbon adsorption system shall be monitored on a regular schedule, and the existing carbon shall be replaced with fresh carbon immediately when carbon breakthrough is indicated. The device shall be monitored on a daily basis or at intervals no greater than 20% of the design carbon replacement interval, whichever is greater.

As an alternative to conducting the above monitoring, the permittee may replace the carbon in the carbon adsorption system with fresh carbon at a regular, predetermined time interval that is less than the carbon replacement interval that is determined by a maximum design flow rate and the organic concentration in the gas stream vented to the carbon adsorption system.

D. Reporting Requirements

None

E. Testing Requirements

1. Compliance with the emissions limitations outlined in this permit shall be demonstrated by the emission factors, control efficiencies (if applicable) and the operational parameters as submitted in PTI 14-03184 submitted July 28, 1993.

F. Miscellaneous Requirements

1. The terms and conditions of this permit shall supercede permit to install (PTI)14-03184 as issued on August 3, 1994.

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

| <u>Operations, Property, and/or Equipment</u> | <u>Applicable Rules/Requirements</u> | <u>Applicable Emissions Limitations/Control Measures</u> |
|--|--------------------------------------|--|
| T014 - 10,350 Gallon Fixed Roof Aqueous Waste/Wastewater Storage Tank TK3 Modification | OAC rule 3745-31-05(A)(3) | Organic compound emissions(OC) shall not exceed 0.20 ton per year (TPY) See term B.1. |
| | OAC rule 3745-21-07(D)(2) | The control measure specified by this rule is less stringent than the control measures specified by OAC rule 3745-31-05(A)(3). |

2. **Additional Terms and Conditions**

- 2.a Compliance with OAC rule 3745-31-05(A)(3) shall be demonstrated by the use of submerged fill and a carbon adsorption system with a control efficiency of 95% by weight or greater.
- 2.b The annual emission limitation outlined is based upon the emissions unit's Potential to Emit (PTE). Therefore, no records or reports are required to demonstrate compliance with this limit.

B. Operational Restrictions

1. The permittee shall install, operate and maintain a fixed-roof and closed vent system that routes all organic vapors vented from the tank to a carbon adsorption system with a control efficiency of 95%, by weight or greater.

C. Monitoring and/or Recordkeeping Requirements

1. For a carbon adsorption system that does not regenerate the carbon bed directly on site in the control device, the concentration level of the organic compounds in the exhaust vent stream from the carbon adsorption system shall be monitored on a regular schedule, and the existing carbon shall be replaced with fresh carbon immediately when carbon breakthrough is indicated. The device shall be monitored on a daily basis or at intervals no greater than 20% of the design carbon replacement interval, whichever is greater.

As an alternative to conducting the above monitoring, the permittee may replace the carbon in the carbon adsorption system with fresh carbon at a regular, predetermined time interval that is less than the carbon replacement interval that is determined by a maximum design flow rate and the organic concentration in the gas stream vented to the carbon adsorption system.

D. Reporting Requirements

None

E. Testing Requirements

1. Compliance with the emissions limitations outlined in this permit shall be demonstrated by the emission factors, control efficiencies (if applicable) and the operational parameters as submitted in PTI 14-03184 submitted July 28, 1993.

F. Miscellaneous Requirements

1. The terms and conditions of this permit shall supercede permit to install (PTI)14-03184 as issued on August 3, 1994.

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

| <u>Operations, Property, and/or Equipment</u> | <u>Applicable Rules/Requirements</u> | <u>Applicable Emissions Limitations/Control Measures</u> |
|--|--------------------------------------|--|
| T015 - 10,350 Gallon Fixed Roof Aqueous Waste/Wastewater Storage Tank TK4 Modification | OAC rule 3745-31-05(A)(3) | Organic compound emissions(OC) shall not exceed 0.20 ton per year (TPY) See term B.1. |
| | OAC rule 3745-21-07(D)(2) | The control measure specified by this rule is less stringent than the control measures specified by OAC rule 3745-31-05(A)(3). |

2. **Additional Terms and Conditions**

- 2.a Compliance with OAC rule 3745-31-05(A)(3) shall be demonstrated by the use of submerged fill and a carbon adsorption system with a control efficiency of 95% by weight or greater.
- 2.b The annual emission limitation outlined is based upon the emissions unit's Potential to Emit (PTE). Therefore, no records or reports are required to demonstrate compliance with this limit.

B. Operational Restrictions

1. The permittee shall install, operate and maintain a fixed-roof and closed vent system that routes all organic vapors vented from the tank to a carbon adsorption system with a control efficiency of 95%, by weight or greater.

C. Monitoring and/or Recordkeeping Requirements

1. For a carbon adsorption system that does not regenerate the carbon bed directly on site in the control device, the concentration level of the organic compounds in the exhaust vent stream from the carbon adsorption system shall be monitored on a regular schedule, and the existing carbon shall be replaced with fresh carbon immediately when carbon breakthrough is indicated. The device shall be monitored on a daily basis or at intervals no greater than 20% of the design carbon replacement interval, whichever is greater.

As an alternative to conducting the above monitoring, the permittee may replace the carbon in the carbon adsorption system with fresh carbon at a regular, predetermined time interval that is less than the carbon replacement interval that is determined by a maximum design flow rate and the organic concentration in the gas stream vented to the carbon adsorption system.

D. Reporting Requirements

None

E. Testing Requirements

1. Compliance with the emissions limitations outlined in this permit shall be demonstrated by the emission factors, control efficiencies (if applicable) and the operational parameters as submitted in PTI 14-03184 submitted July 28, 1993.

F. Miscellaneous Requirements

1. The terms and conditions of this permit shall supercede permit to install (PTI)14-03184 as issued on August 3, 1994.

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

| <u>Operations, Property, and/or Equipment</u> | <u>Applicable Rules/Requirements</u> | <u>Applicable Emissions Limitations/Control Measures</u> |
|---|--------------------------------------|--|
| T016 - 17,500 Gallon Fixed Roof Aqueous Waste/Wastewater Storage Tank TK11 Modification | OAC rule 3745-31-05(A)(3) | Organic compound emissions(OC) shall not exceed 0.33 ton per year (TPY) See term B.1. |
| | OAC rule 3745-21-07(D)(2) | The control measure specified by this rule is less stringent than the control measures specified by OAC rule 3745-31-05(A)(3). |

2. **Additional Terms and Conditions**

- 2.a Compliance with OAC rule 3745-31-05(A)(3) shall be demonstrated by the use of submerged fill and a carbon adsorption system with a control efficiency of 95% by weight or greater.
- 2.b The annual emission limitation outlined is based upon the emissions unit's Potential to Emit (PTE). Therefore, no records or reports are required to demonstrate compliance with this limit.

B. Operational Restrictions

1. The permittee shall install, operate and maintain a fixed-roof and closed vent system that routes all organic vapors vented from the tank to a carbon adsorption system with a control efficiency of 95%, by weight or greater.

C. Monitoring and/or Recordkeeping Requirements

1. For a carbon adsorption system that does not regenerate the carbon bed directly on site in the control device, the concentration level of the organic compounds in the exhaust vent stream from the carbon adsorption system shall be monitored on a regular schedule, and the existing carbon shall be replaced with fresh carbon immediately when carbon breakthrough is indicated. The device shall be monitored on a daily basis or at intervals no greater than 20% of the design carbon replacement interval, whichever is greater.

As an alternative to conducting the above monitoring, the permittee may replace the carbon in the carbon adsorption system with fresh carbon at a regular, predetermined time interval that is less than the carbon replacement interval that is determined by a maximum design flow rate and the organic concentration in the gas stream vented to the carbon adsorption system.

D. Reporting Requirements

None

E. Testing Requirements

1. Compliance with the emissions limitations outlined in this permit shall be demonstrated by the emission factors, control efficiencies (if applicable) and the operational parameters as submitted in PTI 14-03184 submitted July 28, 1993.

F. Miscellaneous Requirements

1. The terms and conditions of this permit shall supercede permit to install (PTI)14-03184 as issued on August 3, 1994.

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

| <u>Operations, Property, and/or Equipment</u> | <u>Applicable Rules/Requirements</u> | <u>Applicable Emissions Limitations/Control Measures</u> |
|---|--------------------------------------|--|
| T017 - 10,350 Gallon Fixed Roof Aqueous Waste/Wastewater Storage Tank TK12 Modification | OAC rule 3745-31-05(A)(3) | Organic compound emissions(OC) shall not exceed 0.20 ton per year (TPY) See term B.1. |
| | OAC rule 3745-21-07(D)(2) | The control measure specified by this rule is less stringent than the control measures specified by OAC rule 3745-31-05(A)(3). |

2. **Additional Terms and Conditions**

- 2.a Compliance with OAC rule 3745-31-05(A)(3) shall be demonstrated by the use of submerged fill and a carbon adsorption system with a control efficiency of 95% by weight or greater.
- 2.b The annual emission limitation outlined is based upon the emissions unit's Potential to Emit (PTE). Therefore, no records or reports are required to demonstrate compliance with this limit.

B. Operational Restrictions

1. The permittee shall install, operate and maintain a fixed-roof and closed vent system that routes all organic vapors vented from the tank to a carbon adsorption system with a control efficiency of 95%, by weight or greater.

C. Monitoring and/or Recordkeeping Requirements

1. For a carbon adsorption system that does not regenerate the carbon bed directly on site in the control device, the concentration level of the organic compounds in the exhaust vent stream from the carbon adsorption system shall be monitored on a regular schedule, and the existing carbon shall be replaced with fresh carbon immediately when carbon breakthrough is indicated. The device shall be monitored on a daily basis or at intervals no greater than 20% of the design carbon replacement interval, whichever is greater.

As an alternative to conducting the above monitoring, the permittee may replace the carbon in the carbon adsorption system with fresh carbon at a regular, predetermined time interval that is less than the carbon replacement interval that is determined by a maximum design flow rate and the organic concentration in the gas stream vented to the carbon adsorption system.

D. Reporting Requirements

None

E. Testing Requirements

1. Compliance with the emissions limitations outlined in this permit shall be demonstrated by the emission factors, control efficiencies (if applicable) and the operational parameters as submitted in PTI 14-03184 submitted July 28, 1993.

F. Miscellaneous Requirements

1. The terms and conditions of this permit shall supercede permit to install (PTI)14-03184 as issued on August 3, 1994.