



State of Ohio Environmental Protection Agency

Street Address:

Lazarus Gov. Center
122 S. Front Street
Columbus, OH 43215

TELE: (614) 644-3020 FAX: (614) 644-2329

Mailing Address:

Lazarus Gov. Center
P.O. Box 1049
Columbus, OH 43216-1049

**RE: FINAL PERMIT TO INSTALL
SUMMIT COUNTY
Application No: 16-02253**

CERTIFIED MAIL

	TOXIC REVIEW
	PSD
	SYNTHETIC MINOR
	CEMS
	MACT
	NSPS
	NESHAPS
	NETTING
	MAJOR NON-ATTAINMENT
	MODELING SUBMITTED
	GASOLINE DISPENSING FACILITY

DATE: 9/5/2002

Dave Supply Company
Dave Kloner
PO 49 1027 Hazel Street
Akron, OH 44309

Enclosed please find an Ohio EPA Permit to Install which will allow you to install the described source(s) in a manner indicated in the permit. Because this permit contains several conditions and restrictions, I urge you to read it carefully.

The Ohio EPA is urging companies to investigate pollution prevention and energy conservation. Not only will this reduce pollution and energy consumption, but it can also save you money. If you would like to learn ways you can save money while protecting the environment, please contact our Office of Pollution Prevention at (614) 644-3469.

You are hereby notified that this action by the Director is final and may be appealed to the Ohio Environmental Review Appeals Commission pursuant to Chapter 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. It must be filed within thirty (30) days after the notice of the Directors action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
236 East Town Street, Room 300
Columbus, Ohio 43215

Very truly yours,

Michael W. Ahern, Supervisor
Field Operations and Permit Section
Division of Air Pollution Control

cc: USEPA

ARAQMD



Permit To Install
Terms and Conditions

Issue Date: 9/5/2002
Effective Date: 9/5/2002

FINAL PERMIT TO INSTALL 16-02253

Application Number: 16-02253
APS Premise Number: 1677011140
Permit Fee: **\$800**
Name of Facility: Dave Supply Company
Person to Contact: Dave Kloner
Address: PO 49 1027 Hazel Street
Akron, OH 44309

Location of proposed air contaminant source(s) [emissions unit(s)]:
1027 Hazel Street
Akron, Ohio

Description of proposed emissions unit(s):
Topsoil screening operation.

The above named entity is hereby granted a Permit to Install for the above described emissions unit(s) pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this permit does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the above described emissions unit(s) of environmental pollutants will operate in compliance with applicable State and Federal laws and regulations, and does not constitute expressed or implied assurance that if constructed or modified in accordance with those plans and specifications, the above described emissions unit(s) of pollutants will be granted the necessary permits to operate (air) or NPDES permits as applicable.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency

Director

Part I - GENERAL TERMS AND CONDITIONS

A. Permit to Install General Terms and Conditions

1. Compliance Requirements

The emissions unit(s) identified in this Permit to Install shall remain in full compliance with all applicable State laws and regulations and the terms and conditions of this permit.

2. Reporting Requirements Related to Monitoring and Record keeping Requirements

The permittee shall submit required reports in the following manner:

- a. Reports of any required monitoring and/or record keeping information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
- b. Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (a) any deviations (excursions) from emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and record keeping requirements specified in this permit, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the appropriate Ohio EPA District Office or local air agency. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

3. Records Retention Requirements

Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.

4. Inspections and Information Requests

The Director of the Ohio EPA, or an authorized representative of the Director, may, subject to the safety requirements of the permittee and without undue delay, enter upon the premises of this source at any reasonable time for purposes of making inspections, conducting tests, examining records or reports pertaining to any emission of air contaminants, and determining compliance with any applicable State air pollution laws and regulations and the terms and conditions of this permit. The permittee shall furnish to the Director of the Ohio EPA, or an authorized representative of the Director, upon receipt of a written request and within a reasonable time, any information that may

be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon verbal or written request, the permittee shall also furnish to the Director of the Ohio EPA, or an authorized representative of the Director, copies of records required to be kept by this permit.

5. Scheduled Maintenance/Malfunction Reporting

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction of any emissions units or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emissions unit(s) that is (are) served by such control system(s).

6. Permit Transfers

Any transferee of this permit shall assume the responsibilities of the prior permit holder. The appropriate Ohio EPA District Office or local air agency must be notified in writing of any transfer of this permit.

7. Air Pollution Nuisance

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

8. Termination of Permit to Install

This Permit to Install shall terminate within eighteen months of the effective date of the Permit to Install if the owner or operator has not undertaken a continuing program of installation or modification or has not entered into a binding contractual obligation to undertake and complete within a reasonable time a continuing program of installation or modification. This deadline may be extended by up to 12 months if application is made to the Director within a reasonable time before the termination date and the party shows good cause for any such extension.

9. Construction of New Sources(s)

The proposed emissions unit(s) shall be constructed in strict accordance with the plans and application submitted for this permit to the Director of the Ohio Environmental Protection Agency. There may be no deviation from the approved plans without the express, written approval of the Agency. Any deviations from the approved plans or the above conditions may lead to such sanctions and penalties as provided under Ohio law. Approval of these plans does not constitute an assurance that the proposed facilities will operate in compliance with all Ohio laws and regulations. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed sources cannot meet the requirements of this permit or cannot meet applicable standards.

If the construction of the proposed emissions unit(s) has already begun or has been completed prior to the date the Director of the Environmental Protection Agency approves the permit application and plans, the approval does not constitute expressed or implied assurance that the proposed facility has been constructed in accordance with the approved plans. The action of beginning and/or completing construction prior to obtaining the Director's approval constitutes a violation of OAC rule 3745-31-02. Furthermore, issuance of the Permit to Install does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. Approval of the plans in any case is not to be construed as an approval of the facility as constructed and/or completed. Moreover, issuance of the Permit to Install is not to be construed as a waiver of any rights that the Ohio Environmental Protection Agency (or other persons) may have against the applicant for starting construction prior to the effective date of the permit. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed facilities cannot meet the requirements of this permit or cannot meet applicable standards.

10. Public Disclosure

The facility is hereby notified that this permit, and all agency records concerning the operation of this permitted source, are subject to public disclosure in accordance with OAC rule 3745-49-03.

11. Applicability

This Permit to Install is applicable only to the emissions unit(s) identified in the Permit to Install. Separate application must be made to the Director for the installation or modification of any other emissions unit(s).

12. Best Available Technology

As specified in OAC Rule 3745-31-05, all new sources must employ Best Available Technology (BAT). Compliance with the terms and conditions of this permit will fulfill this requirement.

13. Source Operation and Operating Permit Requirements After Completion of Construction

This facility is permitted to operate each source described by this Permit to Install for a period of up to one year from the date the source commenced operation. This permission to operate is granted only if the facility complies with all requirements contained in this permit and all applicable air pollution laws, regulations, and policies. Pursuant to OAC Chapter 3745-35, the permittee shall submit a complete operating permit application within thirty (30) days after commencing operation of the emissions unit(s) covered by this permit.

14. Construction Compliance Certification

The applicant shall provide Ohio EPA with a written certification (see enclosed form) that the facility has been constructed in accordance with the Permit to Install application and the terms and

conditions of the Permit to Install. The certification shall be provided to Ohio EPA upon completion of construction but prior to startup of the source.

15. Fees

The permittee shall pay fees to the Director of the Ohio EPA in accordance with ORC section 3745.11 and OAC Chapter 3745-78. The permittee shall pay all applicable Permit to Install fees within 30 days after the issuance of this Permit to Install.

B. Permit to Install Summary of Allowable Emissions

The following information summarizes the total allowable emissions, by pollutant, based on the individual allowable emissions of each air contaminant source identified in this permit.

SUMMARY (for informational purposes only)
TOTAL PERMIT TO INSTALL ALLOWABLE EMISSIONS

<u>Pollutant</u>	<u>Tons Per Year</u>
NO _x	5.6
PM ₁₀	7.2

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
F004 (Topsoil Screening Operation) portable, 100 tons/hour design capacity, topsoil screening plant (Power Screen Commander Company), including two (2) conveyors, and driven by a 50 hp, 0.29 mmBtu/hr heat input, 3-cylinder diesel engine, air emissions of nitrogen oxides (NO _x), particulate matter (PM), and 10-micrometer particulate matter (PM ₁₀) uncontrolled	OAC rule 3745-31-05(A)(3)	<u>Fugitive Emissions:</u> 10% opacity as a 3-minute average; 1.6 lbs/hr & 7.2 tpy PM ₁₀ ; and Best available control measures, such as dust containment around conveyor loading and discharge points and limiting material drop heights, that are sufficient to minimize visible emissions of fugitive dust to the extent possible with good engineering design.
	OAC rule 3745-17-11(B)(5)(a)	<u>Stack Emissions:</u> 5% opacity as a 6-minute average 1.3 lbs/hr & 5.6 tpy NO _x
	OAC rule 3745-18-06	0.310 lb PM/mmBtu heat input
	OAC rule 3745-17-07(A) OAC rule 3745-17-07(B) OAC rule 3745-17-08(B)	Exempt pursuant to OAC rule 3745-18-06(B). The emissions limitations specified by these rules are less stringent than the emissions limitations established pursuant to OAC rule 3745-31-05 (A)(3).

2. Additional Terms and Conditions

- 2.a The 1.6 lbs/hr & 7.2 tpy PM₁₀ and 1.3 lbs/hr & 5.6 tpy NO_x emissions limits regulated per OAC rule 3745-31-05(A)(3) are based upon accepted USEPA potential to emit procedures

for this emissions unit. Therefore, no associated record keeping or reporting are required to demonstrate compliance with these emissions limits.

However, if any proposed change(s), such as with production capacity, operational procedures, or any of the dust containment equipment or control methods, or anything else that increase(s) the potential to emit, then the permittee shall apply for and obtain either a modification to the permit to install or a new final permit to install prior to the change(s).

B. Operational Restrictions

1. The permittee shall only use diesel fuel (or number 2 fuel oil) with a maximum sulfur content of 0.5% by weight for combustion in this emissions unit.

C. Monitoring and/or Record keeping Requirements

1. For each day a fuel other than the diesel fuel specified above is burned, the permittee shall maintain a record of the type and quantity of fuel burned in this emissions unit. The permittee shall also maintain documentation of the sulfur content of all fuels received.

D. Reporting Requirements

1. The permittee shall submit deviation (excursion) reports that identify each day during which a fuel other than the diesel fuel specified above was burned in this emissions unit.
2. The deviation reports shall be submitted in accordance with the reporting requirements of the General Terms and Conditions of this permit.

E. Testing Requirements

1. Compliance with the emission limitations in Section A.1 of these terms and conditions shall be determined in accordance with the following methods using applicable emission factors, as noted:

- a. Emission Limitations: 1.3 lbs/hr & 5.6 tpy NO_x

Applicable Compliance Method: The above emission limitations were established based upon the potential to emit as demonstrated in the equations below:

$$H = ND;$$
$$Y = H(8760 \text{ hrs/yr})(1 \text{ ton}/2000 \text{ lbs});$$

Where,

$$H = 1.3 \text{ lbs/hr NO}_x \text{ [hourly potential to emit];}$$
$$Y = 5.6 \text{ tpy NO}_x \text{ [yearly potential to emit];}$$
$$N = 4.41 \text{ lbs/mmBtu [AP-42, 10/96, Table 3.3-1 nitrogen oxides emission factor]; and}$$

$D = 0.29 \text{ mmBtu/hr}$ [rated heat input].

- b. Emission Limitation: 5% opacity from stack emissions, as a 6-minute average

Applicable Compliance Method: OAC rule 3745-17-03(B)(1)

- c. Emission Limitation: 10% opacity from fugitive emissions, as a 3-minute average

Applicable Compliance Method: OAC rule 3745-17-03(B)(3)

- d. Emission Limitation: 0.310 lb PM/mmBtu actual heat input

Applicable Compliance Method: The above particulates emission limitation is equal to the emissions unit's potential to emit, as demonstrated below:

Use the AP-42, 10/96, Table 3.3-1 emission factor of 0.31 lb PM/mmBtu of heat input.

- e. Emission Limitations: 1.6 lbs/hr & 7.2 tpy PM_{10}

Applicable Compliance Method: The above emission limitations were established based upon the potential to emit as demonstrated in the equations below:

$$H = P(S + T);$$

$$Y = H(8760 \text{ hrs/yr})(1 \text{ ton}/2000 \text{ lbs});$$

Where,

$$H = 1.6 \text{ lbs/hr } PM_{10} \text{ [hourly potential to emit];}$$

$$Y = 7.2 \text{ tpy } PM_{10} \text{ [yearly potential to emit];}$$

$$P = 100 \text{ tons/hr [topsoil screening plant design capacity];}$$

$$S = 0.015 \text{ lb } PM_{10}/\text{ton topsoil screened [AP-42, 1/95, Table 11.19.2-2 screening emission factor]; and}$$

$$T = 0.0014 \text{ lb } PM_{10}/\text{ton topsoil transferred [AP-42, 1/95, Table 11.19.2-2 conveyor transfer emission factor].}$$

F. Miscellaneous Requirements

1. Pursuant to OAC rule 3745-31-03(A)(1)(p), the permittee of the portable or mobile emissions unit identified within this Permit to Install (PTI) may relocate within the State of Ohio without first obtaining a PTI providing the following criteria are met:

- a. The portable emissions unit is equipped with the best available control technology for such portable emissions unit;
 - b. The portable emissions unit is operating pursuant to a currently effective permit to operate (PTO);
 - c. The applicant has provided proper notice of intent to relocate the portable emissions unit to the Akron Regional Air Quality Management District (ARAQMD) within a minimum of thirty days prior to the scheduled relocation; and
 - d. In the ARAQMD's judgement, the proposed site is acceptable under the rule 3745-15-07 of the Administrative Code.
- 2.** As an alternative, pursuant to OAC rule 3745-31-03(A)(1)(p)(ii), the permittee of a portable or mobile emissions unit may relocate within the State of Ohio without first obtaining a PTI providing the following criteria of OAC rule 3745-31-05(F) are met:
- a. The portable emissions unit permittee possesses an Ohio EPA PTI, PTO or registration status;
 - b. The portable emissions unit is equipped with best available technology;
 - c. The portable emissions unit owner has identified the proposed site to Ohio EPA;
 - d. Ohio EPA has determined that the portable emissions unit, at the proposed site, will have an acceptable environmental impact;
 - e. A public notice, consistent with Chapter 3745-47 of the Administrative Code, is published in the county where the proposed site is located;
 - f. The owner of the proposed site has provided the portable emissions unit owner with approval or equivalent declaration that it is acceptable to the site owner to move the portable emissions unit to this proposed site; and
 - g. The portable emissions unit owner has provided Ohio EPA with fifteen days written notice of the relocation.
- 3.** Any site approvals issued by the Ohio EPA shall be valid for no longer than three years and are subject to renewal.
- 4.** In order for the ARAQMD to determine compliance with all of the above criteria, the permittee of the portable or mobile emissions unit must file a "Notice of Intent to Relocate", within the specified time frame (30 or 15 days) prior to the relocation of the emissions unit with the ARAQMD, 146 South High Street, Suite 904, Akron, OH 44308. Upon receipt of the notice, the ARAQMD, or the

Dave Supply Company

PTI Application: 16-02253

Issued: 9/5/2002

Facility ID: 1677011140

Emissions Unit ID: F004

ARAQMD authorized representative, will evaluate the request in accordance with the above criteria. Failure to submit said notification and to receive Ohio EPA approval prior to relocation of the emissions unit may result in fines and civil penalties.

NEW SOURCE REVIEW FORM B

PTI Number: 16-02253

Facility ID: 1677011140

FACILITY NAME Dave Supply CompanyFACILITY DESCRIPTION topsoil screening operation CITY/TWP AkronSIC CODE 3295 SCC CODE 3-05-003-98 EMISSIONS UNIT ID F004EMISSIONS UNIT DESCRIPTION topsoil screening operationDATE INSTALLED 9/01

EMISSIONS: (Click on bubble help for Air Quality Descriptions)

Pollutants	Air Quality Description	Actual Emissions Rate		PTI Allowable	
		Short Term Rate	Tons Per Year	Short Term Rate	Tons Per Year
Particulate Matter					
PM ₁₀				1.6 lbs/hr	7.2
Sulfur Dioxide					
Organic Compounds					
Nitrogen Oxides				1.3 lbs/hr	5.6
Carbon Monoxide					
Lead					
Other: Air Toxics					

APPLICABLE FEDERAL RULES:

NSPS? _____ NESHAP? _____ PSD? _____ OFFSET POLICY? _____

WHAT IS THE BAT DETERMINATION, AND WHAT IS THE BASIS FOR THE DETERMINATION?

limiting material drop heights and use of dust containment measures

IS THIS SOURCE SUBJECT TO THE AIR TOXICS POLICY? NO

OPTIONAL: WHAT IS THE CAPITAL COST OF CONTROL EQUIPMENT? _____

\$ _____

TOXIC AIR CONTAMINANTS

Ohio EPA's air toxics policy applies to contaminants for which the American Conference of Governmental Industrial Hygienists (ACGIH) has a listed threshold limit value.

AIR TOXICS MODELING PERFORMED*? _____ YES _____ NO

IDENTIFY THE AIR CONTAMINANTS: _____