State of Ohio Environmental Protection Agency

Street Address:
Lazarus Gov. Center
122 S. Front Street
Columbus, OH 43215

**TELE:** (614) 644-3020 **FAX:** (614) 644-2329

Mailing Address:
Lazarus Gov. Center
P.O. Box 1049
Columbus, OH 43216-1049

**RE: FINAL PERMIT TO INSTALL**
**SUMMIT COUNTY**
**Application No: 16-02151**

**CERTIFIED MAIL**

| | |
|---|---|
| | **TOXIC REVIEW** |
| | **PSD** |
| | **SYNTHETIC MINOR** |
| | **CEMS** |
| | **MACT** |
| | **NSPS** |
| | **NESHAPS** |
| | **NETTING** |
| | **MAJOR NON-ATTAINMENT** |
| | **MODELING SUBMITTED** |
| | **GASOLINE DISPENSING FACILITY** |

**DATE: 7/31/2001**

Bedell Kraus Flexographics Rubber Inc
Harvey Kaufman
1350 Commerce Dr
Stow, OH 44224

Enclosed please find an Ohio EPA Permit to Install which will allow you to install the described source(s) in a manner indicated in the permit. Because this permit contains several conditions and restrictions, I urge you to read it carefully.

The Ohio EPA is urging companies to investigate pollution prevention and energy conservation. Not only will this reduce pollution and energy consumption, but it can also save you money. If you would like to learn ways you can save money while protecting the environment, please contact our Office of Pollution Prevention at (614) 644-3469.

You are hereby notified that this action by the Director is final and may be appealed to the Ohio Environmental Review Appeals Commission pursuant to Chapter 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. It must be filed within thirty (30) days after the notice of the Directors action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
236 East Town Street, Room 300
Columbus, Ohio 43215

Very truly yours,

Thomas G. Rigo

Thomas G. Rigo, Manager
Field Operations and Permit Section
Division of Air Pollution Control

**CC: USEPA** **ARAQMD**

STATE OF OHIO ENVIRONMENTAL PROTECTION AGENCY

| | |
|---|---|
| **Permit To Install** | **Issue Date: 7/31/2001** |
| **Terms and Conditions** | **Effective Date: 7/31/2001** |

# FINAL PERMIT TO INSTALL 16-02151

| | |
|---|---|
| Application Number: | 16-02151 |
| APS Premise Number: | 1677110088 |
| Permit Fee: | **$400** |
| Name of Facility: | Bedell Kraus Flexographics Rubber Inc |
| Person to Contact: | Harvey Kaufman |
| Address: | 1350 Commerce Dr<br>Stow, OH 44224 |

Location of proposed air contaminant source(s) [emissions unit(s)]:
**1350 Commerce Dr**
**Stow**, **Ohio**

Description of proposed emissions unit(s):
**Two (2) Dusting Units.**

The above named entity is hereby granted a Permit to Install for the above described emissions unit(s) pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this permit does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the above described emissions unit(s) of environmental pollutants will operate in compliance with applicable State and Federal laws and regulations, and does not constitute expressed or implied assurance that if constructed or modified in accordance with those plans and specifications, the above described emissions unit(s) of pollutants will be granted the necessary permits to operate (air) or NPDES permits as applicable.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency

Director

## Part I - GENERAL TERMS AND CONDITIONS

### A. Permit to Install General Terms and Conditions

#### 1. Compliance Requirements

The emissions unit(s) identified in this Permit to Install shall remain in full compliance with all applicable State laws and regulations and the terms and conditions of this permit.

#### 2. Reporting Requirements Related to Monitoring and Recordkeeping Requirements

The permittee shall submit required reports in the following manner:

a. Reports of any required monitoring and/or recordkeeping information shall be submitted to the appropriate Ohio EPA District Office or local air agency.

b. Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (a) any deviations (excursions) from emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and recordkeeping requirements specified in this permit, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the appropriate Ohio EPA District Office or local air agency. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

#### 3. Records Retention Requirements

Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.

#### 4. Inspections and Information Requests

The Director of the Ohio EPA, or an authorized representative of the Director, may, subject to the safety requirements of the permittee and without undue delay, enter upon the premises of this source at any reasonable time for purposes of making inspections, conducting tests, examining records or reports pertaining to any emission of air contaminants, and determining compliance with any applicable State air pollution laws and regulations and the terms and conditions of this permit. The permittee shall furnish to the Director of the Ohio EPA, or an authorized representative of the Director, upon receipt of a written request and within a reasonable time, any information that may

be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon verbal or written request, the permittee shall also furnish to the Director of the Ohio EPA, or an authorized representative of the Director, copies of records required to be kept by this permit.

**5. Scheduled Maintenance/Malfunction Reporting**

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction of any emissions units or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emissions unit(s) that is (are) served by such control system(s).

**6. Permit Transfers**

Any transferee of this permit shall assume the responsibilities of the prior permit holder. The appropriate Ohio EPA District Office or local air agency must be notified in writing of any transfer of this permit.

**7. Air Pollution Nuisance**

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

**8. Termination of Permit to Install**

This Permit to Install shall terminate within eighteen months of the effective date of the Permit to Install if the owner or operator has not undertaken a continuing program of installation or modification or has not entered into a binding contractual obligation to undertake and complete within a reasonable time a continuing program of installation or modification. This deadline may be extended by up to 12 months if application is made to the Director within a reasonable time before the termination date and the party shows good cause for any such extension.

**9. Construction of New Sources(s)**

The proposed emissions unit(s) shall be constructed in strict accordance with the plans and application submitted for this permit to the Director of the Ohio Environmental Protection Agency. There may be no deviation from the approved plans without the express, written approval of the Agency. Any deviations from the approved plans or the above conditions may lead to such sanctions and penalties as provided under Ohio law. Approval of these plans does not constitute an assurance that the proposed facilities will operate in compliance with all Ohio laws and regulations. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed sources cannot meet the requirements of this permit or cannot meet applicable standards.

If the construction of the proposed emissions unit(s) has already begun or has been completed prior to the date the Director of the Environmental Protection Agency approves the permit application and plans, the approval does not constitute expressed or implied assurance that the proposed facility has been constructed in accordance with the approved plans. The action of beginning and/or completing construction prior to obtaining the Director's approval constitutes a violation of OAC rule 3745-31-02. Furthermore, issuance of the Permit to Install does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. Approval of the plans in any case is not to be construed as an approval of the facility as constructed and/or completed. Moreover, issuance of the Permit to Install is not to be construed as a waiver of any rights that the Ohio Environmental Protection Agency (or other persons) may have against the applicant for starting construction prior to the effective date of the permit. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed facilities cannot meet the requirements of this permit or cannot meet applicable standards.

**10. Public Disclosure**

The facility is hereby notified that this permit, and all agency records concerning the operation of this permitted source, are subject to public disclosure in accordance with OAC rule 3745-49-03.

**11. Applicability**

This Permit to Install is applicable only to the emissions unit(s) identified in the Permit to Install. Separate application must be made to the Director for the installation or modification of any other emissions unit(s).

**12. Best Available Technology**

As specified in OAC Rule 3745-31-05, all new sources must employ Best Available Technology (BAT). Compliance with the terms and conditions of this permit will fulfill this requirement.

**13. Source Operation and Operating Permit Requirements After Completion of Construction**

This facility is permitted to operate each source described by this Permit to Install for a period of up to one year from the date the source commenced operation. This permission to operate is granted only if the facility complies with all requirements contained in this permit and all applicable air pollution laws, regulations, and policies. Pursuant to OAC Chapter 3745-35, the permittee shall submit a complete operating permit application within thirty (30) days after commencing operation of the emissions unit(s) covered by this permit.

**14. Construction Compliance Certification**

The applicant shall provide Ohio EPA with a written certification (see enclosed form) that the facility has been constructed in accordance with the Permit to Install application and the terms and

conditions of the Permit to Install. The certification shall be provided to Ohio EPA upon completion of construction but prior to startup of the source.

**15. Fees**

The permittee shall pay fees to the Director of the Ohio EPA in accordance with ORC section 3745.11 and OAC Chapter 3745-78. The permittee shall pay all applicable Permit to Install fees within 30 days after the issuance of this Permit to Install.

## B. Permit to Install Summary of Allowable Emissions

The following information summarizes the total allowable emissions, by pollutant, based on the individual allowable emissions of each air contaminant source identified in this permit.

**SUMMARY (for informational purposes only)**
**TOTAL PERMIT TO INSTALL ALLOWABLE EMISSIONS**

| Pollutant | Tons Per Year |
|---|---|
| **PM** | **4.7** |

## PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

### A. Applicable Emissions Limitations and/or Control Requirements

**1.** The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

| Operations, Property, and/or Equipment | Applicable Rules/Requirements | Applicable Emissions Limitations/Control Measures |
|---|---|---|
| P901 (Duster 1) applies talc powder (CAS 68855-54-9) to rubber rolls, air emissions of particulate matter (PM) vented to and controlled by a baghouse common to P901 & P902 | OAC rule 3745-31-05 | 10% opacity from any stack, as a 6-minute average<br><br>10% opacity for fugitive dust, as a 3-minute average<br><br>15.4 pounds/day & 2.81 tons/year of particulate matter<br><br>All material transfer points shall be hooded and vented to a baghouse; the capture efficiency of the hood/vent system shall be sufficient to minimize or eliminate visible particulate emissions of fugitive dust at the points of capture to the extent possible with good engineering design; and the baghouse shall be properly operated and maintained in accordance with the manufacturer's recommendations, instructions, and operating manuals.<br><br>See sections A.2 and B.1 below for additional requirements of OAC rule 3745-31-05. |
| | OAC rule 3745-17-07<br>OAC rule 3745-17-08<br>OAC rule 3745-17-11 | The emission limitations and control measures required by these rules are equal to or less stringent than the emission limitations and control measures established pursuant to OAC rule 3745-31-05. |

**2. Additional Terms and Conditions**

**2.a** The above daily mass particulate matter emission limitation covered under OAC rule 3745-31-05 is based on capture and control assumptions, as demonstrated below in section E.1.c. Should compliance with this emission limitation ever become suspect, then the permittee may be required to perform emission testing, employing all applicable USEPA test methods, to establish accurate and representative emission limitations for this emissions unit.

## B. Operational Restrictions

1. The permittee shall employ the baghouse at all times this emissions unit is in operation.

2. Except for an initial operating period after filter media replacement to attain design filtering efficiency, the pressure drop across the baghouse serving this emissions unit shall be maintained within the range of 1 - 10 inches of water, while the emissions unit is in operation.

## C. Monitoring and/or Recordkeeping Requirements

1. The permittee shall document whether or not the baghouse was in service when the emissions unit was in operation.

2. The permittee shall properly operate, and maintain equipment to monitor the pressure drop across the baghouse serving this emissions unit, while the emissions unit is in operation. The monitoring equipment shall be calibrated, operated, and maintained in accordance with the manufacturer's recommendations, instructions, and operating manual(s). The permittee shall record the pressure drop across the baghouse on a daily basis.

3. The permittee shall perform daily checks for any visible particulate emissions, fugitive and stack, from the emissions unit, while the emissions unit is in operation. The presence or absence of any visible emissions shall be noted in an operations log. If visible emissions are observed, the permittee shall also note the following in the operations log:

   a. the color of the emissions;
   b. whether the emissions are representative of normal operations;
   c if the emissions are not representative of normal operations, the cause of the abnormal emissions;
   d. the total duration of any abnormal visible emission incident; and
   e. any corrective actions taken to eliminate the abnormal visible emissions.

## D. Reporting Requirements

1. The permittee shall notify the Director (the appropriate District Office or local air agency) in writing of any record showing that the fabric filter was not in service when the emissions unit was in operation. The notification shall include a copy of such record and shall be sent to the Director (the appropriate District Office or local air agency) within 30 days after the event occurs.

2. The permittee shall submit pressure drop deviation (excursion) reports that identify all periods of time during which the pressure drop across each fabric filter serving this emissions unit did not comply with the allowable range specified above.

3. The permittee shall submit semiannual written reports which (a) identify all days during which any abnormal visible particulate emissions were observed and (b) describe any corrective actions taken to eliminate the abnormal visible particulate emissions. These reports shall be submitted to the Director (the appropriate Ohio EPA District Office or local air agency) by January 31 and July 31 of each year and shall cover the previous 6-month period.

4. The deviation reports shall be submitted in accordance with the requirements specified in Part I - General Term and Condition 2 of this permit.

## E. Testing Requirements

1. Compliance with the emission limitations in Section A.1 of these terms and conditions shall be determined in accordance with the following methods:

   a. Emission Limitation: 10% opacity from any stack, as a 6-minute average

      Applicable Compliance Method: If required, compliance shall be determined by visible emission evaluations performed in accordance with the methods and procedures specified in OAC rule 3745-17-03(B)(1).

   b. Emission Limitation: 10% opacity for fugitive dust, as a 3-minute average

      Applicable Compliance Method: If required, compliance shall be determined by visible emission evaluations performed in accordance with the methods and procedures specified in OAC rule 3745-17-03(B)(3).

   c. Emission Limitations: 15.4 pounds/day & 2.81 tons/year of particulate matter

      Applicable Compliance Method: The above emission limitations are based on capture and control assumptions as shown in the following equations:

      Ed = (PWRmax)(1-CaCo); and
      Ey = (Ed)(365 days/year)(1 ton/2000 lbs)

      Where,

      Ed = 15.4 pounds/day of particulate matter [maximum daily emissions];
      Ey = 2.81 tons/year of particulate matter [yearly potential emissions based on above maximum hourly emissions];

PWRmax = 100 pounds of talc powder/day [maximum talc process weight rate capacity];
Ca = (0.85) [assumed 85 % capture efficiency of hood/vent system]; and
Co = (0.995) [assumed 99.5 % control efficiency of baghouse].

If necessary, the permittee may be required to demonstrate compliance of the above limitations by testing in accordance with the methods and procedures specified in OAC rule 3745-17-03(B)(10).

## F. Miscellaneous Requirements

1. Modeling to demonstrate compliance with the Ohio EPA's "Air Toxic Policy" was not necessary because the emissions unit's maximum annual emissions for each toxic compound will be less than 1.0 ton. OAC Chapter 3745-31 requires permittees to apply for and obtain a new or modified permit to install prior to making a "modification" as defined by OAC rule 3745-31-01. The permittee is hereby advised that changes in the composition of the materials, or use of new materials, that would cause the emissions of any pollutant that has a listed TLV to increase to above 1.0 ton per year may require the permittee to apply for and obtain a new permit to install.

## PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

### A. Applicable Emissions Limitations and/or Control Requirements

**1.** The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

| Operations, Property, and/or Equipment | Applicable Rules/Requirements | Applicable Emissions Limitations/Control Measures |
|---|---|---|
| P902 (Duster 2) applies talc powder (CAS 68855-54-9) to rubber rolls, air emissions of particulate matter (PM) vented to and controlled by a baghouse common to P901 & P902 | OAC rule 3745-31-05 | 10% opacity from any stack, as a 6-minute average<br><br>10% opacity for fugitive dust, as a 3-minute average<br><br>10.3 pounds/day & 1.89 tons/year of particulate matter<br><br>All material transfer points shall be hooded and vented to a baghouse; the capture efficiency of the hood/vent system shall be sufficient to minimize or eliminate visible particulate emissions of fugitive dust at the points of capture to the extent possible with good engineering design; and the baghouse shall be properly operated and maintained in accordance with the manufacturer's recommendations, instructions, and operating manuals.<br><br>See sections A.2 and B.1 below for additional requirements of OAC rule 3745-31-05. |
| | OAC rule 3745-17-07<br>OAC rule 3745-17-08<br>OAC rule 3745-17-11 | The emission limitations and control measures required by these rules are equal to or less stringent than the emission limitations and control measures established pursuant to OAC rule 3745-31-05. |



C:\temp\permits3\14395.wpd

**2. Additional Terms and Conditions**

**2.a** The above daily mass particulate matter emission limitation covered under OAC rule 3745-31-05 is based on capture and control assumptions, as demonstrated below in section E.1.c. Should compliance with this emission limitation ever become suspect, then the permittee may be required to perform emission testing, employing all applicable USEPA test methods, to establish accurate and representative emission limitations for this emissions unit

**B. Operational Restrictions**

1. The permittee shall employ the baghouse at all times this emissions unit is in operation.

2. Except for an initial operating period after filter media replacement to attain design filtering efficiency, the pressure drop across the baghouse serving this emissions unit shall be maintained within the range of 1 - 10 inches of water, while the emissions unit is in operation.

**C. Monitoring and/or Recordkeeping Requirements**

1. The permittee shall document whether or not the baghouse was in service when the emissions unit was in operation.

2. The permittee shall properly operate, and maintain equipment to monitor the pressure drop across the baghouse serving this emissions unit, while the emissions unit is in operation. The monitoring equipment shall be calibrated, operated, and maintained in accordance with the manufacturer's recommendations, instructions, and operating manual(s). The permittee shall record the pressure drop across the baghouse on a daily basis.

3. The permittee shall perform daily checks for any visible particulate emissions, fugitive and stack, from the emissions unit, while the emissions unit is in operation. The presence or absence of any visible emissions shall be noted in an operations log. If visible emissions are observed, the permittee shall also note the following in the operations log:

   a. the color of the emissions;
   b. whether the emissions are representative of normal operations;
   c. if the emissions are not representative of normal operations, the cause of the abnormal emissions;
   d. the total duration of any abnormal visible emission incident; and
   e. any corrective actions taken to eliminate the abnormal visible emissions.



C:\temp\permits3\14395.wpd

## D. Reporting Requirements

1. The permittee shall notify the Director (the appropriate District Office or local air agency) in writing of any record showing that the fabric filter was not in service when the emissions unit was in operation. The notification shall include a copy of such record and shall be sent to the Director (the appropriate District Office or local air agency) within 30 days after the event occurs.

2. The permittee shall submit pressure drop deviation (excursion) reports that identify all periods of time during which the pressure drop across each fabric filter serving this emissions unit did not comply with the allowable range specified above.

3. The permittee shall submit semiannual written reports which (a) identify all days during which any abnormal visible particulate emissions were observed and (b) describe any corrective actions taken to eliminate the abnormal visible particulate emissions. These reports shall be submitted to the Director (the appropriate Ohio EPA District Office or local air agency) by January 31 and July 31 of each year and shall cover the previous 6-month period.

4. The deviation reports shall be submitted in accordance with the requirements specified in Part I - General Term and Condition 2 of this permit.

## E. Testing Requirements

1. Compliance with the emission limitations in Section A.1 of these terms and conditions shall be determined in accordance with the following methods:

   a. Emission Limitation: 10% opacity from any stack, as a 6-minute average

      Applicable Compliance Method: If required, compliance shall be determined by visible emission evaluations performed in accordance with the methods and procedures specified in OAC rule 3745-17-03(B)(1).

   b. Emission Limitation: 10% opacity for fugitive dust, as a 3-minute average

      Applicable Compliance Method: If required, compliance shall be determined by visible emission evaluations performed in accordance with the methods and procedures specified in OAC rule 3745-17-03(B)(3).

   c. Emission Limitations: 10.3 pounds/day & 1.89 tons/year of particulate matter

      Applicable Compliance Method: The above emission limitations are based on capture and control assumptions as shown in the following equations:



C:\temp\permits3\14395.wpd

Ed = (PWRmax)(1-CaCo); and
Ey = (Ed)(365 days/year)(1 ton/2000 lbs)

Where,

Ed = 10.3 pounds/day of particulate matter [maximum daily emissions];
Ey = 1.89 tons/year of particulate matter [yearly potential emissions based on above maximum hourly emissions];
PWRmax = 67 pounds of talc powder/day [maximum talc process weight rate capacity];
Ca = (0.85) [assumed 85 % capture efficiency of hood/vent system]; and
Co = (0.995) [assumed 99.5 % control efficiency of baghouse].

## F. Miscellaneous Requirements

1. Modeling to demonstrate compliance with the Ohio EPA's "Air Toxic Policy" was not necessary because the emissions unit's maximum annual emissions for each toxic compound will be less than 1.0 ton. OAC Chapter 3745-31 requires permittees to apply for and obtain a new or modified permit to install prior to making a "modification" as defined by OAC rule 3745-31-01. The permittee is hereby advised that changes in the composition of the materials, or use of new materials, that would cause the emissions of any pollutant that has a listed TLV to increase to above 1.0 ton per year may require the permittee to apply for and obtain a new permit to install.



C:\temp\permits3\14395.wpd

## NEW SOURCE REVIEW FORM B

PTI Number: 16-02151 Facility ID: 1677110088

FACILITY NAME Bedell Kraus Flexographics Rubber Inc

FACILITY DESCRIPTION Two (2) Dusting Units. CITY/TWP Stow

SIC CODE 3069 SCC CODE 3-08-999-99 EMISSIONS UNIT ID P901

EMISSIONS UNIT DESCRIPTION (Duster 1) applies talc powder (CAS 68855-54-9) to rubber rolls, air emissions of particulate matter vented to and controlled by a baghouse common to P901 & P902

DATE INSTALLED 1989

EMISSIONS: (Click on bubble help for Air Quality Descriptions)

| Pollutants | Air Quality Description | Actual Emissions Rate | | PTI Allowable | |
|---|---|---|---|---|---|
| | | Short Term Rate | Tons Per Year | Short Term Rate | Tons Per Year |
| Particulate Matter | | | | 15.4 lbs/day | 2.81 |
| $PM_{10}$ | | | | | |
| Sulfur Dioxide | | | | | |
| Organic Compounds | | | | | |
| Nitrogen Oxides | | | | | |
| Carbon Monoxide | | | | | |
| Lead | | | | | |
| Other: Air Toxics | | | | | |

APPLICABLE FEDERAL RULES:

NSPS? NESHAP? PSD? OFFSET POLICY?

| WHAT IS THE BAT DETERMINATION, AND WHAT IS THE BASIS FOR THE DETERMINATION? |
|---|
| baghouse |

IS THIS SOURCE SUBJECT TO THE AIR TOXICS POLICY? NO

OPTIONAL: WHAT IS THE CAPITAL COST OF CONTROL EQUIPMENT? $

**TOXIC AIR CONTAMINANTS**

Ohio EPA's air toxics policy applies to contaiminants for which the American Conference of Governmental Industrial Hygienists (ACGIH) has a listed threshold limit value.

AIR TOXICS MODELING PERFORMED*? _____ YES _____ NO

IDENTIFY THE AIR CONTAMINANTS: _____

# NEW SOURCE REVIEW FORM B

PTI Number: 16-02151 Facility ID: 1677110088

FACILITY NAME Bedell Kraus Flexographics Rubber Inc

FACILITY DESCRIPTION Two (2) Dusting Units. CITY/TWP Stow

SIC CODE 3069 SCC CODE 3-08-999-99 EMISSIONS UNIT ID P902

EMISSIONS UNIT DESCRIPTION (Duster 2) applies talc powder (CAS 68855-54-9) to rubber rolls, air emissions of particulate matter vented to and controlled by a baghouse common to P901 & P902

DATE INSTALLED 1989

EMISSIONS: (Click on bubble help for Air Quality Descriptions)

| Pollutants | Air Quality Description | Actual Emissions Rate | | PTI Allowable | |
|---|---|---|---|---|---|
| | | Short Term Rate | Tons Per Year | Short Term Rate | Tons Per Year |
| Particulate Matter | | | | 10.3 lbs/day | 1.89 |
| $PM_{10}$ | | | | | |
| Sulfur Dioxide | | | | | |
| Organic Compounds | | | | | |
| Nitrogen Oxides | | | | | |
| Carbon Monoxide | | | | | |
| Lead | | | | | |
| Other: Air Toxics | | | | | |

APPLICABLE FEDERAL RULES:

NSPS? NESHAP? PSD? OFFSET POLICY?

| WHAT IS THE BAT DETERMINATION, AND WHAT IS THE BASIS FOR THE DETERMINATION? |
|---|
| baghouse |

IS THIS SOURCE SUBJECT TO THE AIR TOXICS POLICY? NO

OPTIONAL: WHAT IS THE CAPITAL COST OF CONTROL EQUIPMENT? $

**TOXIC AIR CONTAMINANTS**

Ohio EPA's air toxics policy applies to contaiminants for which the American Conference of Governmental Industrial Hygienists (ACGIH) has a listed threshold limit value.

AIR TOXICS MODELING PERFORMED*? _____ YES _____ NO

IDENTIFY THE AIR CONTAMINANTS:

**Ohio EPA Permit to Install Information Form** Please describe below any documentation which is being submitted with this recommendation (must be sent the same day). Electronic items should be submitted with the e-mail transmitting the PTI terms, and in software that CO can utilize. If mailing any hard copy, this section must be printed as a cover page. All items must be clearly labeled indicating the PTI name and number. Submit hard copy items to **Pam McGraner**, AQM&P, DAPC, Central Office, and electronic files to **airpti@epa.state.oh.us**

| ***Please fill out the following. If the checkbox does not work, replace it with an 'X'*** | Electronic | **Additional information** File Name Convention (your PTI # plus this letter) | Hard Copy | None |
|---|---|---|---|---|

# NEW SOURCE REVIEW FORM B

PTI Number: 16-02151 Facility ID: 1677110088

FACILITY NAME Bedell Kraus Flexographics Rubber Inc

FACILITY DESCRIPTION Two (2) Dusting Units. CITY/TWP Stow

| | | | | |
|---|---|---|---|---|
| Calculations (required) | ☐ | 0000000**c**.wpd | ☐ | |
| Modeling form/results | ☐ | 0000000**s**.wpd | ☐ | ☒ |
| PTI Application (complete or partial)* | ☐ | 0000000**a**.wpd | ☐ | ☒ |
| BAT Study | ☐ | 0000000**b**.wpd | ☐ | ☒ |
| Other/misc. | ☐ | 0000000**t**.wpd | ☐ | ☒ |

* Mandatory for netting, PSD, nonattainment NSR, 112(g), 21-07(G)(9)(g) and 21-09(U)(2)(f) - 2 complete copies.

Please complete (see comment bubble to the left for additional instructions):

**NSR Discussion**

NONE

Please complete for these type permits (For PSD/NSR Permit, place mouse over this text):

☐ **Synthetic Minor Determination and/or** ☐ **Netting Determination**

Permit To Install **ENTER PTI NUMBER HERE**

A. Source Description

B. Facility Emissions and Attainment Status

C. Source Emissions

D. Conclusion

PLEASE PROVIDE ADDITIONAL NOTES OR COMMENTS AS NECESSARY:

Emission calculations are included in Section E "Testing Requirements" of the PTI special T/Cs.

Please complete:

SUMMARY (for informational purposes only)

TOTAL PERMIT TO INSTALL ALLOWABLE EMISSIONS

| Pollutant | Tons Per Year |
|---|---|
| PM | 4.7 |