



State of Ohio Environmental Protection Agency

Street Address:

Lazarus Gov. Center
122 S. Front Street
Columbus, OH 43215

TELE: (614) 644-3020 FAX: (614) 644-2329

Mailing Address:

Lazarus Gov. Center
P.O. Box 1049
Columbus, OH 43216-1049

**RE: FINAL PERMIT TO INSTALL MODIFICATION
SCIOTO COUNTY
Application No: 07-00425**

CERTIFIED MAIL

	TOXIC REVIEW
	PSD
Y	SYNTHETIC MINOR
	CEMS
	MACT
	NSPS
	NESHAPS
	NETTING
	MAJOR NON-ATTAINMENT
	MODELING SUBMITTED
	GASOLINE DISPENSING FACILITY

DATE: 3/21/2002

OSCO Industries New Boston Division
John Burke
PO Box 1388
Portsmouth, OH 456620000

Enclosed Please find a modification to the Ohio EPA Permit To Install referenced above which will modify the terms and conditions.

You are hereby notified that this action by the Director is final and may be appealed to the Ohio Environmental Review Appeals Commission pursuant to Chapter 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. It must be filed within thirty (30) days after the notice of the Directors action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
236 East Town Street, Room 300
Columbus, Ohio 43215

Very truly yours,

Thomas G. Rigo, Manager
Field Operations and Permit Section
Division of Air Pollution Control

cc: USEPA

PCHD



FINAL ADMINISTRATIVE MODIFICATION OF PERMIT TO INSTALL 07-00425

Application Number: 07-00425

APS Premise Number: 0773010180

Permit Fee: \$0

Name of Facility: OSCO Industries New Boston Division

Person to Contact: John Burke

Address: PO Box 1388
Portsmouth, OH 456620000

Location of proposed air contaminant source(s) [emissions unit(s)]:
202 Vine St
New Boston, Ohio

Description of proposed emissions unit(s):
Gray iron foundry.

The above named entity is hereby granted a modification to the permit to install described above pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this modification does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the above described source(s) of environmental pollutants will operate in compliance with applicable State and Federal laws and regulations, and does not constitute expressed or implied assurance that if constructed or modified in accordance with those plans included in the application, the above described source(s) of pollutants will be granted the necessary operating permits.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency

Director

Part I - GENERAL TERMS AND CONDITIONS

A. Permit to Install General Terms and Conditions

1. Compliance Requirements

The emissions unit(s) identified in this Permit to Install shall remain in full compliance with all applicable State laws and regulations and the terms and conditions of this permit.

2. Reporting Requirements Related to Monitoring and Record keeping Requirements

The permittee shall submit required reports in the following manner:

- a. Reports of any required monitoring and/or record keeping information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
- b. Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (a) any deviations (excursions) from emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and record keeping requirements specified in this permit, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the appropriate Ohio EPA District Office or local air agency. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

3. Records Retention Requirements

Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.

4. Inspections and Information Requests

The Director of the Ohio EPA, or an authorized representative of the Director, may, subject to the safety requirements of the permittee and without undue delay, enter upon the premises of this source at any reasonable time for purposes of making inspections, conducting tests, examining records or reports pertaining to any emission of air contaminants, and determining compliance with any applicable State air pollution laws and regulations and the terms and conditions of this permit. The permittee shall furnish to the Director of the Ohio EPA, or an authorized representative of the Director, upon receipt of a written request and within a reasonable time, any information that may

be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon verbal or written request, the permittee shall also furnish to the Director of the Ohio EPA, or an authorized representative of the Director, copies of records required to be kept by this permit.

5. Scheduled Maintenance/Malfunction Reporting

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction of any emissions units or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emissions unit(s) that is (are) served by such control system(s).

6. Permit Transfers

Any transferee of this permit shall assume the responsibilities of the prior permit holder. The appropriate Ohio EPA District Office or local air agency must be notified in writing of any transfer of this permit.

7. Air Pollution Nuisance

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

8. Termination of Permit to Install

This Permit to Install shall terminate within eighteen months of the effective date of the Permit to Install if the owner or operator has not undertaken a continuing program of installation or modification or has not entered into a binding contractual obligation to undertake and complete within a reasonable time a continuing program of installation or modification. This deadline may be extended by up to 12 months if application is made to the Director within a reasonable time before the termination date and the party shows good cause for any such extension.

9. Construction of New Sources(s)

The proposed emissions unit(s) shall be constructed in strict accordance with the plans and application submitted for this permit to the Director of the Ohio Environmental Protection Agency. There may be no deviation from the approved plans without the express, written approval of the Agency. Any deviations from the approved plans or the above conditions may lead to such sanctions and penalties as provided under Ohio law. Approval of these plans does not constitute an assurance that the proposed facilities will operate in compliance with all Ohio laws and regulations. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed sources cannot meet the requirements of this permit or cannot meet applicable standards.

If the construction of the proposed emissions unit(s) has already begun or has been completed prior to the date the Director of the Environmental Protection Agency approves the permit application and plans, the approval does not constitute expressed or implied assurance that the proposed facility has been constructed in accordance with the approved plans. The action of beginning and/or completing construction prior to obtaining the Director's approval constitutes a violation of OAC rule 3745-31-02. Furthermore, issuance of the Permit to Install does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. Approval of the plans in any case is not to be construed as an approval of the facility as constructed and/or completed. Moreover, issuance of the Permit to Install is not to be construed as a waiver of any rights that the Ohio Environmental Protection Agency (or other persons) may have against the applicant for starting construction prior to the effective date of the permit. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed facilities cannot meet the requirements of this permit or cannot meet applicable standards.

10. Public Disclosure

The facility is hereby notified that this permit, and all agency records concerning the operation of this permitted source, are subject to public disclosure in accordance with OAC rule 3745-49-03.

11. Applicability

This Permit to Install is applicable only to the emissions unit(s) identified in the Permit to Install. Separate application must be made to the Director for the installation or modification of any other emissions unit(s).

12. Best Available Technology

As specified in OAC Rule 3745-31-05, all new sources must employ Best Available Technology (BAT). Compliance with the terms and conditions of this permit will fulfill this requirement.

13. Source Operation and Operating Permit Requirements After Completion of Construction

- a. If the permittee is required to apply for a Title V permit pursuant to OAC Chapter 3745-77, the permittee shall submit a complete Title V permit application or a complete Title V permit modification application within twelve (12) months after commencing operation of the emissions units covered by this permit. However, if the proposed new or modified source(s) would be prohibited by the terms and conditions of an existing Title V permit, a Title V permit modification must be obtained before the operation of such new or modified source(s) pursuant to OAC rule 3745-77-04(D) and OAC rule 3745-77-08(C)(3)(d).
- b. If the permittee is required to apply for permit(s) pursuant to OAC Chapter 3745-35, the source(s) identified in this Permit To Install is (are) permitted to operate for a period of up to one year from the date the source(s) commenced operation. Permission to operate is granted only if the facility complies with all requirements contained in this permit and all applicable air pollution laws, regulations, and policies. Pursuant to OAC Chapter 3745-35,

the permittee shall submit a complete operating permit application within thirty (30) days after commencing operation of the source(s) covered by this permit.

14. Construction Compliance Certification

The applicant shall provide Ohio EPA with a written certification (see enclosed form) that the facility has been constructed in accordance with the Permit to Install application and the terms and conditions of the Permit to Install. The certification shall be provided to Ohio EPA upon completion of construction but prior to startup of the source.

15. Fees

The permittee shall pay fees to the Director of the Ohio EPA in accordance with ORC section 3745.11 and OAC Chapter 3745-78. The permittee shall pay all applicable Permit to Install fees within 30 days after the issuance of this Permit to Install.

B. Permit to Install Summary of Allowable Emissions

The following information summarizes the total allowable emissions, by pollutant, based on the individual allowable emissions of each air contaminant source identified in this permit.

**SUMMARY (for informational purposes only)
TOTAL PERMIT TO INSTALL ALLOWABLE EMISSIONS**

<u>Pollutant</u>	<u>Tons Per Year</u>
PM/PM ₁₀	41.28 (40.3 baghouse outlet and 0.98 fugitive emissions)

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P903: Sand and Bond Unloading and storage system modification to allowable emission rate for bond unloading 3-sided enclosure for sand unloading pneumatic unloading of bond to storage hopper with storage hopper vented to baghouse modification to correct the emissions unit ID number from F003 to P903	OAC rule 3745-31-05 OAC rule 3745-17-07 OAC rule 3745-17-08	0.015 gr/dscf of exhaust gases and 15.7 tons per year PM/PM ₁₀ from the Sand System Dust Collector (SSDC) ** for bond unloading. (See section A.2.a below) **No visible particulate emissions from the baghouse stacks. 0.375 lb/hr and 0.98 TPY PM/PM ₁₀ fugitive emissions. No visible fugitive particulate emissions greater than 20% opacity as a three minute average from sand unloading.

2. Additional Terms and Conditions

- 2.a Sources P903, P906 (cooling), P910 (cooling), and P918 are vented to the Sand System Dust Collector.
- 2.b If more sources are added to the FMDC, SSDC, and the EFDC, each dust collector's allowable rate shall remain at 0.015 grain per dry standard cubic foot of exhaust gases.
- 2.c This facility is located in Scioto County which is not identified in Appendix A of OAC rule 3745-17-08. Therefore, this fugitive dust emissions unit is exempt from the visible

particulate emission limitation and the fugitive dust control requirements established in OAC rules 3745-17-07 and 3745-17-08, respectively.

B. Operational Restrictions

1. Operating restrictions are being established in this permit to install. However, a federally enforceable state operating permit, issued first in draft form, will be requested by the permittee in order to establish these restrictions as federally enforceable limitations, limiting potential to emit to maintain minor source status for Title V purposes.

2. The maximum annual operating hours for sources F003 (bond unloading), F006, F007, F008, P901, P902, P906 (cooling & shakeout), F910 (pouring & shakeout), P913, P918,P903, P908, the Sand System Dust Collector, and the East Foundry Dust Collector shall not exceed 5200 hours, based upon a rolling, 12-month summation of the operating hours.

To ensure enforceability during the first 12 calendar months of operation following the issuance of this permit, the permittee shall not exceed the operating hour levels specified in the following table for sources F003 (bond unloading), F006, F007, F008, P901, P902, P906 (cooling & shakeout), F910 (pouring & shakeout), P913, P918,P903, P908, the Sand System Dust Collector, and the East Foundry Dust Collector:

<u>Month(s)</u>	<u>Maximum Allowable Cumulative Operating Hours</u>
1	433
1-2	867
1-3	1300
1-4	1733
1-5	2167
1-6	2600
1-7	3033
1-8	3467
1-9	3900
1-10	4333
1-11	4767
1-12	5200

After the first 12 calendar months of operation following the issuance of this permit, compliance with the annual operating hours limitation shall be based upon a rolling, 12-month summation of the operating hours.

C. Monitoring and/or Record keeping Requirements

1. The permittee shall maintain monthly records of the following information:
 - a. The operating hours for each month;
 - b. Beginning after the first 12 calendar months of operation following the issuance of this permit, the rolling 12-month summation of the operating hours.

Also, during the first 12 calendar months of operation following the issuance of this permit, the permittee shall record the cumulative operating hours for each calendar month.

2. Records shall be kept of the operating times of bond unloading for source P903.

D. Reporting Requirements

1. The permittee shall submit deviation (excursion) reports which identify all exceedances of the rolling, 12-month operating hours limitation and, for the first 12 calendar months of operation following the issuance of this permit, all exceedances of the maximum allowable cumulative operating hours levels.

E. Testing Requirements

None

F. Miscellaneous Requirements

None

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P005: Stand Grinders hooding with 99% capture efficiency vented to baghouse modification to correct the emissions unit ID number from F005 to P005	OAC rule 3745-31-05 OAC rule 3745-17-07 OAC rule 3745-17-11	0.015 gr/dscf of exhaust gases and 24.6 tons per year PM/PM ₁₀ from the Finishing/Melt Dust Collector (FMDC) ** (See section A.2.a below.) No particulate fugitive visible emissions. ** No visible particulate emissions from the baghouse stacks.

2. Additional Terms and Conditions

- 2.a Sources P005, P009, P012, P906 (pouring), P910 (pouring), P014, P915, P916, and P917 are vented to the Finishing/Melt Dust Collector.
- 2.b The Stand Grinders collection hooding shall have a collection efficiency sufficient to minimize or eliminate visible particulate emissions of fugitive dust at the point(s) of capture to the extent possible with good engineering design.
- 2.c Any sources venting to the Finishing/Melt Dust Collector (FMDC), including sources , P005, P009, P012, P906 (pouring), P910 (pouring), P014, P915, P916, and P917 the Sand System Dust Collector (SSDC), including sources P903, P906 (cooling), P910 (cooling), and P918 and the East Foundry Dust Collector including sources , P906 (shakeout), P910 (shakeout), and P908 shall not operate unless the FMDC is in operation.

To ensure that this condition is met, sources P005, P009, P012, P014, P906, P908, P910, P913, P915, P916, P917, and P918 shall have Programmable Logic Controllers (PLCs) which is programmed to prevent the source from operating without the FMDC in operation. If a control equipment malfunction occurs, sources P005, P009, P012, P014, P906, P908, P910, P913, P915, P916, P917, and P918 shall be shut down after the cycle is completed. An audible alarm shall be sounded to notify personnel of the malfunction.

- 2.d** If more sources are added to the FMDC, SSDC, and the EFDC, each dust collector's allowable rate shall remain at 0.015 grain per dry standard cubic foot of exhaust gases.

B. Operational Restrictions

1. Operating restrictions are being established in this permit to install. However, a federally enforceable state operating permit, issued first in draft form, will be requested by the permittee in order to establish these restrictions as federally enforceable limitations, limiting potential to emit to maintain minor source status for Title V purposes.
2. The maximum annual operating hours for sources P005, P009, P012, P906 (pouring), P910 (pouring), P014, P915, P916, and P917 and the Finishing/Melt Dust Collector shall not exceed 6240 hours, based upon a rolling, 12-month summation of the operating hours.

To ensure enforceability during the first 12 calendar months of operation following the issuance of this permit, the permittee shall not exceed the operating hour levels specified in the following table for sources P005, P009, P012, P906 (pouring), P910 (pouring), P014, P915, P916, and P917 and the Finishing/Melt Dust Collector:

<u>Month(s)</u>	<u>Maximum Allowable Cumulative Operating Hours</u>
1	520
1-2	1040
1-3	1560
1-4	2080
1-5	2600
1-6	3120
1-7	3640
1-8	4160
1-9	4680
1-10	5200
1-11	5720
1-12	6240

After the first 12 calendar months of operation following the issuance of this permit, compliance with the annual operating hours limitation shall be based upon a rolling, 12-month summation of the operating hours.

C. Monitoring and/or Record keeping Requirements

1. The permittee shall maintain monthly records of the following information:
 - a. The operating hours for each month;
 - b. Beginning after the first 12 calendar months of operation following the issuance of this permit, the rolling 12-month summation of the operating hours.

Also, during the first 12 calendar months of operation following the issuance of this permit, the permittee shall record the cumulative operating hours for each calendar month.

D. Reporting Requirements

1. The permittee shall submit deviation (excursion) reports which identify all exceedances of the rolling, 12-month operating hours limitation and, for the first 12 calendar months of operation following the issuance of this permit, all exceedances of the maximum allowable cumulative operating hours levels.

E. Testing Requirements

1. PERFORMANCE TEST REQUIREMENTS

The permittee shall conduct, or have conducted, performance testing on the air contaminant source(s) in accordance with procedures approved by the Agency. Two copies of the written report describing the test procedures followed and the results of such tests shall be submitted and signed by the person responsible for the test. The Director, or an Ohio EPA representative, shall be allowed to witness the tests, examine testing equipment, and require the acquisition or submission of data and information necessary to assure that the source operation and testing procedures provide a valid characterization of the emissions from the source and/or the performance of the control equipment.

- a. A completed Intent to Test form shall be submitted to the appropriate Ohio EPA District Office or Local Air Pollution Control Agency where the original permit application was filed. This notice shall be made 30 days in advance and shall specify the source operating parameters the proposed test procedures, and the time, date, place and person(s) conducting such tests.
- b. Two copies of the test results shall be submitted within 30 days after the completion of the performance test.
- c. Tests shall be performed for the following source(s) and pollutant(s):

OSCO Industries New Boston Division

PTI Application: 07-00425

Modification Issued: 3/21/2002

Facility ID: 0773010180

Emissions Unit ID: P005

Sources

P005

Pollutants

PM/PM₁₀

F. Miscellaneous Requirements

None

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P009: #1 Shotblaster vented to baghouse modification to correct the emissions unit ID number from F009 to P009	OAC rule 3745-31-05 OAC rule 3745-17-07 OAC rule 3745-17-11	0.015 gr/dscf of exhaust gases and 24.6 tons per year PM/PM ₁₀ from the FMDC** (See section A.2.a below.) No visible particulate fugitive emissions. ** No visible particulate emissions from the baghouse stacks.

2. Additional Terms and Conditions

- 2.a Sources P005, P009, P012, P906 (pouring), P910 (pouring), P014, P915, P916, and P917 are vented to the Finishing/Melt Dust Collector.
- 2.b The #1 Shotblaster collection hooding shall have a collection efficiency sufficient to minimize or eliminate visible particulate emissions of fugitive dust at the point(s) of capture to the extent possible with good engineering design.
- 2.c Any sources venting to the Finishing/Melt Dust Collector (FMDC), including sources , P005, P009, P012, P906 (pouring), P910 (pouring), P014, P915, P916, and P917 the Sand System Dust Collector (SSDC), including sources P903, P906 (cooling), P910 (cooling), and P918 and the East Foundry Dust Collector including sources , P906 (shakeout), P910 (shakeout), and P908 shall not operate unless the FMDC is in operation.

To ensure that this condition is met, sources P005, P009, P012, P014, P906, P908, P910, P913, P915, P916, P917, and P918 shall have Programmable Logic Controllers (PLCs) which is programmed to prevent the source from operating without the FMDC in

operation. If a control equipment malfunction occurs, sources P005, P009, P012, P014, P906, P908, P910, P913, P915, P916, P917, and P918 shall be shut down after the cycle is completed. An audible alarm shall be sounded to notify personnel of the malfunction.

- 2.d** If more sources are added to the FMDC, SSDC, and the EFDC, each dust collector's allowable rate shall remain at 0.015 grain per dry standard cubic foot of exhaust gases.

B. Operational Restrictions

1. Operating restrictions are being established in this permit to install. However, a federally enforceable state operating permit, issued first in draft form, will be requested by the permittee in order to establish these restrictions as federally enforceable limitations, limiting potential to emit to maintain minor source status for Title V purposes.
2. The maximum annual operating hours for sources P005, P008, P012, P014, P906 (pouring), P910 (pouring), P915, P916, P917 and the Finishing/Melt Dust Collector shall not exceed 6240 hours, based upon a rolling, 12-month summation of the operating hours.

To ensure enforceability during the first 12 calendar months of operation following the issuance of this permit, the permittee shall not exceed the operating hour levels specified in the following table for sources P005, P008, P012, P014, P906 (pouring), P910 (pouring), P915, P916, P917 and the Finishing/Melt Dust Collector:

<u>Month(s)</u>	<u>Maximum Allowable Cumulative Operating Hours</u>
1	520
1-2	1040
1-3	1560
1-4	2080
1-5	2600
1-6	3120
1-7	3640
1-8	4160
1-9	4680
1-10	5200
1-11	5720
1-12	6240

After the first 12 calendar months of operation following the issuance of this permit, compliance with the annual operating hours limitation shall be based upon a rolling, 12-month summation of the operating hours.

C. Monitoring and/or Record keeping Requirements

1. The permittee shall maintain monthly records of the following information:
 - a. The operating hours for each month;
 - b. Beginning after the first 12 calendar months of operation following the issuance of this permit, the rolling 12-month summation of the operating hours.

Also, during the first 12 calendar months of operation following the issuance of this permit, the permittee shall record the cumulative operating hours for each calendar month.

D. Reporting Requirements

1. The permittee shall submit deviation (excursion) reports which identify all exceedances of the rolling, 12-month operating hours limitation and, for the first 12 calendar months of operation following the issuance of this permit, all exceedances of the maximum allowable cumulative operating hours levels.

E. Testing Requirements

1. PERFORMANCE TEST REQUIREMENTS

The permittee shall conduct, or have conducted, performance testing on the air contaminant source(s) in accordance with procedures approved by the Agency. Two copies of the written report describing the test procedures followed and the results of such tests shall be submitted and signed by the person responsible for the test. The Director, or an Ohio EPA representative, shall be allowed to witness the tests, examine testing equipment, and require the acquisition or submission of data and information necessary to assure that the source operation and testing procedures provide a valid characterization of the emissions from the source and/or the performance of the control equipment.

- a. A completed Intent to Test form shall be submitted to the appropriate Ohio EPA District Office or Local Air Pollution Control Agency where the original permit application was filed. This notice shall be made 30 days in advance and shall specify the source operating parameters the proposed test procedures, and the time, date, place and person(s) conducting such tests.
- b. Two copies of the test results shall be submitted within 30 days after the completion of the performance test.
- c. Tests shall be performed for the following source(s) and pollutant(s):

Sources

Pollutants

OSCO Industries New Boston Division

PTI Application: 07-00425

Modification Issued: 3/21/2002

Facility ID: 0773010180

Emissions Unit ID: P009

P009

PM/PM₁₀

F. Miscellaneous Requirements

None