

PUBLIC NOTICE

ISSUANCE OF SCRAP TIRE TRANSPORTER REGISTRATION

Notice is hereby given that on April 22, 2002, the director of Ohio EPA issued three certificates of registration as transporter of scrap tires to Tire Recyclers of America, LLC, 7050 Madison Avenue, Indianapolis, Indiana 46227. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614)644-2621. This action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 236 East Town Street, Room 300, Columbus, Ohio 43215.

PUBLIC NOTICE

ISSUANCE OF SCRAP TIRE TRANSPORTER REGISTRATION

Notice is hereby given that on April 22, 2002, the director of Ohio EPA issued ten certificates of registration as transporter of scrap tires to Porter Tire Center, Inc., 18361 W. US Highway 60, Olive Hill, Kentucky 41164. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614)644-2621. This action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 236 East Town Street, Room 300, Columbus, Ohio 43215.

PUBLIC NOTICE

ISSUANCE OF SCRAP TIRE TRANSPORTER REGISTRATION

Notice is hereby given that on April 22, 2002, the director of Ohio EPA issued ten certificates of registration as transporter of scrap tires to Entech, Inc., 69676 M-103, White Pigeon, Michigan 49099. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614)644-2621. This action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 236 East Town Street, Room 300, Columbus, Ohio 43215.

PUBLIC NOTICE

ISSUANCE OF SCRAP TIRE TRANSPORTER REGISTRATION

Notice is hereby given that on April 22, 2002, the director of Ohio EPA issued six certificates of registration as transporter of scrap tires to Morelli Bros., Block & Brick, Inc., 4500 Freedom Way, Weirton, West Virginia 26062. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614)644-2621. This action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 236 East Town Street, Room 300, Columbus, Ohio 43215.

PUBLIC NOTICE

ISSUANCE OF SCRAP TIRE TRANSPORTER REGISTRATION

Notice is hereby given that on April 22, 2002, the director of Ohio EPA issued seven certificates of registration as transporter of scrap tires to DTR, Inc., 2640 Hoods Creek Pk., Ashland, Kentucky 41102. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614)644-2621. This action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 236 East Town Street, Room 300, Columbus, Ohio 43215.

Ohio EPA PTI No. 06-6731

Ohio Environmental Protection Agency Draft Permit to Install

PUBLIC NOTICE

Draft Permit to Install for wastewater treatment and/or disposal facilities

Ohio Environmental Protection Agency
Permits Section
122 South Front Street
P.O. Box 1049
Columbus, Ohio 43216-1049
(614) 644-2001

Public Notice No. 02-04-064
Date of Issue of Public Notice: April 29, 2002

Name and Address of Applicant; Mayor and Council, PO Box 8, Vinton, OH, 45686

Name and Address of Facility Where Discharge Occurs: Village of Vinton WWTP, east side of State Route 325, 750 feet south of State Route 160, Vinton, OH,

Receiving Water: Raccoon Creek

Public notice is hereby given that Ohio Environmental Protection Agency (Ohio EPA)-Division of Surface Water (DSW) has issued a draft permit-to-install (PTI) for the construction of the wastewater treatment works/disposal system for the above referenced project. Ohio EPA has made a determination that the wastewater discharge from this proposed facility would result in degradation to or lowering of the water quality of Raccoon Creek. After considering the technical, economic, and social aspects of this project, the Director of the Ohio EPA has decided to make the preliminary determination to allow this degradation. However, the chemical-specific water quality standards developed to protect aquatic life and human health, set forth in Ohio Administrative Code (OAC) 3745-1, will not be exceeded.

In accordance with OAC 3745-1-05, Ohio EPA will provide an opportunity for public comment concerning this project. Comments received shall be considered by the Director before the permit is issued as final. Any person may submit written comments on the draft permit and administrative record and may request a public hearing. A request for public hearing shall be in writing and shall state the nature of the issues to be raised. In appropriate cases, including cases where there is significant public interest, the director may hold a public hearing on a draft permit or permits prior to final issuance of the permit or permits. Written comments and/or public hearing requests must be received by the Ohio

EPA, Division of Surface Water no later than 30 days from the date of this public notice. Comments and/or public hearing requests should be delivered or mailed to both of the following locations: 1) Ohio Environmental Protection Agency, Division of Surface Water, Permits Processing Unit, 122 South Front Street, P.O. Box 1049, Columbus, Ohio 43216 and 2) Ohio Environmental Protection Agency, Southeast District Office, 2195 Front Street, Logan, OH, 43138. Comments received after this date may not be considered by the Director before issuing the final permit.

Copies of the draft Permit to Install and technical support information may be reviewed and/or copies made at the Ohio EPA Southeast District Office, 2195 Front Street, Logan, OH, 43138, by first calling, 740-385-8501 to make an appointment.

**Hardin County
Licking County
Wyandot County**

Date of Public Notice: April 22, 2002

**PUBLIC NOTICE
PROPOSED DIRECTOR'S REVOCATION AND DENIAL OF PERMITS**

The Director of the Ohio Environmental Protection Agency has issued a proposed action to revoke existing permits and deny pending permit applications for Buckeye Egg Farm. The proposed action will revoke fifteen (15) existing permits for manure and egg wash water handling at the Croton, Mt. Victory, Marseilles and Goshen facilities, and require Buckeye Egg Farm to empty the 125 barns of chickens and manure within one hundred eighty (180) days of the final effective date of the action. The proposed action also denies pending applications for eight (8) permits regarding manure and egg wash water handling at Buckeye Egg Farm facilities.

A copy of the proposed action can be obtained from the Ohio EPA, Division of Surface Water, by calling the PTI and Agriculture Unit at (614) 644-2001 or by writing to:

Ohio EPA Division of Surface Water
PTI and Agriculture Unit
P.O. Box 1049
Columbus, Ohio 43216

The proposed action issued April 22, 2002 becomes a final action on May 23, 2002, unless a request for an adjudication hearing is received by Ohio EPA within thirty (30) days of the proposed action issuance date. At such a hearing, the person requesting the hearing may appear in person or be represented by an attorney permitted to practice before Ohio EPA, and may present evidence at such hearing and examine witnesses. A request for a hearing shall be in writing and sent to the Hearing Clerk, Ohio Environmental Protection Agency, at the above address.

Date of Public Notice: April 29, 2002

**Public Notice
Notice of Receipt of Public Application
Antidegradation**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA)-Division of Surface Water (DSW) has received an application for the modification of a National Pollutant Discharge Elimination System (NPDES) permit 3PD00001 for the discharge from the existing Amherst Water Pollution Control Center Improvements disposal system. Public notice is also given that Ohio EPA-DSW has received an application for Permit to Install (PTI) for the construction of the proposed disposal system. The NPDES and PTI applications were submitted by City of Amherst, City Hall, 206 South Main St., Amherst, OH 44001.

The preferred wastewater disposal alternative submitted for approval is proposed to treat 3.50 MGD gallons per day of sanitary wastewater. The disposal system is located at 931 North Lake Street, Lorain, Ohio. Treated wastewaters are to be discharged into the Beaver Creek to Lake Erie. Other wastewater disposal alternatives resulting in lesser or no degradation or lowering of water quality will be considered by Ohio EPA.

The discharge from this facility, if approved, would result in degradation to, or lowering of, the water quality of the Beaver Creek to Lake Erie. However, the chemical-specific water quality criteria developed to protect aquatic life and human health, set forth in OAC 3745-1-07, will not be exceeded. In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality.

The contents of the above stated application(s) indicate no exclusion or waivers, as outlined by section 3745-1-05 (D) of the antidegradation rule (effective as of October 1, 1996), apply or may be granted by the Director of Ohio EPA.

Copies of the pending NPDES and PTI applications are available for review at Ohio EPA's Northeast District Office, 2110 E. Aurora Road, Twinsburg, Ohio, (330) 425-9171. Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, or 2) submit comments for Ohio EPA's consideration in reviewing the application, or 3) request a public hearing must do so in writing to Ohio EPA's Division of Surface Water, Attention: Permits Processing Unit, PO Box 1049, Columbus, Ohio, 43216, within thirty days of the date of this public notice.

Wood County

**PUBLIC NOTICE
RECEIPT OF PTI APPLICATION**

Notice is hereby given on April 23, 2002, of the receipt of a Permit to Install application (PTI #03-15314) for Evergreen Recycling and Disposal Facility, Inc., 2625 East Broadway, Northwood, Lake Township, Wood County, Ohio 43619. The application was received by Ohio EPA on April 15, 2002. The application is for a Vertical Expansion Modification. The application may be reviewed at the Ohio EPA Northwest District Office, 347 North Dunbridge Road, Bowling Green, Ohio 43402, tel: (419) 352-8461, during normal business hours.