

## **PUBLIC NOTICE**

### **FINAL ISSUANCE OF A RENEWAL REGISTRATION CERTIFICATE FOR A GENERATOR OF INFECTIOUS WASTE**

Notice is hereby given that on February 24 2003, the director of Ohio EPA issued a renewal infectious waste generator certificate to Sunbridge Healthcare Corp, 101 Sun Ave. NE, Albuquerque, NM 87109, ID No.: 00-G-01181. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614) 644-2621. This final action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 236 East Town Street, Room 300, Columbus, Ohio 43215.

## **PUBLIC NOTICE**

### **FINAL ISSUANCE OF A RENEWAL REGISTRATION CERTIFICATE FOR A GENERATOR OF INFECTIOUS WASTE**

Notice is hereby given that on February 24 2003, the director of Ohio EPA issued a renewal infectious waste generator certificate to KH Care, 680 S Fourth Ave., Louisville, KY 40202, ID No.: 00-G-01187. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614) 644-2621. This final action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 236 East Town Street, Room 300, Columbus, Ohio 43215.

## **PUBLIC NOTICE**

### **FINAL ISSUANCE OF A RENEWAL REGISTRATION CERTIFICATE FOR A GENERATOR OF INFECTIOUS WASTE**

Notice is hereby given that on February 24 2003, the director of Ohio EPA issued a renewal infectious waste generator certificate to Kindred Healthcare, 680 S Fourth Ave., Louisville, KY 40202, ID No.: 00-G-01186. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614) 644-2621. This final action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 236 East Town Street, Room 300, Columbus, Ohio 43215.

## **PUBLIC NOTICE**

### **FINAL ISSUANCE OF A RENEWAL REGISTRATION CERTIFICATE FOR A GENERATOR OF INFECTIOUS WASTE**

Notice is hereby given that on February 24 2003, the director of Ohio EPA issued a renewal infectious waste generator certificate to Quest Diagnostics Inc., 875 Greentree Rd., Pittsburgh, PA 15220, ID No.: 00-G-00951. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614) 644-2621. This final action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 236 East Town Street, Room 300, Columbus, Ohio 43215.

## **PUBLIC NOTICE**

### **FINAL ISSUANCE OF AN AMENDED CERTIFICATE OF REGISTRATION FOR A GENERATOR OF INFECTIOUS WASTE**

Notice is hereby given that on February 24 2003, the director of Ohio EPA issued an amended infectious waste generator certificate to Integrated Health Services Inc., 910 Ridgebrook Rd., Sparks, MD 21152, ID No.: 00-G-00909. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614) 644-2621. This final action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 236 East Town Street, Room 300, Columbus, Ohio 43215.

## **PUBLIC NOTICE**

### **FINAL ISSUANCE OF A RENEWAL CERTIFICATE OF REGISTRATION AS A TRANSPORTER OF INFECTIOUS WASTE**

Notice is hereby given that on February 24, 2003, the director of Ohio EPA issued a renewal infectious waste transporter certificate to Stericycle Inc., 28161 N Keith Dr., Lake Forest, IL 60045, ID No.: 00-T-00199. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614) 644-2621. This final action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 236 East Town Street, Room 300, Columbus, Ohio 43215.

## **PUBLIC NOTICE**

### **FINAL ISSUANCE OF A REGISTRATION CERTIFICATE FOR A MOBILE SCRAP TIRE RECOVERY FACILITY**

Notice is hereby given that on February 26, 2003, the Director of Ohio EPA issued a mobile scrap tire recovery facility registration certificate to Tri-Rinse, Inc., 5200 Manchester Road, St. Louis, Missouri 63110, certificate number 00-STR-004. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614)644-2621. This action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 236 East Town Street, Room 300, Columbus, Ohio 43215.

**Date of Notice: March 2, 2003**

**Butler County**

**PUBLIC NOTICE  
NOTICE OF RECEIPT OF APPLICATION  
ANTIDegradation**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA)-Division of Surface Water (DSW) has received an application for the renewal of a National Pollutant Discharge Elimination System (NPDES) permit (11D00001) for the discharge from the existing AK Steel Corporation disposal system. The NPDES permit application was submitted by AK Steel Corporation, 1801 Crawford Street, Middletown, Ohio 45043.

AK Steel Corporation's preferred wastewater disposal alternative submitted for approval is proposed to treat approximately 14 million gallons per day of industrial wastewaters associated with steel making. The disposal system is located at 1801 Crawford Street, Middletown, Butler County, Ohio. Treated wastewaters are proposed to be discharged at the same location. The proposed discharges are to the North Branch of Dick's Creek, Dick's Creek, and subsequently the Great Miami River.

Other wastewater disposal alternatives resulting in lesser or no degradation or lowering of water quality will be considered by Ohio EPA.

The discharges from this facility, if approved, would result in degradation to, or lowering of, the water quality of Dick's Creek and subsequently the Great Miami River. However, the chemical-specific water quality criteria developed to protect aquatic life and human health, set forth in OAC 3745-1, will not be exceeded. In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality.

The contents of the above stated application indicates no exclusions or waivers, as outlined by section 3745-1-05 (D) of the antidegradation rule (effective as of October 1, 1996), apply or may be granted by the Director of Ohio EPA.

Copies of the pending NPDES applications are available for review at Ohio EPA's Southwest District Office, 401 East Fifth Street, Dayton, Ohio 45402 by first calling (937) 285-6357 or (800) 686-8930. An Ohio EPA public hearing on the proposed project has been scheduled for April 16, 2003 at 7:00 PM at the Middletown High School Cafeteria, 601 North Breiell Boulevard, Middletown, Ohio 45042. The public hearing will end when everyone in attendance has had an opportunity to provide testimony related to the project.

All interested persons are entitled to attend or be represented and give written or oral comments on the project and all persons who do so may, in the discretion of the presiding officer, be questioned by other persons present. The purpose of the hearing is to obtain additional information that will be considered by the Director of the Ohio EPA prior to any further action on the application.

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project or 2) submit comments for Ohio EPA's consideration in reviewing the application must do so in writing to Ohio EPA's Division of Surface Water, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio, 43216 by close of business on April 23, 2003. Comments received after this date may not be considered as part of the official record.

Columbiana County

**OHIO ENVIRONMENTAL PROTECTION AGENCY  
PUBLIC NOTICE OF EXTENSION OF PUBLIC COMMENT PERIOD  
CONCERNING ISSUANCE OF A DRAFT TITLE V PERMIT FOR  
VON ROLL AMERICA (VRA), INC FORMERLY KNOWN AS WASTE  
TECHNOLOGIES INDUSTRIES (WTI)  
(OEPA FACILITY ID 0215020233)**

Public notice is hereby given that the Ohio Environmental Protection Agency (OEPA) Division of Air Pollution Control issued a draft Title V Permit to Von Roll America, Inc. (VRA) formerly known as Waste Technologies Industries, located at 1250 St. George Street, East Liverpool, Ohio 43920-3400. VRA incinerates hazardous waste which is stored and treated on its property. The draft permit was issued on November 29, 2002.

Ohio EPA hereby extends the public comment period from March 24, 2003 to May 09, 2003 for this draft Title V permit.

A public information session and public hearing concerning the draft Title V permit was held at 7:00 P.M. on Tuesday, February 25, 2003 at the East Liverpool Middle School Auditorium, 810 West Eighth Street, East Liverpool, Ohio.

The public information session provided information concerning the draft permit. The public hearing was held to accept comments on the draft permit. Written comments were to be received at Ohio EPA by the close of business on March 24, 2003. However, this comment period has been extended to May 09, 2003. Comments received after this extended date will not be considered to be a part of the official record. Please submit written comments to the attention of Darren Machuga, Northeast District Office, 2110 East Aurora Road, Twinsburg, Ohio 44087. Comments may also be faxed to Darren Machuga at (330) 487-0769 or submitted via e-mail at the following address:

darren.machuga@epa.state.oh.us

A copy of the draft Title V permit is available for review at Ohio EPA, Northeast District Office, 2110 East Aurora Road, Twinsburg, Ohio 44087 and on the Ohio EPA Web site at [http://www.epa.state.oh.us/dapc/title\\_v/permits/titlevwz.html](http://www.epa.state.oh.us/dapc/title_v/permits/titlevwz.html). The permit and related materials are also available at the Carnegie library in East Liverpool. For further information concerning the air permit application and the issued draft air permit please call Darren Machuga at (330) 963-1287 during normal business hours.

**PUBLIC NOTICE**

**OHIO EPA ISSUES EXTENSION TO PUBLIC COMMENT PERIOD FOR  
VON ROLL AMERICA, INC.**

On January 24, 2003, Ohio EPA issued a draft renewal Hazardous Waste Facility Installation and Operation Permit (Permit) to Von Roll America, Inc., for its facility at 1250 St. George Street, East Liverpool, Ohio 43920. The EPA Identification Number for this facility is OHD980613541. The original public comment period was from January 25, 2003 to March 10, 2003. Ohio EPA has extended the comment period to May 9, 2003. This extension to the comment period coincides with the Title V air permit comment period, which also ends on this date. Both permit packages can be reviewed at the Carnegie Public Library in East Liverpool, Ohio. Comments to the Hazardous Waste Permit may be sent to the appropriate Ohio EPA offices, or via e-mail to: [dhwmcomments@epa.state.oh.us](mailto:dhwmcomments@epa.state.oh.us). For additional information please refer to the following web address: <http://www.epa.state.oh.us/dhwm/welcome.html>.

**Date of Public Notice: February 28, 2003**

**Lawrence County**

**PUBLIC NOTICE  
NOTICE OF RECEIPT OF 401 APPLICATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 certification for a project to construct a bulk commodity barge unloading facility. The application was submitted by Bel Docking, 2905 Ranch Rd, Ashland, KY 41101. The project is located at Ohio River Mile 332.3 near Glendale Ohio. The Huntington District Corps of Engineers Public Notice Number for this project is (H)52282. The Ohio EPA ID Number for this project is 020975.

The discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of the Ohio River. The review of the application will be conducted, and a decision whether to grant or deny the application will be made, in accordance with Chapters 3745-1 and 3745-32 of the Ohio Administrative Code (OAC). In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality. Other alternatives resulting in lesser or no degradation, or lowering of water quality, will be considered by Ohio EPA during the review process.

No exclusions or waivers, as outlined by Paragraph 3745-1-05 (D) of the Antidegradation Rule (effective as of May 1, 1998), apply or may be granted by the Director of Ohio EPA.

Starting February 28, 2003, copies of the application for the certification and technical support information may be inspected at Ohio EPA/DSW, Lazarus Government Center, 122 South Front Street, Columbus, Ohio, by first calling (614) 644-2001. Applications can be made available at Ohio EPA District Offices by calling the same number.

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2) request a public hearing, or 3) submit written comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA/DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 within 30 days of the date of this public notice.

**Date of Public Notice: March 4, 2003**

**Lucas County**

**PUBLIC NOTICE  
OF PUBLIC HEARING FOR SECTION 401 CERTIFICATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) is reviewing an application, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 certification for dredging of the Toledo Federal Navigation Channel and open lake disposal from Lake Mile 2 to Lake Mile 17. The application was submitted by U.S. Army Corps of Engineers, Buffalo District. The project is located in the Federal Navigation Channel in Toledo, OH.

The discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of Lake Erie. The review of the application will be conducted, and a decision whether to grant or deny the application will be made, in accordance with Chapters 3745-1-05, 3745-1 and 3745-32 of the Ohio Administrative Code (OAC). In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality. Other alternatives resulting in lesser or no degradation, or lowering of water quality, will be considered by Ohio EPA during the review process.

No exclusions or waivers, as outlined by Paragraph 3745-1-05 (D) of the Antidegradation Rule, apply or may be granted by the Director of Ohio EPA.

Starting March 4, 2003, copies of the application for the certification and technical support information may be inspected at Ohio EPA-DSW, P.O. Box 1049, Columbus, Ohio 43216-1049 by first calling (614) 644-2001. Applications can be made available at Ohio EPA District Offices by calling the same number.

Ohio EPA will hold a public information session and public hearing relative to issues of lower water quality on April 24, 2003 at 6:30 PM at the City of Toledo, Council Chambers, One Government Center, in downtown Toledo, 43604. The public hearing will end when all interested parties have had an opportunity to provide testimony related to the projects.

All interested persons are entitled to attend or be represented and give written or oral comments on the proposed projects. The purpose of the hearing is to obtain additional information that will be considered by the director of Ohio EPA prior to any further action on the application. Written comments must be received by the Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio, 43216-1049 by the close of business on May 1, 2003. Comments received after this date may not be considered as part of the official record of the hearing.

Persons wishing to be on Ohio EPA's interested parties mailing list for this project, or wish to submit comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 by the close of business on May 1, 2003.

**PUBLIC NOTICE  
OHIO EPA RECEIVES HAZARDOUS WASTE CLOSURE PLAN**

On August 21, 2002, Ohio EPA received a hazardous waste closure plan from Baumann Chevrolet concerning a four-vessel tank storage system located at 2087 South State Route 19, Oak Harbor, Ohio 43449. The EPA Identification Number for this facility is OHD058716572.

**Why is Baumann Chevrolet submitting this Closure Plan?**

At the request of Ohio EPA, Baumann Chevrolet submitted this closure plan. The plan describes a floor drain system located at the site which include a floor trench drain, an oil/water separator, a septic tank, and a sand filter system. Additionally, the plan provides an estimated volume of liquids and sludge removed from each vessel, a closure strategy and remediation objective, a sampling plan and analytical procedure, and a description of waste removal efforts and treatment processes.

**When and how do I submit written comments about the Closure Plan?**

You can submit written comments anytime between February 28, 2003 and March 29, 2003. Send your comments to Ohio EPA, Division of Hazardous Waste Management, Attn: Regulatory and Information Services, P.O. Box 1049, Columbus, Ohio 43216-1049, telephone number (614) 644-2977, fax number (614) 728-1245, e-mail address: [dhwmcomments@epa.state.oh.us](mailto:dhwmcomments@epa.state.oh.us).

**Where can I review the Closure Plan?**

You can review the Closure Plan at the following locations:

**Oak Harbor Public Library**, 147 West Main Street, Oak Harbor, Ohio 43449, tel: (419) 898-7001,

**Ohio EPA, Northwest District Office**, 347 North Dunbridge Road, Bowling Green, Ohio 43402, tel: (419) 352-8164,

**Ohio EPA, Division of Hazardous Waste Management**, 122 South Front Street, Columbus, Ohio 43215, (614) 644-2977.

**PUBLIC NOTICE**  
**OHIO EPA ISSUES DRAFT RENEWAL HAZARDOUS WASTE PERMIT**

On March 4, 2003, Ohio EPA issued a draft renewal hazardous waste facility installation and operation permit (Permit) to Systech Environmental Corporation for its facility at 11397 County Road 176, Paulding, Ohio 45879. The EPA Identification Number for this facility is OHD005048947.

**Why does Systech Environmental Corporation need a Permit?**

Systech Environmental Corporation (Systech) is a commercial hazardous waste storage and treatment facility. Systech manages and stores organic liquids and sludges composed primarily of waste solvents from paint, coating, and ink industries. To store and treat the hazardous wastes, Systech needs a Permit. The draft renewal Permit contains the conditions under which the facility must operate if the Permit receives final approval. To issue this draft renewal Permit, Ohio EPA determined that the Permit application is complete and meets appropriate standards and that the applicant has a history of compliance with relevant environmental laws, given the potential for harm to the public health and safety and the environment that could result from the irresponsible operation of the facility. When issued, the renewal Permit will allow Systech to continue to store and treat hazardous waste in the designated areas and will require Systech to investigate and, if necessary, clean up any contamination from hazardous wastes or constituents that may be at the facility.

**How can I tell Ohio EPA what I think about this draft renewal Permit?**

You can attend the public meeting and present your comments in person or submit written comments that are clear, concise, and well documented. Or, you are welcome to do both. Everyone who wants to comment at the public meeting will be allowed to speak. You should limit your presentation to five minutes and, if possible, submit a written copy of your comments to Ohio EPA at the meeting.

**When and where will Ohio EPA hold a public meeting?**

Ohio EPA will hold a public meeting on April 8, 2003, at 7:00 p.m. It will be at the Western Buckeye Education Center, 202 North Cherry Street, Paulding, Ohio 45879.

**When and how do I submit written comments?**

You can submit written comments anytime between March 5, 2003 and April 18, 2003. Send your comments to Ohio EPA, Lazarus Government Center, Division of Hazardous Waste Management, Attn: Regulatory and Information Services, P.O. Box 1049, Columbus, Ohio 43216-1049, telephone number (614) 644-2977, fax number (614) 728-1245, e-mail: [dhwmcomments@epa.state.oh.us](mailto:dhwmcomments@epa.state.oh.us).

**Where can I review the Permit Application and draft renewal Permit?**

You can review these at one of the following locations:

**Paulding County Carnegie Library**, 205 South Main Street, Paulding, Ohio 45879, (419) 399-2032,

**Ohio EPA - Northwest District Office**, 347 North Dunbridge Road, Bowling Green, Ohio 43402, (419) 352-8461, and;

**Ohio EPA, Division of Hazardous Waste Management**, 122 South Front Street, Columbus, Ohio 43215, (614) 644-2917.

**What will Ohio EPA do with the comments?**

After carefully considering public comments, Ohio EPA will reconsider the draft renewal Permit, making any necessary changes, and issue or deny the final Permit. Ohio EPA will issue a "response to public comments," specifying any changes made to the draft Permit. If you commented on the draft Permit, Ohio EPA will send you copies of the "response to public comments" and the final permit decision.

**Date of Notice: March 4, 2003**

**Richland County**

**PUBLIC NOTICE  
NOTICE OF RECEIPT OF APPLICATION  
ANTIDEGRADATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA)-Division of Surface Water (DSW) has received an application for the renewal of a National Pollutant Discharge Elimination System (NPDES) permit (2PH00005) for the discharge from the existing Eastview Subdivision WWTP disposal system. Public notice is also given that Ohio EPA-DSW has received an application for Permit to Install (PTI) (03-10929) for the construction of the proposed disposal system. The NPDES and PTI applications were submitted by the Richland County Commissioners, 50 Park Avenue East, Mansfield, OH 44902.

The Richland County Commissioner's preferred wastewater disposal alternative submitted for approval is proposed to treat 900,000 gallons per day of municipal wastewaters associated with residences. The disposal system is located at 1740 Fleming Falls Road, Mifflin Township, Richland County, Ohio. Treated wastewaters are proposed to be discharged at the same location. The proposed discharges are to Fleming Falls Creek and subsequently Black Fork of the Mohican River.

Other wastewater disposal alternatives resulting in lesser or no degradation or lowering of water quality will be considered by Ohio EPA.

The discharges from this facility, if approved, would result in degradation to, or lowering of, the water quality of Fleming Falls Creek and subsequently Black Fork of the Mohican River. However, the chemical-specific water quality criteria developed to protect aquatic life and human health, set forth in OAC 3745-1, will not be exceeded. In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality.

The contents of the above stated applications indicate no exclusions or waivers, as outlined by section 3745-1-05 (D) of the antidegradation rule (effective as of October 1, 1996), apply or may be granted by the Director of Ohio EPA.

Copies of the pending NPDES and PTI applications are available for review at Ohio EPA's Northwest District Office, 347 North Dunbridge Road, Bowling Green, Ohio 43402 by first calling (419) 352-8461 or (800) 686-6930.

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, or 2) submit comments for Ohio EPA's consideration in reviewing the application, or 3) request a public hearing must do so in writing to Ohio EPA's Division of Surface Water, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio, 43216 within thirty days of the date of this public notice. Comments received after this date may not be considered as part of the official record.

**Trumbull County**

**PUBLIC NOTICE  
RECEIPT OF PTI APPLICATION**

Notice is hereby given on February 27, 2003, of the receipt of a Permit to Install application (PTI #02-17634) for Stericycle, Inc., 1901 Pine Ave., SE, Warren, Ohio 44483. The application was received by Ohio EPA on February 21, 2003. The application is for an existing autoclave modification. The PTI application may be reviewed in accordance with Ohio EPA's file review procedures by writing to Ms. Lily Aaron, at the Ohio EPA Northeast District Office, 2110 E. Aurora Road, Twinsburg, Ohio 44087.