

# NOTICE OF ADOPTION OF RULES

## OHIO ENVIRONMENTAL PROTECTION AGENCY

### RULES GOVERNING

#### SANITARY, SCRAP TIRE MONOFILL, INDUSTRIAL, AND RESIDUAL SOLID WASTE LANDFILLS

Notice is hereby given that the Director of the Ohio Environmental Protection Agency (Ohio EPA) has amended, rescinded and reenacted, or adopted the following rules of the Ohio Administrative Code:

#### Chapter 3745-27 Sanitary Landfills

Rule #3745-27-03	<u>Exemptions.</u>	(Amended)
Rule #3745-27-06	<u>Sanitary landfill facility permit to install application.</u>	(New and Rescission)
Rule #3745-27-07	<u>Additional criteria for approval of sanitary landfill facility.</u>	(Amended)
Rule #3745-27-08	<u>Sanitary landfill facility construction.</u>	(New and Rescission)
Rule #3745-27-10	<u>Groundwater monitoring program for a sanitary landfill facility.</u>	(Amended)
Rule #3745-27-11	<u>Final closure of a sanitary landfill facility.</u>	(Amended)
Rule #3745-27-14	<u>Post-closure care of sanitary landfill facility.</u>	(Amended)
Rule #3745-27-19	<u>Operational criteria for a sanitary landfill facility.</u>	(New and Rescission)

#### Chapter 3745-27 Scrap Tire Monofill Landfills

Rule #3745-27-70	<u>Scrap tire monofill facility permit to install application.</u>	(New and Rescission)
Rule #3745-27-71	<u>Additional approval criteria for scrap tire monofill facility permit to install applications.</u>	(Amended)
Rule #3745-27-72	<u>Scrap tire monofill facility construction.</u>	(Amended)
Rule #3745-27-73	<u>Final closure of a scrap tire monofill facility.</u>	(Amended)
Rule #3745-27-74	<u>Post-closure care of a scrap tire monofill facility.</u>	(Amended)
Rule #3745-27-75	<u>Operational criteria for a scrap tire monofill facility.</u>	(Amended)

#### Chapter 3745-29 Industrial Solid Waste Landfills

Rule #3745-29-06	<u>Industrial solid waste landfill permit to install application.</u>	(New and Rescission)
Rule #3745-29-07	<u>Additional criteria for approval of industrial solid waste landfill facility permit to install applications.</u>	(Amended)
Rule #3745-29-08	<u>Industrial solid waste landfill facility construction.</u>	(New and Rescission)
Rule #3745-29-10	<u>Ground water monitoring program for an industrial solid waste landfill facility.</u>	(New and Rescission)
Rule #3745-29-11	<u>Final closure of an industrial solid waste landfill facility.</u>	(Amended)
Rule #3745-29-14	<u>Post-closure care of an industrial solid waste landfill facility.</u>	(Amended)
Rule #3745-29-19	<u>Operational criteria for an industrial solid waste landfill facility.</u>	(New and Rescission)

#### Chapter 3745-30 Residual Solid Waste Landfills

Rule #3745-30-05	<u>Residual waste landfill facility permit to install application.</u>	(New and Rescission)
Rule #3745-30-06	<u>Additional criteria for approval of residual waste landfill facility permit to install.</u>	(New and Rescission)
Rule #3745-30-07	<u>Residual waste landfill facility construction.</u>	(Amended)
Rule #3745-30-08	<u>Groundwater monitoring program for a residual waste landfill facility.</u>	(Amended)

Rule #3745-30-09	<u>Final closure of residual waste landfill facilities.</u>	(Amended)
Rule #3745-30-10	<u>Post-closure care of residual waste landfill facilities.</u>	(Amended)
Rule #3745-30-14	<u>Operation of residual waste landfill facility.</u>	(New and Rescission)

The Director's order of rescission and adoption was issued on August 1, 2003.  
These rescissions and/or adopted rules will become effective on August 15, 2003.

The Director's action in this matter is pursuant to the procedural requirements of Ohio Revised Code Chapter 119 and is based upon the record of the public hearing conducted by Ohio EPA on July 27, 2001, and comments received during the public comment period.

This action of the Director is final and may be appealed to the Environmental Review Appeals Commission (ERAC) pursuant to Ohio Revised Code Section 3745.04. This appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with ERAC within thirty (30) days after notice of the Director's action. ERAC is located at 236 East Town Street, Room 300, Columbus, OH, 43215. Copies of the appeal must be served on the Director of the Ohio EPA within three (3) days of filing with ERAC.

**NOTICE OF ADOPTION OF RULES**  
**OHIO ENVIRONMENTAL PROTECTION AGENCY**  
**RULES GOVERNING**  
**LANDFILLS**

Notice is hereby given that the Director of the Ohio Environmental Protection Agency (Ohio EPA) has amended, rescinded and reenacted, or adopted the following rules of the Ohio Administrative Code:

3745-27-01	Definitions.	[Rescission]
3745-27-01	Definitions.	[New]
3745-27-05	Authorized, limited, and prohibited solid waste disposal methods.	[Rescission]
3745-27-05	Applicability and relation to other laws.	[New]
3745-27-09	Sanitary landfill facility operating record and unit designation.	[Rescission]
3745-27-09	Sanitary landfill facility operating record.	[New]
3745-27-12	Explosive gas monitoring for a sanitary landfill facility.	[Rescission]
3745-27-12	Explosive gas migration monitoring for a sanitary landfill facility.	[New]
3745-27-13	Authorization to engage in filling, grading, excavating, building, drilling, or mining on land where a hazardous waste facility or solid waste facility was operated.	[Rescission]
3745-27-13	Procedure to engage in filling, grading, excavating, building, drilling, or mining on land where a hazardous waste facility or solid waste facility was operated.	[New]
3745-27-69	Applicability of requirements for a scrap tire monocell facility.	[Amendment]
3745-29-01	Definitions.	[Amendment]
3745-29-02	Applicability.	[Amendment]
3745-30-01	Definitions.	[Amendment]
3745-30-02	Applicability.	[Amendment]
3745-30-15	Variances.	[Amendment]

The Director's order of rescission and adoption was issued on August 1, 2003.  
These rescissions and/or adopted rules will become effective on August 15, 2003.

The Director's action in this matter is pursuant to the procedural requirements of Ohio Revised Code Chapter 119 and is based upon the record of the public hearing conducted by Ohio EPA on July 27, 2001, and comments received during the public comment period.

This action of the Director is final and may be appealed to the Environmental Review Appeals Commission (ERAC) pursuant to Ohio Revised Code Section 3745.04. This appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with ERAC within thirty (30) days after notice of the Director's action. ERAC is located at 236 East Town Street, Room 300, Columbus, OH, 43215. Copies of the appeal must be served on the Director of the Ohio EPA within three (3) days of filing with ERAC.

## NOTICE OF ADOPTION OF RULES

### OHIO ENVIRONMENTAL PROTECTION AGENCY

#### RULES GOVERNING

#### SANITARY, SCRAP TIRE MONOFILL, INDUSTRIAL, AND RESIDUAL SOLID WASTE LANDFILLS

Notice is hereby given that the Director of the Ohio Environmental Protection Agency (Ohio EPA) has amended, rescinded and reenacted, or adopted the following rules of the Ohio Administrative Code:

Rule #3745-29-15	Financial assurance for an industrial solid waste landfill facility final closure.	[Rescission]
Rule #3745-29-16	Financial assurance for an industrial solid waste landfill facility post-closure care.	[Rescission]
Rule #3745-29-17	Wording of the instruments financial assurance instruments.	[Rescission]
Rule #3745-30-11	Financial assurance for an residual solid waste landfill facility final closure and post-closure care.	[Rescission]
Rule #3745-30-13	Wording of the instruments.	[Rescission]

The Director's order of rescission and adoption was issued on August 1, 2003.  
These rescissions and/or adopted rules will become effective on August 15, 2003.

The Director's action in this matter is pursuant to the procedural requirements of Ohio Revised Code Chapter 119 and is based upon the record of the public hearing conducted by Ohio EPA on July 27, 2001, and comments received during the public comment period.

This action of the Director is final and may be appealed to the Environmental Review Appeals Commission (ERAC) pursuant to Ohio Revised Code Section 3745.04. This appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with ERAC within thirty (30) days after notice of the Director's action. ERAC is located at 236 East Town Street, Room 300, Columbus, OH, 43215. Copies of the appeal must be served on the Director of the Ohio EPA within three (3) days of filing with ERAC.

**PUBLIC NOTICE OF ISSUANCE OF DRAFT SIGNIFICANT MODIFICATION A TITLE  
V OPERATING PERMIT FOR Johns Manville International, Inc. - Defiance Plant 2  
(FACILITY ID 03-20-01-0003)**

On 08/06/03, the Director of the Ohio Environmental Protection Agency issued a draft action of a SIGNIFICANT MODIFICATION of a previously issued Final Title V permit for Johns Manville International, Inc. - Defiance Plant 2, located at 400 PERRY STREET  
DEFIANCE, OH 43512-0158, Ohio.

Comments concerning the draft changes associated with this significant modification or a request for a public hearing must be sent in writing to the following address no later than thirty (30) days from the date this notice is published:

Northwest District Office  
347 North Dunbridge Road  
Bowling Green, OH 43402

All inquiries concerning this draft action may be directed to the Air Permit Supervisor ((419) 352-8461). Please indicate that the inquiry concerns a draft Title V action along with the draft action date and the company name identified in this notice.

**PUBLIC NOTICE**

**OHIO EPA ISSUES DRAFT RENEWAL HAZARDOUS WASTE PERMIT**

On August 5, 2003, Ohio EPA issued a draft renewal hazardous waste facility installation and operation permit (Permit) to the Chemtron Corporation for its facility located at 35850 Schneider Court, Avon, Ohio 44011. The EPA Identification Number for this facility is OHD066060609.

**Why does Chemtron Corporation need a Permit?**

Chemtron Corporation (Chemtron) is a commercial facility that accepts hazardous waste products from off site generators, treats and stores the hazardous waste and sends it for further management to other facilities. To store and treat the hazardous wastes, Chemtron needs a Permit. The draft renewal Permit contains the conditions under which the facility must operate if the Permit receives final approval. To issue this draft renewal Permit, Ohio EPA determined that the Permit application is complete and meets appropriate standards and that the applicant has a history of compliance with relevant environmental laws, given the potential for harm to the public health and safety and the environment that could result from the irresponsible operation of the facility. When issued, the renewal Permit will allow Chemtron to continue to store and treat hazardous waste in the designated areas and will require Chemtron to investigate and, if necessary, clean up any contamination from hazardous wastes or constituents that may be at the facility.

**How can I tell Ohio EPA what I think about this draft renewal Permit?**

You can attend the public meeting and present your comments in person or submit written comments that are clear, concise, and well documented. Or, you are welcome to do both. Everyone who wants to comment at the public meeting will be allowed to speak. You should limit your presentation to five minutes and, if possible, submit a written copy of your comments to Ohio EPA at the meeting.

**When and where will Ohio EPA hold a public meeting?**

Ohio EPA will hold a public meeting on September 8, 2003, at 7:00 p.m. It will be at the Lorain Public Library, Avon Branch, 37485 Harvest Drive, Avon, Ohio 44011.

**When and how do I submit written comments?**

You can submit written comments anytime between August 6, 2003 and September 19, 2003. Send your comments to Ohio EPA, Lazarus Government Center, Division of Hazardous Waste Management, Attn: Regulatory and Information Services, P.O. Box 1049, Columbus, Ohio 43216-1049, telephone number (614) 644-2977, fax number (614) 728-1245, e-mail: [dhwmcomments@epa.state.oh.us](mailto:dhwmcomments@epa.state.oh.us).

**Where can I review the Permit Application and draft renewal Permit?**

You can review these at one of the following locations:

***Lorain Public Library, Avon Branch***, 37485 Harvest Drive, Avon, Ohio 44011, (440) 934-4743;

***Ohio EPA - Northeast District Office***, 2110 Aurora Road, Twinsburg, Ohio 44087, (330) 963-1200; and,

***Ohio EPA, Division of Hazardous Waste Management***, 122 South Front Street, Columbus, Ohio 43215,  
(614) 644-2917.

**What will Ohio EPA do with the comments?**

After carefully considering public comments, Ohio EPA will reconsider the draft renewal Permit, making any necessary changes, and issue or deny the final Permit. Ohio EPA will issue a "response to public comments," specifying any changes made to the draft Permit. If you commented on the draft Permit, Ohio EPA will send you copies of the "response to public comments" and the final permit decision.

**PUBLIC NOTICE**

**OHIO EPA ISSUES FINAL RENEWAL HAZARDOUS WASTE PERMIT**

On August 8, 2003, Ohio EPA issued a final renewal hazardous waste facility installation and operation permit (Permit) to Systech Environmental Corporation for its facility at 11397 County Road 176, Paulding, Ohio 45879. The EPA Identification Number for this facility is OHD005048947.

**Why does Systech Environmental Corporation need a Permit?**

Systech Environmental Corporation (Systech) is a commercial hazardous waste storage and treatment facility. Systech manages and stores organic liquids and sludges composed primarily of waste solvents from paint, coating, and ink industries. To store and treat the hazardous wastes, Systech needs a Permit. The final renewal Permit contains the conditions under which the facility must operate. To issue this final renewal Permit, Ohio EPA determined that the Permit application is complete and meets appropriate standards and that the applicant has a history of compliance with relevant environmental laws, given the potential for harm to the public health and safety and the environment that could result from the irresponsible operation of the facility. The renewal Permit allows Systech to continue to store and treat hazardous waste in the designated areas and will require Systech to investigate and, if necessary, clean up any contamination from hazardous wastes or constituents that may be at the facility.

**Can I appeal this permit?**

Yes, if you are an officer of an agency of the state or of a political subdivision, acting in a representative capacity, or any person who would be aggrieved or adversely affected by this Permit, you have the right to appeal this permit decision to the Environmental Review Appeals Commission (ERAC).

**If I decide to appeal this final modified Permit, how and when must I make the appeal?**

If you file an appeal, you must put it in writing no later than September 11, 2003. Your appeal must explain why you are appealing the action and the grounds you are using for your appeal. You must file your appeal, according to Ohio Revised Code § 3745.04 and 3745.07, with ERAC at the following address: ***Environmental Review Appeals Commission***, 309 South Fourth Street, Room 222, Columbus, Ohio 43215. You must send a copy of the appeal to the director of Ohio EPA at the following address no later than three (3) days after you file it with ERAC: ***Christopher Jones, Director of Ohio EPA***, P.O. Box 1049, Columbus, Ohio 43216-1049.

**Ohio EPA PA No. 03-15813**

**Ohio Environmental Protection Agency Draft Plan Approval**

**PUBLIC NOTICE**

Draft Plan Approval for wastewater treatment and/or disposal facilities

Ohio Environmental Protection Agency  
Permits Section  
122 South Front Street  
P.O. Box 1049  
Columbus, Ohio 43216-1049  
(614) 644-2001

Public Notice No.: 03-08-034  
Date of Issue of Public Notice: August 13, 2003

Name and Address of Applicant: Mayor and Council, Village of Paulding, 116 South Main Street, Paulding, Ohio 45879

Name and Address of Facility Where Discharge Occurs: Paulding WWTP, Emerald Road, Section 5, Paulding Twp., Paulding County, Ohio

Public notice is hereby given that Ohio Environmental Protection Agency (Ohio EPA)- Division of Surface Water (DSW) has issued a draft plan approval for the Long-Term Control Plan for CSO Abatement for the Village/City WWTP.

In accordance with OAC 3745-1-05, Ohio EPA will provide an opportunity for public comment concerning this project. Comments received shall be considered by the Director before the plan is issued as final. Any person may submit written comments on the draft plan and administrative record and may request a public hearing. A request for public hearing shall be in writing and shall state the nature of the issues to be raised. In appropriate cases, including cases where there is significant public interest, the director may hold a public hearing on a draft plan or plans prior to final issuance of the plan or plans. Written comments and/or public hearing requests must be received by the Ohio EPA, Division of Surface Water no later than 30 days from the date of this public notice. Comments and/or public hearing requests should be delivered or mailed to both of the following locations: 1) Ohio Environmental Protection Agency, Division of Surface Water, Permits Processing Unit, 122 South Front Street, P.O. Box 1049, Columbus, Ohio 43216 and 2) Ohio Environmental Protection Agency, Northwest District Office, 347 North Dunbridge Road, Bowling Green, OH 43402. Comments received after this date may not be considered by the Director before issuing the final plan.

Copies of the draft Plan and technical support information may be reviewed and/or copies made at the Ohio EPA District Office, address by first calling, (area code) phone to make an appointment.

Ohio EPA PTI No. 03-10929

Ohio Environmental Protection Agency Draft Permit to Install

**PUBLIC NOTICE**

Draft Permit to Install for wastewater treatment and/or disposal facilities

Ohio Environmental Protection Agency  
Permits Section  
122 South Front Street  
P.O. Box 1049  
Columbus, Ohio 43216-1049  
(614) 644-2001

Public Notice No. 03-08-019  
Date of Issue of Public Notice: August 11, 2003

Name and Address of Applicant; Richland County Board of Commissioners, 50 Park Avenue East, Mansfield, OH, 44902

Name and Address of Facility Where Discharge Occurs: Eastview Subdivision Wastewater Treatment Plant, 1740 Fleming Falls Road, Mifflin Township, Ohio

Receiving Water: Fleming Falls Creek

Public notice is hereby given that Ohio Environmental Protection Agency (Ohio EPA)- Division of Surface Water (DSW) has issued a draft permit-to-install (PTI) for the construction of the wastewater treatment works/disposal system for the above referenced project. Ohio EPA has made a determination that the wastewater discharge from this proposed facility would result in degradation to or lowering of the water quality of Fleming Falls Creek and subsequently the Black Fork of the Mohican River. After considering the technical, economic, and social aspects of this project, the Director of the Ohio EPA has decided to make the preliminary determination to allow this degradation. However, the chemical-specific water quality standards developed to protect aquatic life and human health, set forth in Ohio Administrative Code (OAC) 3745-1, will not be exceeded.

In accordance with OAC 3745-1-05, Ohio EPA will provide an opportunity for public comment concerning this project. Comments received shall be considered by the Director before the permit is issued as final. Any person may submit written comments on the draft permit and administrative record and may request a public hearing. A request for public hearing shall be in writing and shall state the nature of the issues to be raised. In appropriate cases, including cases where there is significant public interest, the director may hold a public hearing on a draft permit or permits prior to final issuance of the permit or permits. Written comments and/or public hearing requests must be received by the Ohio EPA, Division of Surface Water no later than 30 days from the date of this public notice. Comments and/or public hearing requests should be delivered or mailed to both of the following locations: 1) Ohio Environmental Protection Agency, Division of Surface Water, Permits Processing Unit, 122 South Front Street, P.O. Box 1049, Columbus, Ohio 43216 and 2) Ohio Environmental Protection Agency, Northwest District Office, 347

North Dunbridge Road, Bowling Green, OH 43402. Comments received after this date may not be considered by the Director before issuing the final permit.

Copies of the draft Permit to Install and technical support information may be reviewed and/or copies made at the Ohio EPA Northwest District Office, 347 North Dunbridge Road, Bowling Green, OH 43402, by first calling (419) 352-8461 to make an appointment.

**PUBLIC NOTICE**

**ISSUANCE OF A DRAFT PERMIT TO INSTALL (PTI #02-17634)**

Notice is hereby given that on August 1, 2003, Ohio EPA issued a draft Permit to Install (PTI #02-17634) for Stericycle, Inc., 1901 Pine Avenue, SE, Warren, Ohio 44483. The permit, if issued as a final action, authorizes Stericycle, Inc., to modify its existing infectious waste treatment facility located in Trumbull County. Specifically, Stericycle proposes to replace the existing steam autoclave units 1 and 2, increase the treatment capacity, and change the materials handling system. The new autoclaves units would treat approximately 54,600 pounds of infectious waste per day per autoclave. The treatment capacity is contingent upon successful validation testing. A public hearing will be held on Thursday, August 21, 2003, 7:00 p.m., at the Warren Western Reserve Middle School Auditorium, 200 Loveless Ave. SW, Warren, Ohio 44485. Written comments will be accepted for the director to review until August 28, 2003. Comments should be sent to: Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614)644-2621.