

**Ohio Environmental Protection Agency
Division of Drinking and Ground Waters**

PUBLIC NOTICE

September 16, 2003

Public notice is hereby given that the Ohio Environmental Protection Agency, Division of Drinking and Ground Waters has adopted two new policies. The policies have been written through a collaborative effort with the Ohio Section of the American Water Works Association to provide technical guidance to the regulated community for compliance with the laws of Ohio Revised Code and the division's rules of Ohio Administrative Code. The two new policies are as follows:

ENG-05-001 Guidelines for Obtaining Approval of Membranes to Meet Particulate and Microbiological Removal Requirements for Surface Water Treatment

ENG-06-001 Guideline for Evaluation and Implementation of Chloramination

Copies of the policies are available from the division's web site, which is found at <http://www.epa.state.oh.us/ddagw/dwguid.html>, or by writing to:

Ohio EPA
Lazarus Government Center
Attention: Kelly Butler, DDAGW
P.O. Box 1049
Columbus, Ohio 43216

PUBLIC NOTICE
Notice of Entry into Ohio EPA's "VAP MOA Track"
General Investment Funds Real Estate Holding Company
(Cleveland Pneumatic Tool Co. Site)

Notice is hereby given that on September 15, 2003, General Investment Funds Real Estate Holding Company submitted to the Ohio Environmental Protection Agency ("Ohio EPA") a Notice of Entry in the Brownfields and Voluntary Action Program Memorandum of Agreement Track (the "VAP MOA Track"). General Investment Funds Real Estate Holding Company's Notice of Entry identifies the Cleveland Pneumatic Tool Company site, also known as the CPC site, at 3781 E. 77th Street, Cleveland, Ohio 44105-2054, as the property to undergo a voluntary action through the VAP MOA Track.

The VAP MOA Track was established by the United States Environmental Protection Agency and Ohio EPA on July 31, 2001 to promote the cleanup and redevelopment of contaminated or potentially contaminated properties ("Brownfields") in Ohio.

The Notice of Entry, along with other documents regarding the voluntary action at the property, will be made available for public inspection at the Cleveland Public Library Fleet Branch, at 7224 Broadway Avenue, Cleveland, Ohio 44105, (216) 623-6962, in accordance with the MOA.

If you have questions concerning the Notice of Entry or would like to review or obtain a copy of the Notice of Entry, please contact the Records Management Officer, Ohio EPA, Division of Emergency and Remedial Response, Voluntary Action Program, 122 S. Front St., PO Box 1049, Columbus, OH 43216-1049, or by telephone (614) 644-2924.

**PUBLIC NOTICE
OHIO ENVIRONMENTAL PROTECTION AGENCY
CORRECTED LABORATORY CERTIFICATION UNDER OHIO'S
VOLUNTARY ACTION PROGRAM**

Notice is hereby given that on September 18, 2003, the Director of the Ohio Environmental Protection Agency ("Ohio EPA"), pursuant to Ohio Revised Code ("ORC") 3746.04(B)(6) and Ohio Administrative Code ("OAC") 3745-300-04, issued a corrected laboratory certificate to Environmental Science Corporation ("ESC") of 12065 Lebanon Road, Mt. Juliet, Tennessee, under Ohio's Voluntary Action Program to correct a typographical error on the certificate. The corrected certificate reflects changes to the previous certificate issued to ESC under the Voluntary Action Program. The certification number assigned to ESC remains CL0069.

The issuance of this certificate is a final action of the Director and will be public noticed in accordance with OAC 3745-47-07. The action may be appealed to the Environmental Review Appeals Commission ("Commission"). The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice or issuance of the action. See ORC 3745.04 and 3745.07. A copy of the appeal must be served on the Director within three (3) days after the appeal is filed with the Commission. The appeal may be filed with the Commission at 309 South Fourth Street, Room 222, Columbus, OH 43215.

If you would like to review a copy of the certificate, or any documents related to the laboratory's certification, please contact Kay Hughes, Records Management Officer, at Ohio EPA, Division of Emergency and Remedial Response, Voluntary Action Program, P.O. Box 1049, Columbus, OH 43216-1049, or by telephone at (614) 644-2924.

PUBLIC NOTICE
COVENANT NOT TO SUE/FINAL FINDINGS AND ORDERS
Chevron U.S.A., Inc.
(Chevron U.S.A. Toledo Refinery, Areas 1, 2, 4, 5, 7, 8, 9, 10, 11, and 13)

Notice is hereby given that on September 17, 2003, the Director of the Ohio Environmental Protection Agency ("Ohio EPA"), pursuant to Ohio Revised Code ("ORC") Chapter 3746 and Ohio Administrative Code ("OAC") Chapter 3745-300, issued a Covenant Not To Sue/Final Findings and Orders to Chevron U.S.A., Inc. for the property identified as the Chevron U.S.A. Toledo Refinery, Areas 1, 2, 4, 5, 7, 8, 9, 10, 11, and 13 property (the "Property").

Chevron U.S.A., Inc. conducted a voluntary action of the approximately 220 acre-Property located at 2935 Front Street, Toledo, Lucas County, Ohio. A no further action letter was submitted on May 25, 2001 to the Voluntary Action Program of the Ohio EPA Division of Emergency and Remedial Response on behalf of Chevron U.S.A., Inc. by James R. Burns, a Certified Professional (No. CP 145), as defined in ORC 3746.01(E) and OAC 3745-300-01(A)(8).

The issuance of the Covenant Not to Sue/Final Findings and Orders is a final action of the Director. The action may be appealed to the Environmental Review Appeals Commission ("Commission"). The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice or issuance of the action. (See ORC 3745.04 and 3745.07). A copy of the appeal must be served on the Director within three (3) days after the appeal is filed with the Commission. The appeal may be filed with the Commission at 309 South Fourth Street, Room 222, Columbus, Ohio 43215.

If you would like to review a copy of the Covenant Not To Sue/Final Findings and Orders, please contact the Records Management Officer, Ohio EPA, Division of Emergency and Remedial Response, Voluntary Action Program, P.O. Box 1049, Columbus, OH 43216-1049, or by telephone at (614) 644-2924.

PUBLIC NOTICE

FINAL ISSUANCE OF AMENDED CERTIFICATE REGISTRATION AS A GENERATOR OF INFECTIOUS WASTE

Notice is hereby given that on September 18, 2003, the director of Ohio EPA issued an amended infectious waste generator certificate to BioLife Plasma Services LP, 1435 Lake Cook Rd LCII-2N, Deerfield, IL 60015, ID No.: 00-G-00372. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614) 644-2621. This final action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 236 East Town Street, Room 300, Columbus, Ohio 43215.

PUBLIC NOTICE

FINAL ISSUANCE OF AN AMENDED CERTIFICATE OF REGISTRATION AS A TRANSPORTER OF INFECTIOUS WASTE

Notice is hereby given that on September 18, 2003, the director of Ohio EPA issued an amended infectious waste transporter certificate to Stericycle, Inc., 28161 N Keith Dr, Lake Forest, IL 60045, ID No.: 00-T-00199. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614) 644-2621. This final action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 236 East Town Street, Room 300, Columbus, Ohio 43215.

STATEWIDE

**BEFORE THE
OHIO ENVIRONMENTAL PROTECTION AGENCY
PUBLIC NOTICE OF
PROPOSED RULE-MAKING
GOVERNING
HAZARDOUS WASTE MANAGEMENT**

Why is Ohio EPA proposing these rules?

The purpose of this proposed rule-making is to adopt rules consistent with and equivalent to the regulations adopted by the U.S. Environmental Protection Agency (U.S. EPA) pursuant to the Resource Conservation and Recovery Act (RCRA). Specifically, these rules are amended, rescinded, or created pursuant to the RCRA rules addressed by the following Federal Registers (FRs) regarding U.S. EPA's hazardous waste rule-making:

FR 2/21/91 at 56 FR 7134 FR 7/17/91 at 56 FR 32688 FR 8/27/91 at 56 FR 42504 FR 9/ 5/91 at 56 FR 43754 FR 6/22/92 at 57 FR 27880 FR 8/25/92 at 57 FR 38558 FR 9/30/92 at 57 FR 44999 FR 7/20/93 at 58 FR 38816 (see 38883+) FR 11/ 9/93 at 58 FR 59598	Burning of hazardous waste in boilers and industrial furnaces (BIFs), and its technical amendments and corrections
FR 1/29/92 at 57 FR 3462 a	Liners and leak detection systems for hazardous waste land disposal units
FR 9/10/92 at 57 FR 41566 b	Recycled used oil management standards
FR 8/31/93 at 58 FR 46040 b	Hazardous waste testing and monitoring
FR 7/28/94 at 59 FR 38536 b	Recovered oil exclusion; petroleum refining industry
FR 9/19/94 at 59 FR 47982 b	LDRs Phase II universal treatment standards and treatment standards for organic toxicity characteristic wastes and newly listed wastes
FR 6/29/95 at 60 FR 33912	Removal of obsolete rules (certain paragraphs)
FR 12/11/95 at 60 FR 63417	Expanded public participation
FR 2/12/97 at 62 FR 6622	Military munitions
FR 6/13/97 at 62 FR 32452 a	Testing and monitoring
FR 4/15/98 at 63 FR 18504	Kraft mill steam stripper condensate exclusion
FR 8/ 6/98 at 63 FR 42109 b	Petroleum refining process wastes; LDRs for newly identified wastes; and CERCLA hazardous substance designation and reportable quantities (codes K169-K172)

FR 10/22/98 at 63 FR 56709	Standards applicable to owners/operators of closed and closing hazardous waste management facilities: post-closure permit requirement and closure process
FR 11/30/98 at 63 FR 65873 c	HWIR contaminated media rule
FR 12/24/98 at 63 FR 71225	Universal waste- corrections
FR 5/14/99 at 64 FR 26315	Guidelines establishing test procedures for the analysis of oil and grease and non-polar material under the Clean Water Act and RCRA
FR 7/ 6/99 at 64 FR 36465	Universal waste- lamp rule
FR 9/30/99 at 64 FR 52827 FR 11/19/99 at 64 FR 63209 FR 7/ 3/01 at 66 FR 35087 FR 2/14/02 at 67 FR 6967	NESHAP (MACT) and its technical corrections
FR 3/ 8/00 at 65 FR 12377	180-Day accumulation time under RCRA for wastewater treatment sludges from the metal refinishing industry
FR 5/15/00 at 65 FR 30886	Amendments to streamline the NPDES program rules: Round 2
FR 11/ 8/00 at 65 FR 67067 FR 4/ 9/02 at 66 FR 58257	Identification and listing of hazardous waste, LDRS: -listing of chlorinated aliphatics production wastes (codes K174 and K175) -listing of inorganic chemical manufacturing wastes- corrections (codes K176, K177, K178)
FR 5/16/01 at 66 FR 27217	Storage, treatment, transportation, and disposal of mixed wastes; (mixed waste rule)
FR 5/16/01 at 66 FR 27266 FR 10/ 3/01 at 66 FR 50332	HWIR identification rule; revisions to mixture and derived from, and its corrections
FR 6/28/01 at 66 FR 34374	Change of EPA address
FR 1/22/02 at 67 FR 2962	Corrections to corrective action management units (CAMU rule)
FR 3/13/02 at 67 FR 11251	Definition of solid waste- toxicity characteristic
a	Please note that Ohio EPA is not addressing all of the regulatory components of this federal rule-making. At this time, we are not proposing some components. For the Liners and Leak Detection FR, the provision we're not proposing is Ohio's "permit shield" provision (in 40 CFR 270.4) which is not in Ohio's hazardous waste management program yet. For the Testing and monitoring FR, the provisions we're not proposing are those in 40 CFR parts 264 and 265, subparts AA and BB, which also are not in Ohio's hazardous waste management program yet. Those regulations will be included in a subsequent Ohio rule-making, not in 2003.

- | | |
|---|--|
| b | Please note that Ohio EPA has already addressed most of the provisions of this federal rule-making in the past, and they appear in currently effective state rules. Today's proposal addresses only the Boiler and Industrial Furnace (BIF) provisions of this federal rule-making, which had been omitted from the previous Ohio rule-making. |
| c | Please note that Ohio EPA will not address the Remedial Action Plan portion of the federal rule-making. Those federal provisions are optional for states to adopt, and Ohio has chosen not to adopt them. |

This proposal includes corrections and clarifications that are not directly included in the federal hazardous waste rules, but which are necessary to the Ohio rules to maintain the internal consistency of the Ohio hazardous waste management program. This proposal also includes the review of a number of rules pursuant to Ohio Revised Code section 119.032, which requires Ohio EPA to review certain rules every five years.

What rules are we proposing to amend, rescind, or create as new rules?

The Ohio Environmental Protection Agency proposes to amend, rescind, and adopt as new the following rules of the Administrative Code:

	Rule number	Rule title
Amend	3745-50-10	Definitions and computation of time
Rescind	3745-50-11	References
New	3745-50-11	Incorporated by reference
New	3745-50-39	Specific public notice procedures applicable to hazardous waste management permits
Amend	3745-50-44	Contents of "Part B" of the permit application
Amend	3745-50-45	Special inclusions and exclusions for hazardous waste permits
Amend	3745-50-51	Permit modifications
Amend	3745-50-53	Permit revocation
Amend	3745-50-58	Conditions applicable to all permits
Amend	3745-50-62	Trial burn
New	3745-50-66	Permits for boilers and industrial furnaces burning hazardous waste
Amend	3745-51-02	Definition of waste
Amend	3745-51-03	Definition of hazardous waste
Amend	3745-51-04	Exclusions
Amend	3745-51-06	Requirements for recycling materials
Amend	3745-51-09	Requirements for universal waste
Amend	3745-51-11	Criteria for listing hazardous waste
Amend	3745-51-24	Characteristic of toxicity (TCLP)
Amend	3745-51-30	Lists of hazardous wastes- general
Amend	3745-51-32	Hazardous waste from specific sources
Amend	3745-52-10	Applicability- generator standards
Amend	3745-52-20	Manifest- general requirements

	Rule number	Rule title
Amend	3745-52-34	Accumulation time of hazardous waste
Amend	3745-52-53	Notification of intent to export to a foreign country
Amend	3745-52-56	Annual reports
Amend	3745-53-10	Applicability- transporter standards
Amend	3745-54-01	Purpose, scope, and applicability of Chapters 3745-54 to 3745-57 and 3745-205 of the Administrative Code
Amend	3745-54-15	General inspection requirements
New	3745-54-19	Construction quality assurance program
Amend	3745-54-70	Applicability- manifest system, recordkeeping, and reporting
Amend	3745-54-73	Operating record
Amend	3745-54-90	Applicability- ground water protection
Amend	3745-54-98	Detection monitoring program
New	3745-54-101	Corrective action for waste management units
Rescind	3745-55-011 (also called 3745-55-01.1)	Corrective action for waste management units
Amend	3745-55-10	Applicability- closure and post-closure
Amend	3745-55-12	Closure plan- amendment of plan
Amend	3745-55-18	Post-closure plan; amendment of plan
Amend	3745-55-40	Applicability- financial requirements
Amend	3745-56-21	Design and operating requirements
New	3745-56-22	Action leakage rate
New	3745-56-23	Response actions
Amend	3745-56-26	Monitoring and inspection
Rescind	3745-56-28	Closure and post-closure
New	3745-56-28	Closure and post-closure
Amend	3745-56-51	Design and operating requirements
New	3745-56-52	Action leakage rate
New	3745-56-53	Response actions
Amend	3745-56-54	Monitoring and inspection
Amend	3745-57-03	Design and operating requirements
New	3745-57-04	Action leakage rate
Amend	3745-57-05	Monitoring and inspection
New	3745-57-06	Response action
Amend	3745-57-10	Closure and post-closure
Amend	3745-57-40	Applicability- incinerators
New	3745-57-70	Applicability- corrective action management unit regulations
New	3745-57-71	Grandfathered corrective action management units
Rescind	3745-57-72	Corrective action management units
New	3745-57-72	Corrective action management units
Amend	3745-57-73	Temporary units
New	3745-57-74	Staging piles
New	3745-57-75	Disposal of CAMU-eligible wastes in permitted hazardous waste landfills

	Rule number	Rule title
Amend	3745-57-91	Environmental performance standards
Rescind	3745-58-40	Applicability; hazardous waste burned for energy recovery
Rescind	3745-58-42	Prohibitions
Rescind	3745-58-43	Standards applicable to generators of hazardous waste fuel
Rescind	3745-58-44	Standards applicable to transporters of hazardous waste fuel
Rescind	3745-58-45	Standards applicable to marketers of hazardous waste fuel
Rescind	3745-58-46	Standards applicable to burners of hazardous waste fuel
Rescind	3745-58-60	Applicability and requirements- recyclable materials utilized for precious metal recovery
Rescind	3745-58-70	Applicability and requirements- spent lead-acid batteries being reclaimed
Amend	3745-65-01	Purpose, scope, and applicability of Chapters 3745-65 to 3745-69 and 3745-256 of the Administrative Code
Amend	3745-65-15	General inspection requirements
New	3745-65-19	Construction quality assurance program
Amend	3745-65-70	Applicability- manifest system, recordkeeping, and reporting
Amend	3745-65-73	Operating record
Amend	3745-65-90	Applicability- ground water monitoring
Amend	3745-66-10	Applicability- closure and post-closure
Amend	3745-66-12	Closure plan; amendment of plan
Amend	3745-66-13	Time allowed for closure
Amend	3745-66-18	Post-closure plan; amendment of plan
New	3745-66-21	Post-closure requirements for facilities that obtain enforceable documents in lieu of post-closure permits
Amend	3745-66-40	Applicability- financial requirements
Amend	3745-67-21	Design and operating requirements
Rescind	3745-67-22	General operating requirements
New	3745-67-22	Action leakage rate
Rescind	3745-67-23	Containment system
New	3745-67-23	Response actions
Rescind	3745-67-26	Inspections
New	3745-67-26	Monitoring and inspection
Amend	3745-67-28	Closure and post-closure
Rescind	3745-67-54	Design requirements
New	3745-67-54	Design and operating requirements
New	3745-67-55	Action leakage rates
New	3745-67-59	Response actions
New	3745-67-60	Monitoring and inspection
Rescind	3745-68-011 (also called 3745-68-01.1)	Design requirements
Rescind	3745-68-02	General operating requirements
New	3745-68-02	General operating requirements

	Rule number	Rule title
New	3745-68-03	Response actions
New	3745-68-04	Monitoring and inspections
New	3745-68-05	Design and operating requirements
Amend	3745-68-10	Closure and post-closure
Amend	3745-68-40	Applicability- incinerators
Rescind	3745-68-70	Thermal treatment
New	3745-68-70	Applicability- thermal treatment
New	3745-205-200	Applicability- hazardous waste munitions and explosives storage
New	3745-205-201	Design and operating standards
New	3745-205-202	Closure and post-closure care
New	3745-256-200	Applicability- hazardous waste munitions and explosives storage
New	3745-256-201	Design and operating standards
New	3745-256-202	Closure and post-closure care
New	3745-266-70	Applicability and requirements- recyclable materials utilized for precious metal recovery
New	3745-266-80	Applicability and requirements- spent lead-acid batteries being reclaimed
New	3745-266-100	Applicability- BIFs
New	3745-266-101	Management prior to burning
New	3745-266-102	Permit standards for burners
New	3745-266-103	Standards for burners
New	3745-266-104	Standards to control organic emissions
New	3745-266-105	Standards to control particulate matter
New	3745-266-106	Standards to control metals emissions
New	3745-266-107	Standards to control HCl and CL ₂ emissions
New	3745-266-108	Small quantity on-site burner exemption
New	3745-266-109	Low risk waste exemption
New	3745-266-110	Waiver of DRE trial burn for boilers
New	3745-266-111	Standards for direct transfer
New	3745-266-112	Regulation of residues
New	3745-266-200	Applicability- military munitions
New	3745-266-201	Definitions pertaining to military munitions
New	3745-266-202	Definition of [solid] waste
New	3745-266-203	Standards applicable to the transportation of waste military munitions
New	3745-266-204	Standards applicable to emergency responses
New	3745-266-205	Standards applicable to the storage of waste military munitions
New	3745-266-206	Standards applicable to the treatment and disposal of waste military munitions
New	3745-266-210	Terms: Definitions that apply to rules 3745-266-210 to 3745-266-355 of the Administrative Code
New	3745-266-220	Storage and Treatment Conditional Exemption and Eligibility

	Rule number	Rule title
New	3745-266-235	Treatment: What waste treatment the storage and treatment conditional exemption allows
New	3745-266-240	Loss of conditional exemption
New	3745-266-250	Recordkeeping: What records you must keep at your facility and for how long
New	3745-266-255	Reentry into RCRA: When your low level mixed waste is no longer eligible for the storage conditional exemption
New	3745-266-260	Storage unit closure: When closure requirements apply to units that stored low level mixed waste prior to the effective date of rules 3745-266-210 to 3745-266-355 of the Administrative Code
New	3745-266-305	Transportation and disposal conditional exemption: What the transportation and disposal conditional exemption does
New	3745-266-310	Eligibility: What wastes are eligible for the transportation and disposal conditional exemption
New	3745-266-315	Conditions
New	3745-266-345	Notification: Who you must notify
New	3745-266-350	Recordkeeping: What records you must keep at your facility and for how long
New	3745-266-355	Loss of the transportation and disposal conditional exemption
Amend	3745-270-01	Purpose, scope, and applicability- land disposal restrictions
New	3745-270-33	Waste-specific prohibitions- chlorinated aliphatic wastes
New	3745-270-36	Waste specific prohibitions- inorganic chemical wastes
Amend	3745-270-40	Applicability- treatment standards
Amend	3745-270-48	Universal treatment standards
Amend	3745-270-50	Prohibition on storage of restricted wastes
Amend	3745-273-01	Scope of management standards for universal waste
Amend	3745-273-02	Applicability- management standards for universal waste batteries
Amend	3745-273-03	Applicability- management standards for universal waste pesticides
Amend	3745-273-04	Applicability- management standards for universal waste mercury thermostats
Rescind	3745-273-05	Applicability of management standards for universal waste- household and conditionally exempt small quantity generator waste
New	3745-273-05	Applicability- management standards for universal waste lamps
Rescind	3745-273-06	Definitions for management standards for universal waste
New	3745-273-08	Household and conditionally exempt small quantity generator wastes
New	3745-273-09	Definitions pertaining to management standards for universal waste
Amend	3745-273-10	Applicability- standards for small quantity handlers of universal waste

	Rule number	Rule title
Amend	3745-273-13	Waste management- standards for small quantity handlers of universal waste
Amend	3745-273-14	Labeling/marketing- standards for small quantity handlers of universal waste
Amend	3745-273-30	Applicability- standards for large quantity handlers of universal waste
Amend	3745-273-32	Notification- standards for large quantity handlers of universal waste
Amend	3745-273-33	Waste management- standards for large quantity handlers of universal waste
Amend	3745-273-34	Labeling/marketing- standards for large quantity handlers of universal waste
Amend	3745-273-50	Applicability- standards for universal waste transporters
Amend	3745-273-60	Applicability- standards for destination facilities
Amend	3745-273-81	Factors that the director will evaluate regarding petitions to include other wastes under Chapter 3745-273 of the Administrative Code

What is the relationship of this proposal to the "MegaSet" rules I've been watching for?

The rules listed above constitute just over one third of the rules in what you might have heard us refer to as the "MegaSet" rule-making. The "MegaSet" had 385 rules in it, so we are breaking it into three separate proposal groups so that the public, the regulated community, and JCARR are not overwhelmed with that volume of rules to review all at once. Today's proposal is known as "J1" and will be followed in several weeks by "J2" containing about a third of the total, and "J3" will be proposed several weeks after that. This proposal, J1, contains most of the rules being changed to match their federal counterpart provisions- those rules with substantive amendments as well as most of the substantively new rules. J2 and J3 will contain the rules that make less substantive amendments, as well as a number of rules that will be rescinded in order to re-locate them under a new rule number. J2 and J3 will be proposed under their own separate public hearing notices, and will each have their own public hearing separate from that of today's proposal. Although their proposal dates are different, the rules in J1, J2, and J3 will all have the same effective date. If you need more information about this phased proposal approach, please call Kit Arthur at the number shown at the end of this notice.

When can I tell Ohio EPA what I think about these proposed rules?

A public hearing pursuant to sections 119.02 through 119.04 of the Ohio Revised Code will be conducted on Thursday, October 16, 2003 beginning at 9:30 a.m. in room A in the Division of Hazardous Waste Management, Ohio Environmental Protection Agency, Lazarus Government Center, 122 South Front Street, Columbus, Ohio. All interested persons are entitled to attend or be represented and give their written or verbal comments on this proposed rule-making. A presiding officer will be present until 11:00 a.m. or until all interested persons have been heard if that time interval is insufficient.

How and when do I present my comments at the hearing, or send in my written comments?

To provide notice of intent to give verbal comments at the public hearing, contact Kit Arthur, Division of Hazardous Waste Management, Ohio EPA, Lazarus Government Center, 122 South Front Street, Columbus, OH, 43216-1049. To facilitate scheduling of verbal presentations, persons intending to give testimony at the hearing should ensure that Ohio

EPA receives notice of such intent by 5:00 p.m. on Wednesday, October 15, 2003. Persons who provide Ohio EPA with prior notice will be heard before persons who register at the hearing.

In order to assure that written communications are considered as part of the official record of this hearing, written communications must be received by Ohio EPA by 5:00 p.m. on Thursday, October 16, 2003. Written communications may be filed with Ms. Arthur at the above address or with the presiding officer during the hearing.

How do I get a copy of the proposed rules?

These rules can be accessed electronically via the Register of Ohio at <http://www.RegisterOfOhio.state.oh.us/index>. To access by agency, enter "3745 Environmental Protection Agency" and then select the rule number.

To obtain a hard copy of the proposed rules, contact Ohio EPA at 614/644-2129. Please request "Proposed Hazardous Waste Rules Set J-1," and if you leave a message, be sure to include your name, telephone number, and complete mailing address. There is no charge for proposed rules.

Who do I call if I have questions about the proposed rules?

Questions concerning this proposed rule-making, other than obtaining copies of the proposed rules, may be addressed to Kit Arthur at 614/644-2932 at Ohio EPA.

PUBLIC NOTICE

ALTERATION TO PTI NUMBER 02-11359

Notice is hereby given that on September 18, 2003, the director of Ohio EPA authorized USA Waste Geneva Landfill, Inc., 4339 Tuttle Road, Geneva, Ohio 44041, to alter PTI Number 02-11359. The purpose of the request is to install an active gas collection and control system instead of the passive system approved by PTI Number 02-11359 issued on August 12, 2002. This alteration will allow USA Waste Geneva Landfill, Inc. to comply with the federal regulation 40 CFR 60. This authorization is subject to all rules, regulations, and specified conditions. This final action not preceded by proposed action and is appealable to the Environmental Review Appeals Commission, at 309 South Fourth Street, Room 222, Columbus, Ohio 43215. Persons wishing to be on Ohio EPA's interested parties mailing list for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049: Tel: (614) 644-2621.

Ashtabula County

DIRECTOR'S INTERIM FINAL FINDINGS AND ORDERS

Notice is hereby given on September 15, 2003, that the director of Ohio EPA issued Interim Final Findings and Orders to Elkem Metals Company - Ashtabula LP, 1013 Centre Road, Wilmington, DE 19805 and Elkem Metals, Inc., Airport Office Park Building 2, 400 Rouser Road, Moon Township, PA 15108 ("Respondents"). The Orders involve the Elkem Metals Company - Ashtabula LP manufacturing plant located at 2700 Lake Road East in Ashtabula, Ohio ("the Ashtabula Plant"). The Director's Final Findings and Orders issued to Respondents on April 30, 2002, are hereby superseded by these Orders. Respondents are authorized to move and temporarily store waste material in accordance with certain provisions. Respondents shall obtain financial assurance. These Orders will terminate on March 1, 2004, unless otherwise modified and extended by the Director of Ohio EPA in writing prior to the date of termination. These orders are subject to all rules, regulations, and specified conditions. This final action was not preceded by a proposed action and is appealable to the Environmental Review Appeals Commission, at 309 South Fourth Street, Room 222, Columbus, Ohio 43215. Person's wishing to be on Ohio EPA's interested parties mailing list for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, Tel: (614) 644-2621.

Clinton County

**PUBLIC NOTICE
Revocation Permit To Install 05-6876
American Showa
(Facility ID 0514000097)**

Public Notice is hereby given that the Director of the Ohio Environmental Protection Agency (EPA) has revoked the November 02, 1994 Permit To Install 05-6876 for the subject operations located at 3343 State Route 28, Blanchester OH 45107-9550. This revocation is effective pursuant to Ohio Administrative Code rule 3745-31-07 and will not result in the violation of any applicable laws.

This action by the Director is final and may be appealed to the Ohio Environmental Review Appeals Commission pursuant to Chapter 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. It must be filed within thirty (30) days after the notice of the Directors action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
309 South Fourth Street, Room 222
Columbus, Ohio 43215

Questions concerning this revocation may be directed to Michael Ahern, Ohio EPA Division of Air Pollution Control (614)644-3631.

Clinton County

**PUBLIC NOTICE
Revocation Permit To Install 05-7719
American Showa
(Facility ID 0514000097)**

Public Notice is hereby given that the Director of the Ohio Environmental Protection Agency (EPA) has revoked the May 15, 1996 Permit To Install 05-7719 for the subject operations located at 3343 State Route 28, Blanchester OH 45107-9550. This revocation is effective pursuant to Ohio Administrative Code rule 3745-31-07 and will not result in the violation of any applicable laws.

This action by the Director is final and may be appealed to the Ohio Environmental Review Appeals Commission pursuant to Chapter 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. It must be filed within thirty (30) days after the notice of the Directors action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
309 South Fourth Street, Room 222
Columbus, Ohio 43215

Questions concerning this revocation may be directed to Michael Ahern, Ohio EPA Division of Air Pollution Control (614)644-3631.

PUBLIC NOTICE

OHIO EPA RECEIVES NEW HAZARDOUS WASTE POST CLOSURE PLAN

On September 8, 2003, Ohio EPA received a new hazardous waste post closure plan from GSX Chemical Services of Ohio, Inc. concerning its container and tank storage units, a waste pile and tank treatment unit located at 7415 Bessemer Avenue, Cleveland, Ohio 44127. The EPA Identification Number for this facility is OHD980569438.

Why is GSX Chemical Services submitting this Post Closure Plan?

At the request of Ohio EPA, GSX Chemical Services of Ohio, Inc. submitted this post closure plan. The plan describes a program for the cap maintenance, a program for groundwater monitoring and well maintenance, a survey plat, a notice to the local zoning authority, and a health and safety plan. Additionally, other aspects of the post closure plan include groundwater quality, well installation and abandonment, well maintenance, proposed sampling plan, and a closure cost estimate.

When and how do I submit written comments about the Post Closure Plan?

You can submit written comments anytime between September 18, 2003 and October 17, 2003. Send your comments to Ohio EPA, Division of Hazardous Waste Management, Attn: Regulatory and Information Services, P.O. Box 1049, Columbus, Ohio 43216-1049, telephone number (614) 644-2977, fax number (614) 728-1245, e-mail address: dhwmcomments@epa.state.oh.us.

Where can I review the Post Closure Plan?

You can review the post closure plan at the following locations:

Cleveland Public Library, Broadway Branch, 5417 Broadway Avenue, Cleveland, Ohio 44127, tel.: (216) 523-6913;

Ohio EPA, Northeast District Office, 2110 Aurora Road, Twinsburg, Ohio 44087, tel: (216) 963-1200;

Ohio EPA, Division of Hazardous Waste Management, 122 South Front Street, Columbus, Ohio 43215, (614) 644-2977.

PUBLIC NOTICE

OHIO EPA RECEIVES HAZARDOUS WASTE CLOSURE PLAN

On September 12, 2003, Ohio EPA received a hazardous waste closure plan from the Imthurn Drum Site (f.k.a. County Line Auto Parts) concerning a container storage unit located at 585 The Bend Road, Ney, Ohio 43549. The EPA Identification Number for this facility is OHR000022327.

Why is Imthurn Drum Site submitting this Closure Plan?

As a result of the October 16, 2001 Final Finding and Orders, Imthurn Drum Site submitted this closure plan. The plan documents the findings from the recommended soil sampling, ground water monitoring well installation and initial ground water sampling event, and the building interior boiler room decontamination activities. The closure plan objective is to decontaminate soil impacts to achieve acceptable risk-based levels and to achieve acceptable levels to meet groundwater protection criteria as defined in the Soil Sampling and Analysis Plan (SAP) Report.

When and how do I submit written comments about the Closure Plan?

You can submit written comments anytime between September 19, 2003 and October 18, 2003. Send your comments to Ohio EPA, Division of Hazardous Waste Management, Attn: Regulatory and Information Services, P.O. Box 1049, Columbus, Ohio 43216-1049, telephone number (614) 644-2977, fax number (614) 728-1245, e-mail address: dhwmcomments@epa.state.oh.us.

Where can I review the Closure Plan?

You can review the Closure Plan at the following locations:

Defiance Public Library, 320 Fort Street, Defiance, Ohio 43512, tel: (419) 782-1456,

Ohio EPA, Northwest District Office, 347 North Dunbridge Road, Bowling Green, Ohio 43402, tel: (419) 352-8164,

Ohio EPA, Division of Hazardous Waste Management, 122 South Front Street, Columbus, Ohio 43215, (614) 644-2977.

Ohio EPA PTI No. 90-747

Ohio Environmental Protection Agency Draft Permit to Install

PUBLIC NOTICE

Draft Permit to Install for wastewater treatment and/or disposal facilities

Ohio Environmental Protection Agency
Permits Section
122 South Front Street
P.O. Box 1049
Columbus, Ohio 43216-1049
(614) 644-2001

Public Notice No. OEPA 03-09-027 PTI
Date of Issue of Public Notice: September 19, 2003

Name and Address of Applicant: City of Pickerington, 100 Lockville Road, Pickerington, Ohio 43147

Name and Address of Facility Where Discharge Occurs: Pickerington Wastewater Treatment Plant, 525 Hill Road, Pickerington, Violet Township, Fairfield County, Ohio

Receiving Water: Sycamore Creek

Public notice is hereby given that Ohio Environmental Protection Agency (Ohio EPA)-Division of Surface Water (DSW) has issued a draft permit-to-install (PTI) for the construction of the wastewater treatment works/disposal system for the above referenced project. Ohio EPA has made a determination that the wastewater discharge from this proposed facility would result in degradation to or lowering of the water quality of Sycamore Creek and subsequently the Little Walnut Creek and the Scioto River. After considering the technical, economic, and social aspects of this project, the Director of the Ohio EPA has decided to make the preliminary determination to allow this degradation. However, the chemical-specific water quality standards developed to protect aquatic life and human health, set forth in Ohio Administrative Code (OAC) 3745-1, will not be exceeded.

In accordance with OAC 3745-1-05, Ohio EPA will provide an opportunity for public comment concerning this project. Comments received shall be considered by the Director before the permit is issued as final. Any person may submit written comments on the draft permit and administrative record.

A public hearing has been scheduled for November 5, 2003 at 6:30 p.m. at the Pickerington City Hall Council Chambers, 100 Lockville Road, Pickerington, Ohio 43147. The hearing will end when everyone in attendance has had an opportunity to provide testimony related to the project. The purpose of the hearing is to obtain additional information that will be considered by the Director of Ohio EPA prior to any further action on the draft Permit to Install.

Written comments must be received by the Ohio EPA, Division of Surface Water no later than November 12, 2003. Comments should be delivered or mailed to the Ohio Environmental Protection Agency, Division of Surface Water, Permits Processing Unit, 122 South Front Street, P.O. Box 1049, Columbus, Ohio 43216. Comments received after this date may not be considered by the Director before issuing the final permit.

Copies of the draft Permit to Install and technical support information may be reviewed and/or copies made at Ohio EPA Central Office, 122 South Front Street, Columbus, Ohio, by first calling (614)644-2001, to make an appointment.

Ohio EPA PTI No. 90-747

Ohio Environmental Protection Agency Draft Permit to Install

PUBLIC NOTICE

Draft Permit to Install for wastewater treatment and/or disposal facilities

Ohio Environmental Protection Agency
Permits Section
122 South Front Street
P.O. Box 1049
Columbus, Ohio 43216-1049
(614) 644-2001

Public Notice No. OEPA 03-09-027 PTI
Date of Issue of Public Notice: September 19, 2003

Name and Address of Applicant: City of Pickerington, 100 Lockville Road, Pickerington, Ohio 43147

Name and Address of Facility Where Discharge Occurs: Pickerington Wastewater Treatment Plant, 525 Hill Road, Pickerington, Violet Township, Fairfield County, Ohio

Receiving Water: Sycamore Creek

Public notice is hereby given that Ohio Environmental Protection Agency (Ohio EPA)-Division of Surface Water (DSW) has issued a draft permit-to-install (PTI) for the construction of the wastewater treatment works/disposal system for the above referenced project. Ohio EPA has made a determination that the wastewater discharge from this proposed facility would result in degradation to or lowering of the water quality of Sycamore Creek and subsequently the Little Walnut Creek and the Scioto River. After considering the technical, economic, and social aspects of this project, the Director of the Ohio EPA has decided to make the preliminary determination to allow this degradation. However, the chemical-specific water quality standards developed to protect aquatic life and human health, set forth in Ohio Administrative Code (OAC) 3745-1, will not be exceeded.

In accordance with OAC 3745-1-05, Ohio EPA will provide an opportunity for public comment concerning this project. Comments received shall be considered by the Director before the permit is issued as final. Any person may submit written comments on the draft permit and administrative record.

A public hearing has been scheduled for November 5, 2003 at 6:30 p.m. at the Pickerington City Hall Council Chambers, 100 Lockville Road, Pickerington, Ohio 43147. The hearing will end when everyone in attendance has had an opportunity to provide testimony related to the project. The purpose of the hearing is to obtain additional information that will be considered by the Director of Ohio EPA prior to any further action on the draft Permit to Install.

Written comments must be received by the Ohio EPA, Division of Surface Water no later than November 12, 2003. Comments should be delivered or mailed to the Ohio Environmental Protection Agency, Division of Surface Water, Permits Processing Unit, 122

South Front Street, P.O. Box 1049, Columbus, Ohio 43216. Comments received after this date may not be considered by the Director before issuing the final permit.

Copies of the draft Permit to Install and technical support information may be reviewed and/or copies made at Ohio EPA Central Office, 122 South Front Street, Columbus, Ohio, by first calling (614)644-2001, to make an appointment.

Date of Notice: September 22, 2003

Franklin County

**PUBLIC NOTICE
OF PUBLIC HEARING FOR SECTION 401 CERTIFICATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) is reviewing an application, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 certification for a project to impact 1,680 linear feet of tributaries to Big Walnut Creek. The application was submitted by Creative Land Concepts LLC, 3831 Twin Creek Drive, Columbus, Ohio 43204. The project is located on Alum Creek Drive, north of 270 on the northeast side of Obetz, Hamilton Township, Franklin County.

The discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of Big Walnut Creek. The review of the application will be conducted, and a decision whether to grant or deny the application will be made, in accordance with Chapters 3745-1-05, 3745-1 and 3745-32 of the Ohio Administrative Code (OAC). In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality. Other alternatives resulting in lesser or no degradation, or lowering of water quality, will be considered by Ohio EPA during the review process.

No exclusions or waivers, as outlined by Paragraph 3745-1-05 (D) of the Antidegradation Rule, apply or may be granted by the Director of Ohio EPA.

Starting September 22, 2003, copies of the application for the certification and technical support information may be inspected at Ohio EPA-DSW, P.O. Box 1049, Columbus, Ohio 43216-1049 by first calling (614) 644-2001. Applications can be made available at Ohio EPA District Offices by calling the same number.

Ohio EPA will hold a public information session and public hearing relative to issues of lower water quality at 6:30 pm on November 13, 2003 at the Village of Obetz City Council Chambers, 4175 Alum Creek Drive, Obetz, Ohio 43207. The public hearing will end when all interested parties have had an opportunity to provide testimony related to the projects.

All interested persons are entitled to attend or be represented and give written or oral comments on the proposed projects. The purpose of the hearing is to obtain additional information that will be considered by the director of Ohio EPA prior to any further action on the application. Written comments must be received by the Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio, 43216-1049 by the close of business on November 20, 2003. Comments received after this date may not be considered as part of the official record of the hearing.

Persons wishing to be on Ohio EPA's interested parties mailing list for this project, or wish to submit comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 by the close of business on November 20, 2003.

PUBLIC NOTICE

**ALTERATION TO CONDITION NUMBER 12
OAC Rule 3745-27-13 Authorization**

Notice is hereby given that on September 18, 2003, the director of Ohio EPA alter's Condition Number 12 of the August 22, 2003, authorization issued to the Jewish Federation of Cincinnati, Suite 200, 4380 Malsbary Road, Cincinnati, Ohio 45242, for the closed Amberley Village Landfill located in Hamilton County Ohio. This alteration includes the geotechnical investigation. This authorization is subject to all rules, regulations, and specified conditions. This final action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth Street, Room 222, Columbus, Ohio 43215. Person's wishing to be on Ohio EPA's interested parties mailing list for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, Tel: (614) 644-2621.

Date of Notice: September 25, 2003

Ottawa County

**PUBLIC NOTICE
OF PUBLIC HEARING FOR SECTION 401 CERTIFICATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) is reviewing an application, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 certification for a project to dredge 7.2 acres of the Toussaint Harbor Federal Navigation Channel and dispose of approximately 50,000 cubic yards of sediment in the nearshore disposal cell. The application was submitted by the U.S. Army Corps of Engineers, 1776 Niagara Street, Buffalo, New York 14207-3199. The project is located at the mouth of the Toussaint River, Carroll Township, Ottawa County.

The discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of Lake Erie. The review of the application will be conducted, and a decision whether to grant or deny the application will be made, in accordance with Chapters 3745-1-05, 3745-1 and 3745-32 of the Ohio Administrative Code (OAC). In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality. Other alternatives resulting in lesser or no degradation, or lowering of water quality, will be considered by Ohio EPA during the review process.

No exclusions or waivers, as outlined by Paragraph 3745-1-05 (D) of the Antidegradation Rule, apply or may be granted by the Director of Ohio EPA.

Starting September 25, 2003, copies of the application for the certification and technical support information may be inspected at Ohio EPA-DSW, P.O. Box 1049, Columbus, Ohio 43216-1049 by first calling (614) 644-2001. Applications can be made available at Ohio EPA District Offices by calling the same number.

Ohio EPA will hold a public information session and public hearing relative to issues of lower water quality at 7:00 p.m. on November 12, 2003 at the Carroll Elementary School, 3536 State Route 19, Oak Harbor, Ohio 43449. The public hearing will end when all interested parties have had an opportunity to provide testimony related to the projects.

All interested persons are entitled to attend or be represented and give written or oral comments on the proposed projects. The purpose of the hearing is to obtain additional information that will be considered by the director of Ohio EPA prior to any further action on the application. Written comments must be received by the Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio, 43216-1049 by the close of business on November 19, 2003. Comments received after this date may not be considered as part of the official record of the hearing.

Persons wishing to be on Ohio EPA's interested parties mailing list for this project, or wish to submit comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 by the close of business on November 19, 2003.

Ohio EPA PTI No. 03-15470

Ohio Environmental Protection Agency Draft Permit to Install

PUBLIC NOTICE

Draft Permit to Install for wastewater treatment and/or disposal facilities

Ohio Environmental Protection Agency
Permits Section
122 South Front Street
P.O. Box 1049
Columbus, Ohio 43216-1049
(614) 644-2001

Public Notice No. 03-09-023
Date of Issue of Public Notice: September 22, 2003

Name and Address of Applicant; Mayor and Council, PO Box 485, 308 Emma Street,
Bettsville, OH, 44815

Name and Address of Facility Where Discharge Occurs: Bettsville WWTP, south of CR 62
west side of railroad tracks, Liberty Twp., OH, 44815

Receiving Water: Wolf Creek

Public notice is hereby given that Ohio Environmental Protection Agency (Ohio EPA)-Division of Surface Water (DSW) has issued a draft permit-to-install (PTI) for the construction of the wastewater treatment works/disposal system for the above referenced project. Ohio EPA has made a determination that the wastewater discharge from this proposed facility would result in degradation to or lowering of the water quality of Wolf Creek. After considering the technical, economic, and social aspects of this project, the Director of the Ohio EPA has decided to make the preliminary determination to allow this degradation. However, the chemical-specific water quality standards developed to protect aquatic life and human health, set forth in Ohio Administrative Code (OAC) 3745-1, will not be exceeded.

In accordance with OAC 3745-1-05, Ohio EPA will provide an opportunity for public comment concerning this project. Comments received shall be considered by the Director before the permit is issued as final. Any person may submit written comments on the draft permit and administrative record and may request a public hearing. A request for public hearing shall be in writing and shall state the nature of the issues to be raised. In appropriate cases, including cases where there is significant public interest, the director may hold a public hearing on a draft permit or permits prior to final issuance of the permit or permits. Written comments and/or public hearing requests must be received by the Ohio EPA, Division of Surface Water no later than 30 days from the date of this public notice. Comments and/or public hearing requests should be delivered or mailed to both of the following locations: 1) Ohio Environmental Protection Agency, Division of Surface Water, Permits Processing Unit, 122 South Front Street, P.O. Box 1049, Columbus, Ohio 43216 and 2) Ohio Environmental Protection Agency, Northwest District Office, 347 North Dunbridge Road, Bowling Green, OH 43402. Comments received after this date may not be considered by the Director before issuing the final permit.

Copies of the draft Permit to Install and technical support information may be reviewed and/or copies made at the Ohio EPA Northwest District Office, 347 North Dunbridge Road, Bowling Green, OH 43402, by first calling (419) 352-8461 to make an appointment.

PUBLIC NOTICE

OAC Rule 3745-27-10(E)(9) Approval

Notice is hereby given on September 15, 2003, pursuant to OAC Rule 3745-27-10(E)(9), that the director of Ohio EPA authorized Waste Management, Inc., Lakeview Landfill, 851 Robison Road East, Erie, PA 16509, the owners of Statewide Recycling and Disposal Facility, located in Stark County, to return to the detection monitoring program. Well MWU-8 for arsenic and cobalt, in accordance with OAC Rule 3745-27-10(E)(9)(a), and wells MWU-3, MWU-4, MWU-6 and MWU-7 for chloride and well MWU-8 for both ammonia and chloride, in accordance with OAC Rule 3745-27-10(E)(9)(b). This authorization to return to ground water detection monitoring applies only to the ground water results submitted prior to March 25, 2003. This authorization is subject to all rules, regulations, and specified conditions. This action of the director is final and may be appealed to the Environmental Review Appeals Commission, 309 South Fourth Street, Room 222, Columbus, Ohio 43215. Person's wishing to be on Ohio EPA's interested parties mailing list for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, Tel: (614) 644-2621.