

PUBLIC NOTICE
ISSUANCE OF MOBILE SCRAP TIRE RECOVERY FACILITY LICENSE

Notice is hereby given that on December 27, 2004, the Director of Ohio EPA issued a 2005 Solid Waste Facility License for a Mobile Scrap Tire Recovery Facility to TRI-Rinse, Inc., 5200 Manchester, St. Louis, Missouri 63110. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel: (614)644-2621. This final action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth Street, Room 222, Columbus, Ohio 43215.

PUBLIC NOTICE
ISSUANCE OF MOBILE SCRAP TIRE RECOVERY FACILITY LICENSE

Notice is hereby given that on December 27, 2004, the Director of Ohio EPA issued a 2005 Solid Waste Facility License for a Mobile Scrap Tire Recovery Facility to Tire Shredders, Inc., 925 North Fairgrounds Road, Goldendale, Washington 98620. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel: (614)644-2621. This final action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth Street, Room 222, Columbus, Ohio 43215.

PUBLIC NOTICE
COVENANT NOT TO SUE/FINAL FINDINGS AND ORDERS
Bedford Land Development Co. / Bailey Walker China Co.

Notice is hereby given that on December 22, 2004, the Director of the Ohio Environmental Protection Agency ("Ohio EPA"), pursuant to Chapter 3746 of the Ohio Revised Code ("ORC") and Chapter 3745-300 of the Ohio Administrative Code ("OAC"), issued a Covenant Not To Sue/Final Findings and Orders to Bedford Land Development Company for the property identified as the Bailey Walker China Company property (the "Property").

Bedford Land Development Company conducted a voluntary action of the approximately 19 acre-Property located at 24400 Solon Road, Bedford Heights, Cuyahoga County, Ohio. A No Further Action letter was submitted on June 23, 2004 to the Voluntary Action Program of Ohio EPA, Division of Emergency and Remedial Response, on behalf of Bedford Land Development Company by Mr. Keith Egan, a Certified Professional, No. 259, as defined in ORC 3746.01(E) and OAC 3745-300-05.

The issuance of the Covenant Not to Sue/Final Findings and Orders is a final action of the Director. The action may be appealed to the Environmental Review Appeals Commission ("Commission"). The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice or issuance of the action. (See ORC 3745.04 and 3745.07). A copy of the appeal must be served on the Director within three (3) days after the appeal is filed with the Commission. The appeal may be filed with the Commission at 309 South Fourth Street, Room 222, Columbus, Ohio 43215.

If you would like to review a copy of the Covenant Not To Sue/Final Findings and Orders, please contact the Records Management Officer, Ohio EPA, Division of Emergency and Remedial Response, Voluntary Action Program, P.O. Box 1049, Columbus, OH 43216-1049, or by telephone at (614) 644-2924.

Date of Public Notice: January 4, 2005

Butler County

**PUBLIC NOTICE
NOTICE OF RECEIPT OF 401 APPLICATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 certification for a project to construct a residential development of 31 acres. The application was submitted by JKW Development, LLC, 7860 Cincinnati-Dayton Road, West Chester, Ohio 45069. As required by the Antidegradation Rule, three alternatives have been submitted for the project. The applicant's proposed preferred alternative, if approved, would replace 905 feet of stream with a culvert. The applicant's proposed minimal degradation alternative, if approved, would replace the 905 feet of stream with a 300 foot long open channel and a culvert. The applicant's proposed non-degradation alternative, if approved, would have no direct impacts on streams or wetlands. The project is located north of Kyles Station Road, Liberty Township, Butler County, Ohio. The Louisville District of the U.S. Army Corps of Engineers Number for this project is 200400183. The Ohio EPA ID Number for this project is 042015.

The discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of an unnamed tributary of Gregory Creek of the Lower Great Miami River watershed. The review of the application will be conducted, and a decision whether to grant or deny the application will be made, in accordance with Chapters 3745-1 and 3745-32 of the Ohio Administrative Code (OAC). In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality. Other alternatives resulting in lesser or no degradation, or lowering of water quality, will be considered by Ohio EPA during the review process.

No exclusions or waivers, as outlined by Paragraph 3745-1-05 (D) of the Antidegradation Rule (effective as of May 1, 1998), apply or may be granted by the Director of Ohio EPA.

Starting January 4, 2005, copies of the application for the certification and technical support information may be inspected at Ohio EPA/DSW, Lazarus Government Center, 122 South Front Street, Columbus, Ohio, by first calling (614) 644-2001. Applications can be made available at Ohio EPA District Offices by calling the same number.

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2) request a public hearing, or 3) submit written comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA/DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 within 30 days of the date of this public notice.

PUBLIC NOTICE

Notice is hereby given that on December 28, 2004, the Director of the Environmental Protection Agency issued an Isolated Wetlands Permit to Landzone, 11353 Lebanon Road, Cincinnati, Ohio 45241. The permit was issued for a project to construct a 31 lot residential subdivision located along the north side of Woodville Pike, Goshen Township, Clermont County, Ohio. This permit was issued as a final action, and may be appealed to the Environmental Review Appeals Commission (ERAC), pursuant to Chapter 3745.04 of the Ohio Revised Code. The appeal must be filed with ERAC at 309 South Fourth Street, Room 222, Columbus, Ohio 43266-0557 within 30 days of issuance of this final action.

Public Notice Date: December 29, 2004

Columbiana County

**PUBLIC NOTICE
APPROVAL OF APPLICATION
FOR WATER SUPPLY REVOLVING LOAN ACCOUNT APPLICATION APPROVAL
TO EAST LIVERPOOL**

The Director of the Ohio Environmental Protection Agency is providing notice of the approval of an application for Water Supply Revolving Loan Account (WSRLA) financial assistance to the City of East Liverpool, for the following water treatment system activities: Construction of a new water storage tank at Thonpson Avenue and new electrical pumps at the water treatment plant.

This approval is based upon the Ohio EPA staff's recommendations following a review conducted under applicable requirements of the assistance application materials and any other information regarding the proposed activities. This approval and all financial assistance provided to the City of East Liverpool from the WSRLA is conditioned upon successful completion, operation, and maintenance of the eligible activities.

This final action of the Director may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 and 6109.22 (N) of the Ohio Revised Code. The appeal must be in writing and shall set forth the action complained of and the grounds upon which the appeal is based. It must be filed with the Environmental Review Appeals Commission within thirty (30) days after notice of the Director's action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. An appeal may be filed with the Environmental Review Appeals Commission at the following address: Environmental Review Appeals Commission, 309 South Fourth Street, Room 222, Columbus, Ohio 43215.

Copies of the assistance agreement and associated Environmental Assessment documents are available by calling (614) 644-2798. Also, copies are available by writing to: Ohio Environmental Protection Agency, Division of Environmental and Financial Assistance, 122 South Front Street, P. O. Box 1049, Columbus, OH 43216-1049.

Questions regarding the project should be directed to Kevin G. Spurbeck at the above address or by calling (614) 644-2798.

Date of Public Notice: January 4, 2005

Cuyahoga County

**PUBLIC NOTICE
NOTICE OF RECEIPT OF 401 APPLICATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 certification for a project to fill wetlands during the construction of the Prospect Road Properties residential subdivision. As required by the Antidegradation Rule, three alternatives have been submitted for the project. The applicant's preferred alternative would result in impacts to 1.39 acres of Category 2 wetlands. The applicant's minimal degradation alternative would result in impacts to 1.05 acres of Category 2 wetlands. The applicant's non-degradation alternative would have no direct impacts to water resources on site. The applicant also proposes to impact 0.20 acres of isolated wetlands on-site. The application was submitted by Queenswood Developers, Inc., 13370 Prospect Road, Strongsville, Ohio 44136. The project is located west of Prospect Road and south of Willow Lane, in Cuyahoga County, Strongsville, Ohio. The Army Corps of Engineers number for this project is 2004-01810(0). The Ohio EPA number for this project is 042041.

The discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality in the West Branch Rocky River watershed, located in the Rocky River watershed (04110001). The review of the application will be conducted, and a decision whether to grant or deny the application will be made, in accordance with Chapters 3745-1 and 3745-32 of the Ohio Administrative Code (OAC). In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality. Other alternatives resulting in lesser or no degradation, or lowering of water quality, will be considered by Ohio EPA during the review process.

No exclusions or waivers, as outlined by Paragraph 3745-1-05 (D) of the Antidegradation Rule (effective as of May 1, 1998), apply or may be granted by the Director of Ohio EPA.

Starting January 4, 2005, copies of the application for the certification and technical support information may be inspected at Ohio EPA/DSW, Lazarus Government Center, 122 South Front Street, Columbus, Ohio, by first calling (614) 644-2001. Applications can be made available at Ohio EPA District Offices by calling the same number.

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2) request a public hearing, or 3) submit written comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA/DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 within 30 days of the date of this public notice.

Public Notice Date: December 29, 2004

Cuyahoga County

**PUBLIC NOTICE
APPROVAL OF APPLICATION
FOR WATER POLLUTION CONTROL LOAN FUND ASSISTANCE
TO THE NORTHEAST OHIO REGIONAL SEWER DISTRICT**

The Director of the Ohio Environmental Protection Agency is providing notice of the approval of an application for Water Pollution Control Loan Fund (WPCLF) financial assistance to the Northeast Ohio Regional Sewer District, for the following water quality improvement activity: construction of a new relief sewer that is designed to reduce the number of combined sewer overflows to Mill Creek tributaries by intercepting a portion of the flow at the regulator manhole on East 88th Street south of South Highland Road and conveying it to the Mill Creek Storage Tunnel at East 90th Street and Garfield Boulevard.

This approval is based upon the Ohio EPA staff's recommendations following a review conducted under applicable requirements of the assistance application materials and any other information regarding the proposed activities. This approval and all financial assistance provided to the Northeast Ohio Regional Sewer District from the WPCLF is conditioned upon successful completion, operation, and maintenance of the eligible activities.

This final action of the Director may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 and 6111.036 (P) of the Ohio Revised Code. The appeal must be in writing and shall set forth the action complained of and the grounds upon which the appeal is based. It must be filed with the Environmental Review Appeals Commission within thirty (30) days after notice of the Director's action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. An appeal may be filed with the Environmental Review Appeals Commission at the following address: Environmental Review Appeals Commission, 309 South Fourth Street, Room 222, Columbus, Ohio 43215.

Copies of the assistance agreement and associated Environmental Assessment documents are available by calling (614) 644-2798. Also, copies are available by writing to: Ohio Environmental Protection Agency, Division of Environmental and Financial Assistance, 122 South Front Street, P. O. Box 1049, Columbus, OH 43216-1049.

Questions regarding the project should be directed to Tracy Harrison Bruny at the above address or by calling (614) 644-2798.

Public Notice Date: December 29, 2004

Franklin County

**PUBLIC NOTICE
APPROVAL OF FACILITIES PLAN AND APPLICATION
FOR WATER POLLUTION CONTROL LOAN FUND ASSISTANCE
TO COLUMBUS**

The Director of the Ohio Environmental Protection Agency is providing notice of actions to approve a facilities plan and to approve an application for Water Pollution Control Loan Fund (WPCLF) financial assistance to the City of Columbus, for the following water quality improvement activity(ies): Construction of the Maize-Morse area relief sewer projects including Atwood Terrace/Akola Roads, Atwood Terrace/Weber Roads, Loretta Avenue, and Genessee Avenue.

These approvals are based upon the Ohio EPA staff's recommendations following reviews conducted under applicable requirements of the facilities planning materials and of the assistance application materials and any other information regarding the proposed activities. The approval of the application and all financial assistance provided to the City of Columbus from the WPCLF is conditioned upon successful completion, operation, and maintenance of the eligible activities.

Each of these approvals is a distinct final action of the Director may be appealed as a separate action to the Environmental Review Appeals Commission pursuant to Section 3745.04 and 6111.036 (P) of the Ohio Revised Code. The appeal must be in writing and shall set forth the action complained of and the grounds upon which the appeal is based. It must be filed with the Environmental Review Appeals Commission within thirty (30) days after notice of the Director's action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. An appeal may be filed with the Environmental Review Appeals Commission at the following address: Environmental Review Appeals Commission, 309 South Fourth Street, Room 222, Columbus, Ohio 43215.

Copies of the assistance agreement and associated Environmental Assessment documents are available by calling (614) 644-2798. Also, copies are available by writing to: Ohio Environmental Protection Agency, Division of Environmental and Financial Assistance, 122 South Front Street, P. O. Box 1049, Columbus, OH 43216-1049.

Questions regarding the project should be directed to Kevin G. Spurbeck at the above address or by calling (614) 644-2798.

Public Notice Date: December 29, 2004

Highland County

**PUBLIC NOTICE
APPROVAL OF APPLICATION
FOR SUPPLEMENTAL WATER POLLUTION CONTROL LOAN FUND
ASSISTANCE TO THE CITY OF HILLSBORO**

The Director of the Ohio Environmental Protection Agency is providing notice of the approval of an application for supplemental Water Pollution Control Loan Fund (WPCLF) financial assistance to the City of Hillsboro for the following water quality improvement activity: additional sewer main relining and manhole rehabilitation work.

This approval is based upon the Ohio EPA staff's recommendations following a review conducted under applicable requirements of the assistance application materials and any other information regarding the proposed activities. This approval and all financial assistance provided to the City of Hillsboro from the WPCLF is conditioned upon successful completion, operation, and maintenance of the eligible activities.

This final action of the Director may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 and 6111.036 (P) of the Ohio Revised Code. The appeal must be in writing and shall set forth the action complained of and the grounds upon which the appeal is based. It must be filed with the Environmental Review Appeals Commission within thirty (30) days after notice of the Director's action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. An appeal may be filed with the Environmental Review Appeals Commission at the following address: Environmental Review Appeals Commission, 309 South Fourth Street, Room 222, Columbus, Ohio 43215.

Copies of the assistance agreement and associated Environmental Assessment documents are available by calling (614) 644-2798. Also, copies are available by writing to: Ohio Environmental Protection Agency, Division of Environmental and Financial Assistance, 122 South Front Street, P. O. Box 1049, Columbus, OH 43216-1049.

Questions regarding the project should be directed to Paula Reed, DEFA at the above address or by calling (614) 644-2798.

Public Notice Date: December 29, 2004

Jefferson County

**PUBLIC NOTICE
APPROVAL OF APPLICATION
FOR WATER SUPPLY REVOLVING LOAN ACCOUNT APPLICATION APPROVAL
TO JEFFERSON COUNTY COMMISSIONERS**

The Director of the Ohio Environmental Protection Agency is providing notice of the approval of an application for Water Supply Revolving Loan Account (WSRLA) financial assistance to the Jefferson County Commissioners, for the following water treatment system activities: construction of approximately 63,500 linear feet of 20-inch ductile iron water transmission line, including all appurtenances, from the City of Toronto Water Treatment plant to an existing 1,000,000 gallon water storage tank located at the Jefferson County Complex on State Route 43.

This approval is based upon the Ohio EPA staff's recommendations following a review conducted under applicable requirements of the assistance application materials and any other information regarding the proposed activities. This approval and all financial assistance provided to the Jefferson County Commissioners from the WSRLA is conditioned upon successful completion, operation, and maintenance of the eligible activities.

This final action of the Director may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 and 6109.22 (N) of the Ohio Revised Code. The appeal must be in writing and shall set forth the action complained of and the grounds upon which the appeal is based. It must be filed with the Environmental Review Appeals Commission within thirty (30) days after notice of the Director's action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. An appeal may be filed with the Environmental Review Appeals Commission at the following address: Environmental Review Appeals Commission, 309 South Fourth Street, Room 222, Columbus, Ohio 43215.

Copies of the assistance agreement and associated Environmental Assessment documents are available by calling (614) 644-2798. Also, copies are available by writing to: Ohio Environmental Protection Agency, Division of Environmental and Financial Assistance, 122 South Front Street, P. O. Box 1049, Columbus, OH 43216-1049.

Questions regarding the project should be directed to Tracy Harrison Bruny at the above address or by calling (614) 644-2798.

Public Notice Date: December 29, 2004

Jefferson County

**PUBLIC NOTICE
APPROVAL OF FACILITIES PLAN AND APPLICATION
FOR WATER POLLUTION CONTROL LOAN FUND ASSISTANCE
TO THE CITY OF TORONTO**

The Director of the Ohio Environmental Protection Agency is providing notice of actions to approve a facilities plan and to approve an application for Water Pollution Control Loan Fund (WPCLF) financial assistance to the City of Toronto, for the following water quality improvement activity(ies): this project consists of the construction of Alum Sludge Lagoons for the City of Toronto's new 5 million gallon per day Water Treatment Plant.

These approvals are based upon the Ohio EPA staff's recommendations following reviews conducted under applicable requirements of the facilities planning materials and of the assistance application materials and any other information regarding the proposed activities. The approval of the application and all financial assistance provided to the City of Toronto from the WPCLF is conditioned upon successful completion, operation, and maintenance of the eligible activities.

Each of these approvals is a distinct final action of the Director may be appealed as a separate action to the Environmental Review Appeals Commission pursuant to Section 3745.04 and 6111.036 (P) of the Ohio Revised Code. The appeal must be in writing and shall set forth the action complained of and the grounds upon which the appeal is based. It must be filed with the Environmental Review Appeals Commission within thirty (30) days after notice of the Director's action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. An appeal may be filed with the Environmental Review Appeals Commission at the following address: Environmental Review Appeals Commission, 309 South Fourth Street, Room 222, Columbus, Ohio 43215.

Copies of the assistance agreement and associated Environmental Assessment documents are available by calling (614) 644-2798. Also, copies are available by writing to: Ohio Environmental Protection Agency, Division of Environmental and Financial Assistance, 122 South Front Street, P. O. Box 1049, Columbus, OH 43216-1049.

Questions regarding the project should be directed to Tracy Harrison Bruny at the above address or by calling (614) 644-2798.

Public Notice Date: December 29, 2004

Madison County

**PUBLIC NOTICE
APPROVAL OF APPLICATION
FOR WATER POLLUTION CONTROL LOAN FUND ASSISTANCE
TO THE CITY OF LONDON**

The Director of the Ohio Environmental Protection Agency is providing notice of the approval of an application for Water Pollution Control Loan Fund (WPCLF) financial assistance to the city of London, for the following water quality improvement activity: design services for the expansion of the city's Wastewater Treatment Facility from 2.9 mgd to 5.8 mgd and the rehabilitation of the Oak Run and Northeast Interceptors.

This approval is based upon the Ohio EPA staff's recommendations following a review conducted under applicable requirements of the assistance application materials and any other information regarding the proposed activities. This approval and all financial assistance provided to city of London from the WPCLF is conditioned upon successful completion, operation, and maintenance of the eligible activities.

This final action of the Director may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 and 6111.036 (P) of the Ohio Revised Code. The appeal must be in writing and shall set forth the action complained of and the grounds upon which the appeal is based. It must be filed with the Environmental Review Appeals Commission within thirty (30) days after notice of the Director's action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. An appeal may be filed with the Environmental Review Appeals Commission at the following address: Environmental Review Appeals Commission, 309 South Fourth Street, Room 222, Columbus, Ohio 43215.

Copies of the assistance agreement and associated Environmental Assessment documents are available by calling (614) 644-2798. Also, copies are available by writing to: Ohio Environmental Protection Agency, Division of Environmental and Financial Assistance, 122 South Front Street, P. O. Box 1049, Columbus, OH 43216-1049.

Questions regarding the project should be directed to Larry Benintend at the above address or by calling (614) 644-2798.

Public Notice Date: December 29, 2004

Madison County

**PUBLIC NOTICE
APPROVAL OF FACILITIES PLAN AND APPLICATION
FOR WATER POLLUTION CONTROL LOAN FUND ASSISTANCE
TO THE CITY OF LONDON**

The Director of the Ohio Environmental Protection Agency is providing notice of actions to approve a facilities plan and to approve an application for Water Pollution Control Loan Fund (WPCLF) financial assistance to the City of London for the following water quality improvement activity(ies): installation of a pump station and force main that will redirect flows from the City's Northeast Interceptor sewer to the wastewater treatment plant.

These approvals are based upon the Ohio EPA staff's recommendations following reviews conducted under applicable requirements of the facilities planning materials and of the assistance application materials and any other information regarding the proposed activities. The approval of the application and all financial assistance provided to the City of London from the WPCLF is conditioned upon successful completion, operation, and maintenance of the eligible activities.

Each of these approvals is a distinct final action of the Director which may be appealed as a separate action to the Environmental Review Appeals Commission pursuant to Section 3745.04 and 6111.036 (P) of the Ohio Revised Code. The appeal must be in writing and shall set forth the action complained of and the grounds upon which the appeal is based. It must be filed with the Environmental Review Appeals Commission within thirty (30) days after notice of the Director's action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. An appeal may be filed with the Environmental Review Appeals Commission at the following address: Environmental Review Appeals Commission, 309 South Fourth Street, Room 222, Columbus, Ohio 43215.

Copies of the assistance agreement and associated Environmental Assessment documents are available by calling (614) 644-2798. Also, copies are available by writing to: Ohio Environmental Protection Agency, Division of Environmental and Financial Assistance, 122 South Front Street, P. O. Box 1049, Columbus, OH 43216-1049.

Questions regarding the project should be directed to Larry Benintend at the above address or by calling (614) 644-2798.

Montgomery County

**PUBLIC NOTICE
OAC 3745-27-10(B)(1) APPROVAL**

Notice is hereby given, that on December 28, 2004, the director of Ohio EPA pursuant to OAC 3745-27-10(B)(1) authorized Waste Management of Ohio Inc., 1700 North Broad Street, Fairborn, OH 45324, to conduct surface water monitoring as part of the ground water monitoring system downgradient from well MW-9TS, at the Pinnacle Road Landfill, located in Montgomery County. This final action was not preceded by a proposed action and is appealable to the Environmental Review Appeals Commission (ERAC), at 309 South Fourth Street, Rm 222, Columbus, Ohio 43215. Persons wishing to be on Ohio EPA's interested parties mailing list for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, Tel:(614) 644-2621.

Public Notice Date: December 29, 2004

Montgomery County

**PUBLIC NOTICE
APPROVAL OF APPLICATION
FOR WATER POLLUTION CONTROL LOAN FUND ASSISTANCE
TO MONTGOMERY COUNTY**

The Director of the Ohio Environmental Protection Agency is providing notice of the approval of an application for Water Pollution Control Loan Fund (WPCLF) financial assistance to Montgomery County for the following water quality improvement activity: a supplemental loan to cover the costs of a construction change order caused by poor soil conditions encountered during installation of sanitary sewers in the East Holes Creek project.

This approval is based upon the Ohio EPA staff's recommendations following a review conducted under applicable requirements of the assistance application materials and any other information regarding the proposed activities. This approval and all financial assistance provided to the Montgomery County from the WPCLF is conditioned upon successful completion, operation, and maintenance of the eligible activities.

This final action of the Director may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 and 6111.036 (P) of the Ohio Revised Code. The appeal must be in writing and shall set forth the action complained of and the grounds upon which the appeal is based. It must be filed with the Environmental Review Appeals Commission within thirty (30) days after notice of the Director's action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. An appeal may be filed with the Environmental Review Appeals Commission at the following address: Environmental Review Appeals Commission, 309 South Fourth Street, Room 222, Columbus, Ohio 43215.

Copies of the assistance agreement and associated Environmental Assessment documents are available by calling (614) 644-2798. Also, copies are available by writing to: Ohio Environmental Protection Agency, Division of Environmental and Financial Assistance, 122 South Front Street, P. O. Box 1049, Columbus, OH 43216-1049.

Questions regarding the project should be directed to Mary Mariani, Project Coordinator at the above address or by calling (614) 644-2798.

Public Notice Date: December 29, 2004

Pickaway County

**PUBLIC NOTICE
APPROVAL OF APPLICATION
FOR WATER POLLUTION CONTROL LOAN FUND SUPPLEMENTAL
ASSISTANCE TO PICKAWAY COUNTY**

The Director of the Ohio Environmental Protection Agency is providing notice of the approval of an application for Water Pollution Control Loan Fund (WPCLF) supplemental financial assistance to the Pickaway County Board of Commissioners, for the following water quality improvement activity: the supplemental loan will cover the costs associated with removal of excess biosolids from the Clark's Lake Lagoon system, and the abandonment of the Park Road Pump Station; the overall project consists of the design and construction of sanitary collector sewers, interceptor sewers, and sewer rehabilitation. The project will provide for the abandonment of the Clark's Lake, Fox Lair MHP, and Darby Creek MHP Wastewater Treatment Plants through the connection to the Sewer District WWTP. It will also allow for sewer service to the community of Derby, and eventual service to the Village of Harrisburg.

This approval is based upon the Ohio EPA staff's recommendations following a review conducted under applicable requirements of the assistance application materials and any other information regarding the proposed activities. This approval and all financial assistance provided to Pickaway County Board of Commissioners from the WPCLF is conditioned upon successful completion, operation, and maintenance of the eligible activities.

This final action of the Director may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 and 6111.036 (P) of the Ohio Revised Code. The appeal must be in writing and shall set forth the action complained of and the grounds upon which the appeal is based. It must be filed with the Environmental Review Appeals Commission within thirty (30) days after notice of the Director's action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. An appeal may be filed with the Environmental Review Appeals Commission at the following address: Environmental Review Appeals Commission, 309 South Fourth Street, Room 222, Columbus, Ohio 43215.

Copies of the assistance agreement and associated Environmental Assessment documents are available by calling (614) 644-2798. Also, copies are available by writing to: Ohio Environmental Protection Agency, Division of Environmental and Financial Assistance, 122 South Front Street, P. O. Box 1049, Columbus, OH 43216-1049.

Questions regarding the project should be directed to Scott M. Edmond at the above address or by calling (614) 644-2798.

Public Notice Date: December 28, 2004

Pickaway County

**PUBLIC NOTICE
APPROVAL OF APPLICATION
FOR WATER POLLUTION CONTROL LOAN FUND SUPPLEMENTAL
ASSISTANCE TO PICKAWAY COUNTY**

The Director of the Ohio Environmental Protection Agency is providing notice of the approval of an application for Water Pollution Control Loan Fund (WPCLF) supplemental financial assistance to the Pickaway County Board of Commissioners, for the following water quality improvement activity: the supplemental loan will cover the costs associated with removal of excess biosolids from the Clark's Lake Lagoon system, and the abandonment of the Park Road Pump Station; the overall project consists of the design and construction of sanitary collector sewers, interceptor sewers, and sewer rehabilitation. The project will provide for the abandonment of the Clark's Lake, Fox Lair MHP, and Darby Creek MHP Wastewater Treatment Plants through the connection to the Sewer District WWTP. It will also allow for sewer service to the community of Derby, and eventual service to the Village of Harrisburg.

This approval is based upon the Ohio EPA staff's recommendations following a review conducted under applicable requirements of the assistance application materials and any other information regarding the proposed activities. This approval and all financial assistance provided to Pickaway County Board of Commissioners from the WPCLF is conditioned upon successful completion, operation, and maintenance of the eligible activities.

This final action of the Director may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 and 6111.036 (P) of the Ohio Revised Code. The appeal must be in writing and shall set forth the action complained of and the grounds upon which the appeal is based. It must be filed with the Environmental Review Appeals Commission within thirty (30) days after notice of the Director's action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. An appeal may be filed with the Environmental Review Appeals Commission at the following address: Environmental Review Appeals Commission, 309 South Fourth Street, Room 222, Columbus, Ohio 43215.

Copies of the assistance agreement and associated Environmental Assessment documents are available by calling (614) 644-2798. Also, copies are available by writing to: Ohio Environmental Protection Agency, Division of Environmental and Financial Assistance, 122 South Front Street, P. O. Box 1049, Columbus, OH 43216-1049.

Questions regarding the project should be directed to Scott M. Edmond at the above address or by calling (614) 644-2798.

Trumbull County

**PUBLIC NOTICE
Annual Survey
Solid & Infectious Waste Program
C&DD Program**

Notice is hereby given on December 29, 2004, in accordance with OAC Rule 3745-37-08, the director of Ohio EPA have determined that the Girard City Health District, 100 West Main Street, Girard, OH 44420-2598, is in substantial compliance and hereby place the Girard City Health District on Ohio EPA's Approved List(s) of health districts authorized to administer and enforce the Solid and Infectious Waste and Construction and Demolition Debris laws and rules in accordance with Sections 3734.08 and 3714.09 of the Ohio Revised Code (ORC). This approval is subject to all rules, regulations, and specified conditions. This final action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth Street, Room 222, Columbus, Ohio 43215. Person's wishing to be on Ohio EPA's interested parties mailing list for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, Tel: (614)644-2621.

Public Notice Date: December 29, 2004

Tuscarawas County

**PUBLIC NOTICE
APPROVAL OF APPLICATION
FOR WATER POLLUTION CONTROL LOAN FUND ASSISTANCE
TO THE TUSCARAWAS COUNTY METROPOLITAN SEWER DISTRICT**

The Director of the Ohio Environmental Protection Agency is providing notice of the approval of an application for Water Pollution Control Loan Fund (WPCLF) financial assistance to the Tuscarawas County Metropolitan Sewer District, for the following water quality improvement activity: the design of an upgrade of the County-operated Mineral City wastewater treatment plant to provide a new final settling tank, sludge storage tank, aeration equipment, and grit removal equipment. The project will also provide for expansion of the sewer system to serve several unsewered areas within the Mineral City service area.

This approval is based upon the Ohio EPA staff's recommendations following a review conducted under applicable requirements of the assistance application materials and any other information regarding the proposed activities. This approval and all financial assistance provided to Tuscarawas County Metropolitan Sewer District from the WPCLF is conditioned upon successful completion, operation, and maintenance of the eligible activities.

This final action of the Director may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 and 6111.036 (P) of the Ohio Revised Code. The appeal must be in writing and shall set forth the action complained of and the grounds upon which the appeal is based. It must be filed with the Environmental Review Appeals Commission within thirty (30) days after notice of the Director's action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. An appeal may be filed with the Environmental Review Appeals Commission at the following address: Environmental Review Appeals Commission, 309 South Fourth Street, Room 222, Columbus, Ohio 43215.

Copies of the assistance agreement and associated Environmental Assessment documents are available by calling (614) 644-2798. Also, copies are available by writing to: Ohio Environmental Protection Agency, Division of Environmental and Financial Assistance, 122 South Front Street, P. O. Box 1049, Columbus, OH 43216-1049.

Questions regarding the project should be directed to Roland Roberts at the above address or by calling (614) 644-2798.