

**STATEWIDE**

**PUBLIC NOTICE**

THE FOLLOWING PERMITS ARE BEING ISSUED AS A FINAL ACTION WITH AN EFFECTIVE DATE OF FEBRUARY 1, 2005. FINAL ACTIONS ARE ACTIONS OF THE DIRECTOR WHICH ARE EFFECTIVE UPON ISSUANCE OR A STATED EFFECTIVE DATE. PURSUANT TO OHIO REVISED CODE SECTION 3745.04, A FINAL ACTION MAY BE APPEALED TO THE ENVIRONMENTAL REVIEW APPEALS COMMISSION (ERAC) (FORMERLY KNOWN AS THE ENVIRONMENTAL BOARD OF REVIEW) BY FILING AN APPEAL WITHIN 30 DAYS OF NOTICE OF THE FINAL ACTION. PURSUANT TO OHIO REVISED CODE SECTION 3745.07, A FINAL ACTION ISSUING A PERMIT WHICH IS NOT PRECEDED BY A PROPOSED ACTION, MAY BE APPEALED TO THE ERAC BY FILING AN APPEAL WITHIN 30 DAYS OF ISSUANCE OF THE FINAL ACTION. ERAC APPEALS MUST BE FILED WITH: ENVIRONMENTAL REVIEW APPEALS COMMISSION, 309 SOUTH FRONT STREET, ROOM 222, COLUMBUS, OHIO 43215. A COPY OF THE APPEAL MUST BE SERVED ON THE DIRECTOR WITHIN 3 DAYS AFTER FILING THE APPEAL WITH ERAC.

FINAL ISSUANCE OF NPDES GENERAL PERMIT:

CONCENTRATED ANIMAL FEEDING OPERATIONS  
STATEWIDE OH  
OHIO NPDES PERMIT NO: OHA000001

THIS FINAL ACTION WAS PRECEDED BY A PROPOSED ACTION

THE FULL TEXT OF THE PERMIT CAN BE VIEWED OVER THE INTERNET AT "<http://www.epa.state.oh.us/dsw/cafo/info.html>" OR COPIES CAN BE OBTAINED BY CALLING OHIO EPA DIVISION OF SURFACE WATER AT (614)644-2001.

FINAL ISSUANCE OF NPDES GENERAL PERMIT:

SMALL SANITARY DISCHARGES (LESS THAN 25,000 GALLONS PER DAY)  
STATEWIDE OH  
OHIO NPDES PERMIT NO: OHS000002

THIS FINAL ACTION WAS PRECEDED BY A PROPOSED ACTION

THE FULL TEXT OF THE PERMIT CAN BE VIEWED OVER THE INTERNET AT "<http://www.epa.state.oh.us/dsw/permits/gpfact.html>" OR COPIES CAN BE OBTAINED BY CALLING OHIO EPA DIVISION OF SURFACE WATER AT (614)644-2001.

FINAL ISSUANCE OF NPDES GENERAL PERMIT:

SMALL SANITARY DISCHARGES THAT CANNOT MEET BADCT STANDARDS

(LESS THAN 25,000 GALLONS PER DAY)  
STATEWIDE OH  
OHIO NPDES PERMIT NO: OHV000001

THIS FINAL ACTION WAS PRECEDED BY A PROPOSED ACTION

THE FULL TEXT OF THE PERMIT CAN BE VIEWED OVER THE INTERNET AT  
“<http://www.epa.state.oh.us/dsw/permits/gpfact.html>” OR COPIES CAN BE OBTAINED  
BY CALLING OHIO EPA DIVISION OF SURFACE WATER AT (614)644-2001.

**PUBLIC NOTICE**  
**PROPOSED CONSENT ORDER**

The Ohio Environmental Protection Agency (Ohio EPA) has entered into a proposed Consent Order with Defendant, Eljer Plumbingware, Inc., to resolve all claims alleged in the Complaint filed by the State of Ohio, Columbiana County Court of Common Pleas case number 05-CV-60. The proposed Consent Order requires the Defendant to comply with all applicable provisions of Ohio's Water Pollution Control Law, R.C. Chapter 6111 and the rules adopted thereunder.

The proposed Consent Order assesses a civil penalty settlement in the amount of \$75,000 against Defendant for violations of R.C. Chapter 6111. The Consent Order requires the payment of the civil penalty within 60 days of its final entry date.

Copies of the Consent Order can be obtained by writing to:

Ohio Environmental Protection Agency  
Northeast District Office  
2110 East Aurora Road  
Twinsburg, Ohio 44087

Written comments should be submitted to Ohio EPA, Northeast District Office at the above address. Written comments should be submitted on or before February 28, 2005.

The final approval and entry of the proposed Consent Order will not occur until after the thirty (30) day public comment period has expired. The thirty-day period commences on January 28, 2005. The State of Ohio and Eljer Plumbingware, Inc. reserve the right to withdraw or alter the proposed Consent Order based on comments received during the public comment period.

**PUBLIC NOTICE**

Annual Survey  
Solid & Infectious Waste Program  
C&DD Program

Notice is hereby given on January 20, 2005, in accordance with OAC Rule 3745-37-08, the director of Ohio EPA have determined that the Seneca County Health District, 71 South Washington Street, Suite B, Tiffin, Ohio 44883, is in substantial compliance and hereby place the Seneca County Health District on Ohio EPA's Approved List(s) of health districts authorized to administer and enforce the Solid and Infectious Waste and Construction and Demolition Debris laws and rules in accordance with Sections 3734.08 and 3714.09 of the Ohio Revised Code (ORC). This approval is subject to all rules, regulations, and specified conditions. This final action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth Street, Room 222, Columbus, Ohio 43215. Person's wishing to be on Ohio EPA's interested parties mailing list for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, Tel: (614)644-2621.

**PUBLIC NOTICE**

**OHIO EPA APPROVES CLOSURE PLAN FOR  
ACE PRECISION INDUSTRIES, INC.**

On January 3, 2005, Ohio EPA approved an amended closure plan for the Ace Precision Industries, Inc., located at 850 Moe Drive, Akron, Ohio. The EPA I.D. number for this facility is OHD987056066.

Pursuant to Ohio Revised Code rule 3745-66-11, the facility's amended closure plan submitted on November 3, 2004, was approved as outlined in the Director's January 3, 2005 correspondence. This final action was not preceded by a proposed action and is appealable to the Environmental Review Appeals Commission.

**PUBLIC NOTICE**

Annual Survey  
Solid & Infectious Waste Program  
C&DD Program

Notice is hereby given on January 18, 2005, in accordance with OAC Rule 3745-37-08, the director of Ohio EPA have determined that the Warren County Combined Health District, 416 South East Street, Lebanon, Ohio 45036-2399, is in substantial compliance and hereby place the Warren County Combined Health District on Ohio EPA's Approved List(s) of health districts authorized to administer and enforce the Solid and Infectious Waste and Construction and Demolition Debris laws and rules in accordance with Sections 3734.08 and 3714.09 of the Ohio Revised Code (ORC). This approval is subject to all rules, regulations, and specified conditions. This final action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth Street, Room 222, Columbus, Ohio 43215. Person's wishing to be on Ohio EPA's interested parties mailing list for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, Tel: (614)644-2621.