

**PUBLIC NOTICE
FINAL ISSUANCE OF CERTIFICATE
OF REGISTRATION AS A TRANSPORTER OF INFECTIOUS WASTE**

Notice is hereby given that on July 12, 2005, the director of Ohio EPA issued an infectious waste transporter certificate to Healthcare Waste Solutions of PA LLC, 308 Locust St, McKeesport, PA 15132, ID No.: 00-T-00275. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614) 644-2621. This final action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth Street, Suite 222, Columbus, Ohio 43215.

**PUBLIC NOTICE
FINAL ISSUANCE OF AN AMENDED CERTIFICATE
OF REGISTRATION AS A TRANSPORTER OF INFECTIOUS WASTE**

Notice is hereby given that on July 12, 2005 the director of Ohio EPA issued an amended infectious waste transporter certificate to Midwest Waste Services LLC, 1924 E 177th St, Lansing IL 60438, Reg. No. 00-G-00237. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614) 644-2621. This final action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth Street, Suite 222, Columbus, Ohio 43215.

PUBLIC NOTICE
FINAL ISSUANCE OF AMENDED CERTIFICATE OF
REGISTRATION AS A GENERATOR OF INFECTIOUS WASTE

Notice is hereby given that on July 12, 2005, the director of Ohio EPA issued an amended infectious waste generator certificate to Quest Diagnostics Inc, 875 Greentree Rd, Pittsburgh PA 15220, ID No.: 00-G-00951. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614) 644-2621. This final action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth Street, Suite 222, Columbus, Ohio 43215.

**OHIO ENVIRONMENTAL PROTECTION AGENCY
PUBLIC NOTICE
ISSUANCE OF A CERTIFIED PROFESSIONAL CERTIFICATE**

Notice is hereby given that on July 8, 2005, The Director of the Ohio Environmental Protection Agency, pursuant to Ohio Revised Code Section 3746.04 (B)(5) and Ohio Administrative Code Rule 3745-300-05, issued a professional certificate to Robert W. King -CP290, to perform work as a certified professional under the Voluntary Action Program.

The issuance of this Certification is a final action of the Director and will be public noticed in accordance with OAC 3745-47-07. The action may be appealed to the Environmental Review Appeals Commission ("Commission"). The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice or issuance of the action. See ORC 3745.04 and 3745.07. A copy of the appeal must be served on the Director within three (3) days after the appeal is filed with the Commission. The appeal may be filed with the Commission at 309 S. Fourth Street, Suite 222, Columbus, Ohio 43215.

If you would like to review the certificate, or any documents related to the certificate, please contact Kay Hughes, Records Management Officer, at Ohio EPA, Division of Emergency and Remedial Response, P.O. Box 1049, Columbus, OH 43216-1049, or by telephone at (614) 644-2924.

PUBLIC NOTICE
OHIO ENVIRONMENTAL PROTECTION AGENCY
RENEWAL OF CERTIFIED PROFESSIONAL CERTIFICATIONS UNDER OHIO'S
VOLUNTARY ACTION PROGRAM

Notice is hereby given that on June 24, 2005, the Director of the Ohio Environmental Protection Agency ("Ohio EPA"), pursuant to Ohio Revised Code ("ORC") 3746.04(B)(5) and Ohio Administrative Code ("OAC") 3745-300-05, issued a renewal certification to Richard J. Rush-CP256, Matthew D. Knecht-CP105, Keith B. Egan-CP259, Charles L. Head-CP113, Julianne M. Schucker-CP258, Douglas P. Klicman-CP269, Thomas P. Clark-CP210, Ronald F. Roelker-CP157, Troy L. Schultz-CP244, Scott K. Fennell-CP203, Thomas P. Shalala-CP188, John L. Payne-CP104, Jeffery C. Robb-CP276, Kevin C. Flynn-CP227, William R. Rish-CP140, and James E. Zentmeyer CP252, to perform work as certified professionals under the Voluntary Action Program.

The issuance of these renewal certificates are a final action of the Director and will be public noticed in accordance with OAC 3745-47-07. The action may be appealed to the Environmental Review Appeals Commission ("Commission"). The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice or issuance of the action. See ORC 3745.04 and 3745.07. A copy of the appeal must be served on the Director within three (3) days after the appeal is filed with the Commission. The appeal may be filed with the Commission at 309 South Fourth Street, Suite 222, Columbus, OH 43215.

If you would like to review a copy of any renewal certificate, or any documents related to the certification, please contact Kay Hughes, Records Management Officer, at Ohio EPA, Division of Emergency and Remedial Response, Voluntary Action Program, P.O. Box 1049, Columbus, OH 43216-1049, or by telephone at (614) 644-2924.

PUBLIC NOTICE
OHIO ENVIRONMENTAL PROTECTION AGENCY
RENEWAL OF CERTIFIED PROFESSIONAL CERTIFICATIONS UNDER OHIO'S
VOLUNTARY ACTION PROGRAM

Notice is hereby given that on July 12, 2005, the Director of the Ohio Environmental Protection Agency ("Ohio EPA"), pursuant to Ohio Revised Code ("ORC") 3746.04(B)(5) and Ohio Administrative Code ("OAC") 3745-300-05, issued a renewal certification to Matthew A. Cousine-CP277, Edward C. Burk, Jr.-CP129, Ronald R. Clark-CP101, Edward M. McCabe-CP102, Dennis E. Schucker-CP272, Jim C. Smith-CP121, William A. Baughaman-CP243, Christopher W. Krumm-CP177, Julie K. Hewlett-CP111, Ian K. Richardson-CP233 and Dan B. Brown-CP127, to perform work as certified professionals under the Voluntary Action Program.

The issuance of these renewal certificates are a final action of the Director and will be public noticed in accordance with OAC 3745-47-07. The action may be appealed to the Environmental Review Appeals Commission ("Commission"). The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice or issuance of the action. See ORC 3745.04 and 3745.07. A copy of the appeal must be served on the Director within three (3) days after the appeal is filed with the Commission. The appeal may be filed with the Commission at 309 South Fourth Street, Suite 222, Columbus, OH 43215.

If you would like to review a copy of any renewal certificate, or any documents related to the certification, please contact Kay Hughes, Records Management Officer, at Ohio EPA, Division of Emergency and Remedial Response, Voluntary Action Program, P.O. Box 1049, Columbus, OH 43216-1049, or by telephone at (614) 644-2924.

Notice of Availability
Ohio Environmental Protection Agency
Model General Air Permits Available for Application

Notice is hereby given that the Director of Environmental Protection (“Ohio EPA”) is making available for application through the Division of Air Pollution Control (“DAPC”) ten model general permits to install (“MGPTI”) and model general permits to operate (“MGPTO”) for storage piles, paved roadways and parking areas, unpaved roadways and parking areas and ready mix concrete batch plants. Ohio EPA provided a 30-day comment period on the draft MGPTI and MGPTO terms and conditions beginning on March 24, 2005. After considering all comments received, Ohio EPA developed the final MGPTIs and MGPTOs and will begin accepting applications on July 12, 2005.

The Ohio EPA, DAPC general permit program is regulated under Ohio Administrative Code (“OAC”) 3745-31-29, General Permit to Install, and 3745-35-08, General Permit to Operate. This notice is being issued in order to fulfill the requirements of OAC Rule 3745-31-29(A)(3) and OAC Rule 3745-35-08(A)(3). Additional information regarding the general permit program, copies of available MGPTIs, MGPTOs terms and conditions, and instructions for applying for the MGPTIs and MGPTOs can be found on the Ohio EPA Web page at <http://www.epa.state.oh.us/dapc/genpermit/genpermits.html>. Questions regarding accessing the web site should be directed to Arunee Niamlarb at 614-728-1342; other questions or comments about these general permits can be directed to Jennifer Nichols at Ohio EPA, (614) 644-3696, jennifer.nichols@epa.state.oh.us, or mailed to Jennifer Nichols, Attn: General Permits, Ohio EPA, Division Air Pollution Control, Lazarus Government Center, P.O. Box 1049, Columbus, Ohio 43216-1049.

**Ohio EPA PTI No. 06-7778
Ohio Environmental Protection Agency Draft Permit to Install**

PUBLIC NOTICE

Draft Permit to Install for wastewater treatment and/or disposal facilities

Ohio Environmental Protection Agency
Permits Section
122 South Front Street
P.O. Box 1049
Columbus, Ohio 43216-1049
(614) 644-2001

Public Notice No. 05-07-036
Date of Issue of Public Notice: July 20, 2005

Name and Address of Applicant: Dayton Power and Light Company, 1065 Woodman Drive, Dayton, Ohio 45432

Name and Address of Facility Where Discharge Occurs: J.M. Stuart Station, Route 52, Spriggs Township, Adams County, Ohio

Receiving Water: Buzzards Roost Creek, Little Three Mile Creek, Ohio River

Public notice is hereby given that Ohio Environmental Protection Agency (Ohio EPA)-Division of Surface Water (DSW) has issued a draft permit-to-install (PTI) for the construction of the wastewater treatment works/disposal system modifications for the above referenced project. Ohio EPA has made a determination that the wastewater discharge from this proposed modification would result in degradation to or lowering of the water quality of unnamed tributary of Buzzards Roost Creek, Three Mile Creek and the Ohio River . After considering the technical, economic, and social aspects of this project, the Director of the Ohio EPA has decided to make the preliminary determination to allow this degradation. However, the chemical-specific water quality standards developed to protect aquatic life and human health, set forth in Ohio Administrative Code (OAC) 3745-1, will not be exceeded.

In accordance with OAC 3745-1-05, Ohio EPA will provide an opportunity for public comment concerning this project. Comments received shall be considered by the Director before the permit is issued as final. Any person may submit written comments on the draft permit and administrative record and may request a public hearing. Written comments and/or public hearing requests must be received by the Ohio EPA, Division of Surface Water no later than 30 days from the date of this public notice. Comments received after this date may not be considered by the Director before issuing the final permit. Comments

and/or public hearing requests should be delivered or mailed to Ohio Environmental Protection Agency, Division of Surface Water, Permits Processing Unit, 122 South Front Street, P.O. Box 1049, Columbus, Ohio 43216.

Copies of the draft Permit to Install and technical support information may be reviewed and/or copies made at the Ohio EPA Southeast District Office, 2195 Front Street, Logan, OH, 43138, by first calling, 740-385-8501 to make an appointment.

PUBLIC NOTICE
OHIO EPA RECEIVES AMENDED HAZARDOUS WASTE CLOSURE PLAN

On June 6, 2005, Ohio EPA received an amended hazardous waste closure plan from the City of Springfield (formerly D & H Manufacturing) for its tank storage unit located at 1601 Sheridan Avenue, Springfield, Ohio 45502. The EPA Identification Number for this facility is OHD059934943.

Why is the City of Springfield submitting this Closure Plan?

At the request of Ohio EPA, the City of Springfield submitted this closure plan. The closure plan summarizes several activities including the storage pad decontamination, soil sampling, soil excavation, pad and soil disposal, groundwater monitoring well installation, monitoring well sampling, and a multi-chemical evaluation using Ohio EPA Generic risk-based clean-up numbers. Also included are the closure certification, post-closure status and a closure schedule.

When and how do I submit written comments about this Closure Plan?

You can submit written comments anytime between July 12 and August 10, 2005. Send your comments to Ohio EPA, Division of Hazardous Waste Management, Attn: Regulatory and Information Services, P.O. Box 1049, Columbus, Ohio 43216, telephone number (614) 644-2977, fax number (614) 728-1245, e-mail address: dhwmcomments@epa.state.oh.us

Where can I review the Closure Plan?

You can review the Closure Plan at the following locations:

Ohio EPA, Southwest District Office, 401 East Fifth Street, Ohio 45402, tel: (937) 285-6357 and,

Ohio EPA, Division of Hazardous Waste Management, 122 South Front Street, Columbus, Ohio 43215 (614) 644-2977.

**PUBLIC NOTICE
OHIO EPA ISSUES FINAL FINDINGS AND ORDERS TO
FERRO CORPORATION**

On July 12, 2005, Ohio EPA issued final Findings and Orders to the Ferro Corporation for its facilities located at 56th Street, Orrville, 1000 Wayside Road, and 1636 Wayside Road, Cleveland, Ohio. All are unpermitted facilities which generate hazardous waste. As the result of compliance evaluation inspections, it was discovered that each facility had committed numerous violations of Ohio's hazardous waste laws.

Ferro Corporation must achieve compliance with Chapter 3734 of the Ohio Revised Code and the regulations promulgated thereunder according to the detailed compliance schedule which outlines civil penalties and payments. This final action was not preceded by a proposed action and is appealable to the Environmental Review Appeals Commission.

**NOTICE OF PUBLIC INFORMATION SESSION
(PTI #06-07741)**

Notice is hereby given on July 11, 2005, that a Public Information Session will be held concerning Permit to Install application (PTI #06-07741) for Tunnell Hill Reclamation, LLC, 544 Chestnut Street, Coshocton, Ohio 43812. The application was received by Ohio EPA on January 12, 2005. The PTI application is for a proposed Municipal Solid Waste Landfill. The source will be constructed on approximately 49 acres of the facility located in Pike Township, Perry County, Ohio. The facility is located on Tunnell Hill Road, 3 miles Northeast of New Lexington, East of TR-205 and Southwest of TR-208. The Public Information Session will be held on August 30, 2005, to begin at 6:30 p.m. at the New Lexington Community Center, 600 Senior Center Drive, New Lexington, Ohio 43764. The application may be reviewed in accordance with Ohio EPA's file review procedures by writing to Ms. Angie Hardesty, Ohio EPA Southeast District Office, 2195 Front Street, Logan, Ohio 43138, Tel:(740) 385-8501.

**PUBLIC NOTICE
OHIO EPA ISSUES TEMPORARY AUTHORIZATION**

On June 27, 2005, Ohio EPA issued a temporary authorization under its hazardous waste facility installation and operation permit (Hazardous Waste Permit) to U.S. DOE Portsmouth Gaseous Diffusion (DOE Portsmouth) located at 3980 U.S. Route 23 South, Piketon, Ohio 45661. The EPA Identification Number for this facility is OH7890008983.

Why does DOE Portsmouth need this temporary authorization?

DOE Portsmouth is permitted to store hazardous waste in containers at its facility in Piketon, Ohio. On June 1, 2005, U.S. DOE Portsmouth submitted a Class 3A modification to its Hazardous Waste Permit requesting to allow the transfer of co-operation of the Portsmouth Gaseous Diffusion Plants's hazardous waste management facility to a new contractor, effective June 27, 2005. The temporary authorization provides this change prior to the issuance of the Class 3A permit modification, which is currently under review.

Can I appeal this temporary authorization?

Yes, if you are an officer of an agency of the state or of a political subdivision, acting in a representative capacity, or any person who would be aggrieved or adversely affected by this temporary authorization you have the right to appeal this decision to the Environmental Review Appeals Commission (ERAC).

If I decide to appeal this temporary authorization, how and when must I make the appeal?

If you file an appeal, you must put it in writing no later than August 19, 2005. Your appeal must explain why you are appealing the action and the grounds you are using for your appeal. You must file your appeal, according to Ohio Revised Code §3745.04, with ERAC at the following address: ***Environmental Review Appeals Commission***, 309 South Fourth Street, Room 222, Columbus, Ohio 43215. You must send a copy of the appeal to the director of Ohio EPA at the following address no later than three (3) days after you file it with ERAC: ***Joseph P. Koncelik, Director of Ohio EPA***, P.O. Box 1049, Columbus, Ohio 43216-1049.

Date of Notice: July 20, 2005

Preble County

**PUBLIC NOTICE
NOTICE OF PUBLIC HEARING**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA)-Division of Surface Water (DSW) has scheduled a public hearing on the draft National Pollutant Discharge Elimination System (NPDES) permit and draft Permit to Install (PTI) for the discharge from and construction of the proposed Village of Verona Wastewater treatment plant disposal system.

The disposal system is proposed to be located 1700 feet south of Main Street and east of Swamp Creek, Verona, Preble County, Ohio. Treated wastewaters are proposed to be discharged at the same location. The proposed discharges are to Swamp Creek. The NPDES and PTI applications were submitted by the Village of Verona, 100 West Main Street, Verona, Ohio 45378.

The discharges from this facility, if approved, would result in degradation to, or lowering of, the water quality of Swamp Creek. However, the chemical-specific water quality criteria developed to protect aquatic life and human health, set forth in OAC 3745-1-07, will not be exceeded. In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality.

The public hearing has been scheduled for 4:00 P.M. on September 15, 2005 at the Tri-County North High School lecture room, 500 Panther Way, Lewisburg, Ohio 45338. The public hearing will end when everyone in attendance has had an opportunity to provide testimony related to the project.

All interested persons are entitled to attend or be represented and give written or oral comments on the project. The purpose of the hearing is to obtain additional information that will be considered by the director of Ohio EPA prior to any further action on the applications. Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, or 2) submit comments for Ohio EPA's consideration must do so in writing to Ohio EPA-DSW, Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 by close of business on September 22, 2005. Comments received after this date may not be considered as part of the official record of this hearing.

Copies of the pending NPDES and PTI applications and technical support information may be reviewed and/or copies made at Ohio EPA's Southwest District Office, 401 East Fifth Street, Dayton, Ohio, by first calling 937-285-6357 to make an appointment.