

PUBLIC NOTICE
COVENANT NOT TO SUE/FINAL FINDINGS AND ORDERS
BP America Inc. - BP Hamlet Ave. Parcel

Notice is hereby given that on August 3, 2005, the Director of the Ohio Environmental Protection Agency ("Ohio EPA"), pursuant to Ohio Revised Code ("ORC") Chapter 3746 and Ohio Administrative Code ("OAC") Chapter 3745-300, issued a Covenant Not To Sue/Final Findings and Orders to BP America Inc. for the property identified as the BP Hamlet Ave. Parcel property (the "Property").

BP America Inc. conducted a voluntary action of the approximately 12.5 acre-Property located at 5717 Hamlet Ave., Cleveland, Cuyahoga County, Ohio. A no further action letter was submitted on March 17, 2000 to the Voluntary Action Program of the Ohio EPA Division of Emergency and Remedial Response on behalf of BP America Inc. by Mr. Martin Schmidt, a Certified Professional (No. 170), as defined in ORC 3746.01(E) and OAC 3745-300-01(A)(8).

The issuance of the Covenant Not to Sue/Final Findings and Orders is a final action of the Director. The action may be appealed to the Environmental Review Appeals Commission ("Commission"). The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice or issuance of the action. (See ORC 3745.04 and 3745.07). A copy of the appeal must be served on the Director within three (3) days after the appeal is filed with the Commission. The appeal may be filed with the Commission at 309 South Fourth Street, Room 222, Columbus, Ohio 43215.

If you would like to review a copy of the Covenant Not To Sue/Final Findings and Orders, please contact the Records Management Officer, Ohio EPA, Division of Emergency and Remedial Response, Voluntary Action Program, P.O. Box 1049, Columbus, OH 43216-1049, or by telephone at (614) 644-2924.

Public Hearing
Ohio Environmental Protection Agency
Five-Year Rule Review of Ohio Administrative Code (OAC) rule 3745-24-01,
OAC rule 3745-24-02, OAC rule 3745-24-03, OAC rule 3745-24-04

Notice is hereby given that the Ohio Environmental Protection Agency, Division of Air Pollution Control (DAPC) has performed a review of the above referenced rules primarily to satisfy the requirements of Section 119.032 of the Ohio Revised Code (five-year review). The DAPC finds the following rules to be necessary and with need for changes. The DAPC proposes to concurrently rescind and propose as new Ohio Administrative Code (OAC) rules 3745-24-01, Definitions; 3745-24-02, Applicability; 3745-24-03, Deadlines for the submission of the emission statements, and 3745-24-04, Emission statement requirements. Ohio EPA decided to rescind each rule as part of rule making process because over half of each rule is being changed or eliminated. Each rule is then also being proposed as new rule.

OAC Chapter 3745-24 currently includes the required form and several key definitions. Through this rulemaking, Ohio EPA will make emissions statement reporting requirements align with and be reported in a manner consistent with other existing reporting requirements.

Pursuant to Section 121.39 of the Ohio Revised Code, Ohio EPA was required to consult with interested parties affected by the rules before the division formally proposes them. On February 11, 2005, these rules went out for a 30 day review by interested parties.

Pursuant to Section 119.03 of the Ohio Revised Code, a public hearing on these rule changes will be conducted on September 8, 2005, 10:00 a.m., in room West B & C at Riffe Center, 77 South High St., Columbus, Ohio 43215.

All interested persons are entitled to attend or be represented at the hearing and give written or oral comments on these rule changes. All oral comments presented at the hearing, and all written statements submitted at the hearing or by the close of business on September 9, 2005, will be considered by Ohio EPA prior to final action on this rule. Written statements submitted after September 9, 2005, may be considered as time and circumstances permit, but will not be part of the official record of the hearing.

These rules are available on the Web page for electronic downloading by clicking on "regulations" under the " topics" drop-down box. The URL is: <http://www.epa.state.oh.us/dapc/regs/regs.html>. Questions regarding accessing the web site should be directed to Arunee Niamlarb at 614-728-1342; other questions or comments about these rules should be directed to Elisa Thomas at Ohio EPA, (614) 644-3621, elisa.thomas@epa.state.oh.us, or mailed to Elisa Thomas, Ohio EPA, Division Air Pollution Control, Lazarus Government Center, P.O. Box 1049, Columbus, Ohio 43216-1049.

Public Hearing
Ohio Environmental Protection Agency
Five-Year Rule Review of Ohio Administrative Code (OAC) rule 3745-78-01,
OAC rule 3745-78-02, OAC rule 3745-78-03, OAC rule 3745-78-04,
OAC rule 3745-78-05

Notice is hereby given that the Ohio Environmental Protection Agency, Division of Air Pollution Control (DAPC) has performed a review of the above referenced rules primarily to satisfy the requirements of Section 119.032 of the Ohio Revised Code (five-year review). The DAPC finds the following rules to be necessary and with need for change only to correct the statutory authority for these rules. The DAPC proposes to amend Ohio Administrative Code (OAC) rules 3745-78-01, Definitions; 3745-78-02, Fee emission reports.

The DAPC proposes to rescind OAC rules 3745-78-03, Asbestos notification, removal, and cleanup fee; 3745-78-04, Permit fees, 3745-78-05, Fee penalties. These rules have been determined to be no longer necessary as the language in these rules is mirrored in Ohio Revised Code Section 3745.11.

Pursuant to Section 121.39 of the Ohio Revised Code, DAPC was required to consult with interested parties affected by the rules before the division formally proposes them. On March 8, 2005, these rules went out for a 30 day review by interested parties.

Pursuant to Section 119.03 of the Ohio Revised Code, a public hearing on these rule changes will be conducted on September 7, 2005, 10:00 a.m., in room West B & C at Riffe Center, 77 South High St., Columbus, Ohio 43215.

All interested persons are entitled to attend or be represented at the hearing and give written or oral comments on these rule changes. All oral comments presented at the hearing, and all written statements submitted at the hearing or by the close of business on September 8, 2005, will be considered by Ohio EPA prior to final action on this rule. Written statements submitted after September 8, 2005, may be considered as time and circumstances permit, but will not be part of the official record of the hearing.

These rules are available on the Web page for electronic downloading by clicking on "regulations" under the " topics" drop-down box. The URL is: <http://www.epa.state.oh.us/dapc/regs/regs.html>. Questions regarding accessing the web site should be directed to Arunee Niamlarb at 614-728-1342; other questions or comments about these rules should be directed to Elisa Thomas at Ohio EPA, (614) 644-3621, elisa.thomas@epa.state.oh.us, or mailed to Elisa Thomas, Ohio EPA, Division Air Pollution Control, Lazarus Government Center, P.O. Box 1049, Columbus, Ohio 43216-1049.

Statewide

Public Notice By: August 12, 2005

**PUBLIC NOTICE
DEADLINE FOR WATER RESOURCE RESTORATION SPONSORSHIP PROGRAM
PROJECT NOMINATIONS
FOR WATER POLLUTION CONTROL LOAN FUND ASSISTANCE CONSIDERATION
DURING
PROGRAM YEAR 2006**

The Director of the Ohio Environmental Protection Agency is providing notice of the submission deadline for project nominations for Water Resource Restoration Sponsorship Program Projects (WRRSP) to be considered for inclusion on the Water Pollution Control Loan Fund (WPCLF) Program Year (PY) 2006 project priority list. The nomination forms must be completed in full, which includes the information requested in the addendum to the form, and six (6) copies submitted by the project sponsors and received at the following address, no later than close of business on September 13, 2005:

Ohio Environmental Protection Agency
Division of Environmental and Financial Assistance
ATTN: David Reiff
122 South Front Street
P. O. Box 1049
Columbus, OH 43216-1049

WRRSP project nominations received after the deadline of September 13, 2005 will not be considered for funding during PY 2006.

A letter regarding this submission deadline will be mailed out to all of the entities that currently have projects on the WPCLF project priority list and other interested parties that are currently on our mailing list. The nomination form with addendum to be used for WRRSP projects and instructions for completing and submitting the forms and other associated documentation are available at <http://www.epa.state.oh.us/defa/>. Additional information regarding this deadline or submission of nominations can also be obtained by contacting Theresa Gordon at (614) 644-3664.

PUBLIC NOTICE

DIRECTOR'S FINAL FINDINGS & ORDERS

Notice is hereby given that on August 4, 2005, the director of Ohio EPA issued Final Findings and Orders to Crawford County Board of Commissioners (Crawford County), Crawford County Courthouse, 112 East Mansfield Street, Bucyrus, OH 44820 and Santek Environmental (Santek), 5128 Lincoln Highway East, Bucyrus, OH 44820. Pursuant to ORC Section 3734.02(G) and OAC Rule 3745-27-03(B), Crawford County and Santek are hereby exempted from the requirement of OAC Rule 3745-27-19(E)(7)(e) that all solid waste admitted to the Crawford County Landfill (Facility) be deposited at the working face, spread, and compacted, in order to allow the Remediation Soils to be deposited at an on-site stockpile for subsequent use as alternative daily cover material in accordance with any Ohio EPA approval of the May 6, 2005, request to use the Remediation Soils as alternative daily cover material. Also, Crawford County and Santek are hereby exempted from the requirement in OAC Rule 3745-27-19(B)(2) to maintain strict compliance with the applicable authorizing documents, including permits to install, in order to exceed the Facility's AMDWR, as established in PTI Number 03-11036, to utilize the Remediation Soils as alternative daily cover material at the Facility in accordance with any Ohio EPA approval of the May 6, 2005 request to use the Remediation Soils as alternative daily cover material. These Final Findings & Orders are subject to all rules, regulations, and specified conditions. This action may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth Street, Room 222, Columbus, Ohio 43215. Persons wishing to be on Ohio EPA's interested parties mailing list for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, Tel: (614)644-2621.

Date of Public Notice: August 11, 2005

**PUBLIC NOTICE
NOTICE OF RECEIPT OF 401 APPLICATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 certification for a project to open cut trench a stream and install a 42 inch sewer line. The application was submitted by Delaware County Sanitary Engineering, 50 Channing Street, Delaware, Ohio 43015. The project is located approximately 4,000 feet north of the intersection of West Orange Road and Perry Street, Orange, Liberty and Berlin Townships, Delaware County, Ohio. The Huntington District of the U.S. Army Corps of Engineers Number for this project is 200300209. The Ohio EPA ID Number for this project is 052345.

As required by the Antidegradation Rule, three alternatives have been submitted for the project. The applicant's proposed preferred alternative, if approved, would open cut trench a 50 foot wide crossing. The applicant's proposed minimal degradation alternative, if approved, would tunnel under the river. The applicant's proposed non-degradation alternative, if approved, would have no direct impacts on streams or wetlands.

The discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of Olentangy River watershed. The review of the application will be conducted, and a decision whether to grant or deny the application will be made, in accordance with Chapters 3745-1 and 3745-32 of the Ohio Administrative Code (OAC). In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality. Other alternatives resulting in lesser or no degradation, or lowering of water quality, will be considered by Ohio EPA during the review process.

No exclusions or waivers, as outlined by Paragraph 3745-1-05 (D) of the Antidegradation Rule (effective as of May 1, 1998), apply or may be granted by the Director of Ohio EPA.

Starting August 11, 2005, copies of the application for the certification and technical support information may be inspected at Ohio EPA/DSW, Lazarus Government Center, 122 South Front Street, Columbus, Ohio, by first calling (614) 644-2001. Applications can be made available at Ohio EPA District Offices by calling the same number.

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2) request a public hearing, or 3) submit written comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA/DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 within 30 days of the date of this public notice.

Date of Public Notice: August 15, 2005

**PUBLIC NOTICE
NOTICE OF RECEIPT OF 401 APPLICATION AND PUBLIC HEARING**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider, whether to issue or deny, 401 Certification for a project that is estimated to impact a Category 3 jurisdictional wetland located under the IR-71 bridge in Medina County, Ohio. The proposed project consists of the reconstruction of twin bridges over the Category 3 wetland and addition of a third lane in each direction along a section of IR-71 in northern Wayne and southern Medina Counties, Ohio. Associated roadwork includes the replacement and widening of pavement along the section of IR-71. The application was submitted by the Ohio Department of Transportation (ODOT), 1980 West Broad Street, Columbus, Ohio 43223. The Ohio EPA Identification Number for this project is 052335. ODOT's project identification code is: WAY/MED-71-7.04/0.00, PID 14017.

Under Ohio EPA's antidegradation requirements, an Applicant is required to submit three project alternatives: Preferred Alternative, Minimal Degradation Alternative, and Non-Degradation Alternative. The Minimal Degradation Alternative is estimated to impact 1.654 acres of Category 3 wetland due primarily to construction of a temporary bridge work/access area. Permanent impacts, approximately 0.064 acres, will come from installation of a pier in the wetland. The Preferred Alternative is basically the same as the Minimal Degradation Alternative except the existing twin bridges would be replaced with soil embankment constructed at a 2:1 ratio. The hydrologic connection of the wetland would be maintained with culverts constructed through the embankments. This alternative would impact an estimated 1.86 acres of the Category 3 wetland described in the Minimal Degradation Alternative. The Non-Degradation Alternative ("No-Build Alternative") consists of the continued use of the bridges and existing roadway facilities. The Applicant stated that the Non-Degradation Alternative would not meet the purpose and need of the project and traffic congestion and safety problems would continue to present a problem.

The impacts from the activity, if approved, would result in degradation to, or lowering of, water quality of a Category 3 wetland in the Killbuck Creek (HUC 05040003) Watershed. The review of the application shall be conducted in accordance with Chapters 3745-1 and 3745-32, and other applicable provisions of the Ohio Administrative Code (OAC), including OAC 3745-1-05, before deciding whether to allow a lowering of water quality. Ohio EPA shall consider other alternatives during the review process that result in lesser or no degradation or lowering of water quality.

No exclusions or waivers, as outlined by Paragraph 3745-1-05 (D) of the Antidegradation Rule (effective as of May 1, 1998), apply or may be granted by the Director of Ohio EPA.

Beginning August 15, 2005, copies of the 401 certification and associated information may be inspected at Ohio EPA/DSW, Lazarus Government Center, 122 South Front Street,

Columbus, Ohio, by first calling (614) 644-2001. Information on the 401 certification can be made available at Ohio EPA Central District Office by calling the same number.

Ohio EPA will hold a public information session and public hearing relative to issues of lower water quality at 6:30 P.M. on October 6, 2005, at the Lodi Village Hall, 110 Ainsworth Street, Lodi, Ohio 44254. The public hearing will end when all interested parties have had an opportunity to provide testimony related to the projects.

All interested persons are entitled to attend or be represented and give written or oral comments on the proposed project. The purpose of the hearing is to obtain additional information that will be considered by the Director of Ohio EPA prior to any further action on the application. Written comments must be received by the Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio, 43216-1049 by the close of business on October 13, 2005. Comments received after this date may not be considered as part of the official record of the hearing.

Persons wishing to be on Ohio EPA's interested parties mailing list for this project, or wish to submit comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 by the close of business on October 13, 2005.

Date of Public Notice: August 11, 2005

**PUBLIC NOTICE
NOTICE OF RECEIPT OF 401 APPLICATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 certification for a project to create a 48 barge mooring area. The application was submitted by American Electric Power, 1 Riverside Plaza, Columbus, Ohio 43215. As required by the Antidegradation Rule, three alternatives have been submitted for the project. The applicant's proposed preferred alternative, if approved, would impact 0.12 acres of Ohio River bottom. The applicant's proposed minimal degradation alternative, if approved, would impact 0.9 acres of river bottom. The applicant's proposed non-degradation alternative, if approved, would have no direct impacts on streams. The project is located on the right descending bank of the Ohio River, River Mile 114.28 to 114.58, near Clarrington, Monroe County, Ohio. The U.S. Army Corps of Engineers Number for this project is (P)200501351. The Ohio EPA ID Number for this project is 052275.

The discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of the Ohio River watershed. The review of the application will be conducted, and a decision whether to grant or deny the application will be made, in accordance with Chapters 3745-1 and 3745-32 of the Ohio Administrative Code (OAC). In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality. Other alternatives resulting in lesser or no degradation, or lowering of water quality, will be considered by Ohio EPA during the review process.

No exclusions or waivers, as outlined by Paragraph 3745-1-05 (D) of the Antidegradation Rule (effective as of May 1, 1998), apply or may be granted by the Director of Ohio EPA.

Starting August 11, 2005, copies of the application for the certification and technical support information may be inspected at Ohio EPA/DSW, Lazarus Government Center, 122 South Front Street, Columbus, Ohio, by first calling (614) 644-2001. Applications can be made available at Ohio EPA District Offices by calling the same number.

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2) request a public hearing, or 3) submit written comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA/DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 within 30 days of the date of this public notice.

Date of Public Notice: August 12, 2005

**PUBLIC NOTICE
NOTICE OF RECEIPT OF 401 APPLICATION AND PUBLIC HEARING**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 certification for a project to construct a residential subdivision. The application was submitted by Robert Cash, Alpine Design, 32100 Solon Road, Suite 202, Solon, Ohio 44139. The project is located on the east side of Uniontown, north of State Route 619 and east of Mogadore, Lake Township, Stark County, Ohio. The water resources on the project site include six Category 2 wetlands totaling 22.3 acres and two perennial streams totaling 3720 linear feet. The Huntington District of the U.S. Army Corps of Engineers' Public Notice Number for this application is 200300745. The Ohio EPA ID Number for this project is 052338.

As required by the Antidegradation Rule, three alternatives have been submitted for the project. The applicant's proposed preferred alternative, if approved, would result in the construction of 85 residential sublots. The water resource impacts from this alternative would be the filling of approximately 5.70 acres of wetlands and the relocation and crossing of approximately 521 linear feet of stream.

The applicant's proposed minimal degradation alternative, if approved, would result in the construction of 72 residential sublots. The water resource impacts from this alternative would be the filling of approximately 1.67 acres of wetlands and the relocation and crossing of approximately 185 linear feet of stream.

The applicant's proposed non-degradation alternative, if approved, would result in the construction of 45 residential sublots and would have no direct water resource impacts.

The discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of Tuscarawas River watershed (HUC 05040001). The review of the application will be conducted, and a decision whether to grant or deny the application will be made, in accordance with Chapters 3745-1 and 3745-32 of the Ohio Administrative Code (OAC). In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality. Other alternatives resulting in lesser or no degradation or lowering of water quality, will be considered by Ohio EPA during the review process.

No exclusions or waivers, as outlined by Paragraph 3745-1-05 (D) of the Antidegradation Rule (effective as of May 1, 1998), apply or may be granted by the Director of Ohio EPA.

Beginning August 5, 2005, copies of the application for the certification and technical support information may be inspected at Ohio EPA-DSW, P.O. Box 1049, Columbus, Ohio

43216-1049 by first calling (614) 644-2001. Applications can be made available at the Ohio EPA Northeast District Office by calling the same number.

Ohio EPA will hold a public information session and public hearing relative to issues of lower water quality on September 26, 2005 starting at 6:30 p.m. at the gymnasium of the Uniontown Elementary School, 13244 Cleveland Avenue, Uniontown, Ohio 44685. The public hearing will end when all interested parties have had an opportunity to provide testimony related to the projects.

All interested persons are entitled to attend or be represented and give written or oral comments on the proposed project. The purpose of the hearing is to obtain additional information that will be considered by the Director of Ohio EPA prior to any further action on the application. Written comments must be received by the close of business on October 3, 2005. Comments received after this date may not be considered as part of the official record of the hearing.

Persons wishing to be on Ohio EPA's interested parties mailing list for this project, or wish to submit comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 by the close of business on Thursday, October 3, 2005.

PUBLIC NOTICE

**OHIO EPA ISSUES DRAFT RENEWAL TO DELPHI AUTOMOTIVE SYSTEMS-
WARREN**

On August 5, 2005, Ohio EPA issued to Delphi Automotive Systems, LLC a draft renewal to its Hazardous Waste Facility Installation and Operation Permit (Permit). The facility is located at 1205 North River Road at Larchmont, Warren, Ohio 44486. The EPA Identification Number for this facility is OHD000817346.

Why Does Delphi Need a Permit?

Delphi Automotive Systems L.L.C., (Delphi) manufactures electrical harnesses for the automotive industry and is currently performing post-closure activities. The draft renewal Permit contains the conditions under which the facility will continue to operate if the Permit receives final approval. To issue this draft renewal Permit, Ohio EPA determined that the Permit application is complete and meets appropriate standards and that the applicant has a history of compliance with relevant environmental laws, given the potential for harm to the public health and safety and the environment that could result from the irresponsible operation of the facility. When issued, the renewal Permit will allow Delphi to facilitate post-closure care of four closed surface impoundments, and will require Delphi to investigate and, if necessary, clean up any contamination from hazardous wastes or constituents that may be at the facility. Details about this draft action can be viewed on Ohio EPA's website under Stakeholders Involvement at <http://www.epa.state.oh.us/dhwm/>

When and how do I submit written comments?

Written comments and/or requests for a public meeting may be submitted anytime between August 6, 2005 and September 20, 2005. Your comments should be clear, concise, and well documented. Send your comments to Ohio EPA, Lazarus Government Center, Division of Hazardous Waste Management, Attn: Regulatory and Information Services, P.O. Box 1049, Columbus, Ohio 43216-1049, telephone number (614) 644-2977, fax number (614) 728-1245, e-mail: dhwmcomments@epa.state.oh.us If interest in a public meeting is determined significant, Ohio EPA will announce the time and location of the meeting.

Where can I review the Permit application and related material?

You can review these at one of the following locations:

Warren-Trumbull County Public Library, 444 Mahoning Avenue NW, Warren, Ohio 44087, tel; (330) 399-8807;

Ohio EPA, Northeast District Office, 2110 East Aurora Road, Twinsburg, Ohio 44087; tel; (330) 963-1200; and,

Ohio EPA, Division of Hazardous Waste Management, 122 South Front Street, Columbus, Ohio 43215, (614) 644-2917.

What will Ohio EPA do with the comments?

After carefully considering public comments, Ohio EPA will reconsider the draft renewal Permit, making any necessary changes, and issue or deny the final Permit. Ohio EPA will issue a "response to public comments," specifying any changes made to the draft Permit action. If you commented on the draft Permit action, Ohio EPA will send you copies of the "response to public comments" and the final permit decision.

PUBLIC NOTICE

**ISSUANCE OF DRAFT SOLID WASTE PERMIT TO INSTALL (PTI)
AND
NOTICE OF PUBLIC INFORMATION SESSION AND PUBLIC HEARING**

Notice is hereby given that on August 3, 2005, pursuant to OAC Rule 3745-27-02, Ohio Environmental Protection Agency (EPA) issued a draft Solid Waste Permit to Install (PTI #03-15314) to: Evergreen Recycling and Disposal Facility, Inc., 2625 East Broadway, Northwood, Ohio 43619. The permit, if approved, authorizes vertical expansion of the approved limits of waste placement at the existing Evergreen Recycling and Disposal Facility (Facility). The facility is located at the intersection of Wales Road and East Broadway in Lake Township in Wood County.

A Public Information Session / Public Hearing will be held on Monday, September 12, 2005, at 7:00 p.m. at the Northwood City Council Chambers, 6000 Wales Rd., Northwood, OH 43619. Written comments relevant to the application and the draft Solid Waste PTI will be accepted until September 20, 2005 for the Director's consideration. Comments should be sent to: Ohio EPA, Division of Solid and Infectious Waste Management Unit, P.O. Box 1049, Columbus, OH 43216-1049, Tel:(614)644-2621. The application and draft permit may be reviewed in accordance with Ohio EPA's file review procedures by contacting Ohio EPA, Northwest District Office, 347 Dunbridge Road, Bowling Green, OH 43402, Tel:(419) 352-8461.