

PUBLIC NOTICE

FINAL ISSUANCE OF EMERGENCY REGISTRATION CERTIFICATES FOR A TRANSPORTER OF INFECTIOUS WASTE

Notice is hereby given that, on January 16, 2007, the director of Ohio EPA issued (1) one emergency infectious waste transporter certificate to Stericycle, Inc., 28161 N. Keith Drive, Lake Forest, IL 60045, ID No: 00-T-00199. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614) 644-2621. This final action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth Street, Suite 222, Columbus, Ohio 43215.

Public Notice
Ohio Environmental Protection Agency
Urban Setting Designation For
Former Columbus Coated Fabrics Facilities
Columbus

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) has received, on December 15, 2006, a request to approve an Urban Setting Designation for approximately 24 acres of land located north of Fifth Avenue and east of Grant Avenue. This request was submitted by HzW Environmental Consultants, LLC on behalf of Campus Partners for Community Urban Development.

Pursuant to Ohio Administrative Code 3745-300-10(D), Ohio's Voluntary Action Program (VAP) allows for the voluntary clean-up of contaminated property in Ohio without the risk of state civil liability. Under VAP, ground water clean-up is required where contaminated ground water poses risks to the community or the environment.

A USD may be requested for the properties participating in the VAP when there is no current or anticipated future use of groundwater by local residents for drinking, showering, bathing or cooking. In these areas, an approved USD would lower the cost of clean-up and promote economic redevelopment while still protecting public health and safety.

The Ohio EPA director may approve the request for a USC based on a demonstration by the certified professional that the USD requirements are met and an evaluation of existing or future uses of ground water in the area have been assessed.

Comments regarding this request for USD must be received by the close of business on February 19th, 2007. Please direct your comments by mail to: Fred Myers, Ohio EPA, CDO, P.O. Box 1049, Columbus, Ohio 43216-1049 or by email at fred.myers@epa.state.oh.us. Telephone questions regarding this USD can be placed to Fred Myers at (614) 728-3830. The USD is available for review at the Ohio EPA Central District Office by calling (614) 728-3778 for an appointment or via the internet at www.epa.state.oh.us/cdo/documents/ColumbusCoatedFabricsUSD.pdf.

PUBLIC NOTICE
COVENANT NOT TO SUE/FINAL FINDINGS AND ORDERS
TRW Inc. and Northrup Grumman Space & Mission Systems Corporation - TRW
TAPCO Facility, "Area B"

Notice is hereby given that on January 17, 2007, the Director of the Ohio Environmental Protection Agency ("Ohio EPA"), pursuant to Ohio Revised Code ("ORC") Chapter 3746 and Ohio Administrative Code ("OAC") Chapter 3745-300, issued a Covenant Not To Sue/Final Findings and Orders to TRW Inc. and Northrup Grumman Space & Mission Systems Corporation for the property identified as the TRW TAPCO Facility, "Area B" property (the "Property").

TRW Inc. and Northrup Grumman Space & Mission Systems Corporation conducted a voluntary action of the approximately 1.61 acre-Property located at 23555 Euclid Avenue, Cleveland, Cuyahoga County, Ohio. A no further action letter was submitted on October 16, 2002 to the Voluntary Action Program of the Ohio EPA Division of Emergency and Remedial Response on behalf of TRW Inc. and Northrup Grumman Space & Mission Systems Corporation by Mr. Jeffrey DeLaet, a Certified Professional, (No. CP 257), as defined in ORC 3746.01(E) and OAC 3745-300-01(A)(8).

The issuance of the Covenant Not to Sue/Final Findings and Orders is a final action of the Director. The action may be appealed to the Environmental Review Appeals Commission ("Commission"). The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice or issuance of the action. (See ORC 3745.04 and 3745.07). A copy of the appeal must be served on the Director within three (3) days after the appeal is filed with the Commission. The appeal may be filed with the Commission at 309 South Fourth Street, Room 222, Columbus, Ohio 43215.

If you would like to review a copy of the Covenant Not To Sue/Final Findings and Orders, please contact Debi Tavizon, Records Management Officer, Ohio EPA, Division of Emergency and Remedial Response, Voluntary Action Program, P.O. Box 1049, Columbus, OH 43216-1049, or by telephone at (614) 644-2924.

PUBLIC NOTICE

**OHIO EPA ISSUES DRAFT CLASS 3 HAZARDOUS WASTE PERMIT
MODIFICATION TO
VON ROLL AMERICA, INC.**

On January 18, 2007, Ohio EPA issued a draft class 3 Hazardous Waste Facility Installation and Operation Permit (Permit) Modification to Von Roll America, Inc., for its facility at 1250 St. George Street, East Liverpool, Ohio 43920. The EPA Identification Number for this facility is OHD980613541.

Why is Von Roll America, Inc., Modifying its Permit?

Von Roll America, Inc., operates a commercial hazardous waste incinerator with associated waste management activities. Von Roll wishes to modify the language in its Permit and Part B permit application to allow Von Roll to manage infectious waste that is also hazardous waste. This is referred to as mixed infectious and hazardous waste (MIHW). The draft class 3 Permit modification contains the conditions under which the facility must operate if the Permit receives final approval. To issue this draft class 3 Permit modification, Ohio EPA determined that the Permit application is complete and meets appropriate standards and that the applicant has a history of compliance with relevant environmental laws. If issued, the Permit modification will allow Von Roll America, Inc., to make the requested changes.

How can I tell Ohio EPA what I think about this draft Permit Modification ?

You can attend the public meeting and present your comments in person or submit written comments that are clear, concise, and well documented. Or, you are welcome to do both. Everyone who wants to comment at the public meeting will be allowed to speak. You should limit your presentation to five minutes and, if possible, submit a written copy of your comments to Ohio EPA at the meeting.

When and where will Ohio EPA hold a public meeting?

Ohio EPA will hold a public meeting on Wednesday, February 21, 2007, at 7:00 p.m. It will be at the North Elementary School Gymnasium, 100 Main Boulevard, East Liverpool, Ohio 43920, tel.: (330) 385-7132.

When and how do I submit written comments?

You can submit written comments anytime between January 19, 2007 and March 5, 2007. Send your comments to Ohio EPA, Lazarus Government Center, Division of Hazardous Waste Management, Attn: Regulatory and Information Services , 50 West Town Street, Suite 700, P.O. Box 1049, Columbus, Ohio 43216-1049, telephone number (614) 644-2977, fax number (614) 728-1245, e-mail: dhwmcomments@epa.state.oh.us.

Where can I review the Permit Application and draft Permit Modification?

You can review these at one of the following locations:

Carnegie Public Library, 219 East Fourth Street, East Liverpool, Ohio 43920, (330) 385-2048;

Ohio EPA - Northeast District Office, 2110 Aurora Road, Twinsburg, Ohio 44087, (330) 963-1200, and;

Ohio EPA, Division of Hazardous Waste Management, 50 West Town Street, Suite 700, Columbus, Ohio 43215, (614) 644-2917.

What will Ohio EPA do with the comments?

After carefully considering public comments, Ohio EPA will reconsider the draft class 3 Permit modification, making any necessary changes, and issue or deny the final Permit modification. Ohio EPA will issue a "response to public comments," specifying any changes made to the draft Permit modification. If you commented on the draft Permit modification, Ohio EPA will send you copies of the "response to public comments" and the final permit decision.

PUBLIC NOTICE

**OHIO EPA ISSUES FINAL FINDINGS AND ORDERS TO
ORBIT INDUSTRIES, INC.**

On January 12, 2007, Ohio EPA issued final Findings and Orders to Orbit Industries, Inc. for its facility located at 6840 Lake Abram Drive, Middleburg Heights, Ohio 44130. This facility is a small quantity generator of hazardous waste. The EPA I.D. number for this facility is OHR000102475.

Orbit Industries, Inc. must achieve compliance with Chapter 3734 of the Ohio Revised Code and all corresponding regulations according to the detailed compliance schedule which outlines civil penalties and payments. This final action was not preceded by a proposed action and is appealable to the Environmental Review Appeals Commission.

Date of Public Notice: January 15, 2007

**PUBLIC NOTICE
NOTICE OF RECEIPT OF 401 APPLICATION AND PUBLIC HEARING**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 certification for the rehabilitation and extension of an existing shore-perpendicular stone groin to produce a stone T-groin. The application was submitted by Leonard A. Davidson, 11011 West Lake Road, Vermilion, Ohio 44089 and James V. DeMaria, 882 Cleveland Street, Elyria, Ohio 44035. The project is located at 11011 and 11007 West Lake Road, Vermilion, Ohio, 44089. The Buffalo District of the U.S. Army Corps of Engineers Public Notice Number for this application is 2006-00469(0). The Ohio EPA ID Number for this project is 062632.

As required by the Antidegradation Rule, three alternatives have been submitted for the project. The applicant's proposed preferred alternative, if approved, would result in a total of 572 cubic yards of armor stone, and 47 cubic yards of bedding stone to be placed below the plane of ordinary high water (OHW - 573.4 feet IGLD 1985) and above existing grade along approximately 195 linear feet of groin crest. The proposed project will occupy a total of 6350± square feet of lands presently lying below the plane of OHW.

The applicant's proposed minimal degradation alternative, if approved, would result in a total of 545 cubic yards of armor stone and 45 cubic yards of bedding stone to be placed below the plane of ordinary high water (OHW - 573.4 feet IGLD 1985) and above existing grade along approximately 195 linear feet of groin crest. The proposed project will occupy a total of 6000± square feet of lands presently lying below the plane of OHW.

The applicant's proposed non-degradation alternative, if approved, is the elimination of the project and would have no direct impacts on Lake Erie.

The discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of Lake Erie. The review of the application will be conducted, and a decision whether to grant or deny the application will be made, in accordance with Chapters 3745-1 and 3745-32 of the Ohio Administrative Code (OAC). In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality. Other alternatives resulting in lesser or no degradation or lowering of water quality, will be considered by Ohio EPA during the review process.

No exclusions or waivers, as outlined by Paragraph 3745-1-05 (D) of the Antidegradation Rule (effective as of May 1, 1998), apply or may be granted by the Director of Ohio EPA.

Starting January 15, 2007, copies of the application for the certification and technical support information may be inspected at Ohio EPA-DSW, 50 West Town Street, Suite 700, Columbus, Ohio 43216-1049 by first calling (614) 644-2001. Applications can be made available at the Ohio EPA District Offices by calling the same number.

Ohio EPA will hold a public information session and public hearing relative to issues of lower water quality on March 1, 2007 at 6:30 p.m. at the Ritter Room in the Ritter Library, 5680 Liberty Avenue, Vermilion, Ohio. The public hearing will end when all interested parties have had an opportunity to provide testimony related to the projects.

All interested parties are entitled to attend or be represented and give written or oral comments on the proposed project. The purpose of the hearing is to obtain additional information that will be considered by the Director of Ohio EPA prior to any further action on the application.

Ohio EPA will continue to accept written comments on the application through the close of business on March 8, 2007. Comments received after this date may not be considered as part of the official record of the hearing. Anyone may submit written comments or request to be placed on a mailing list for information by writing to: Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049.

Date of Public Notice: January 15, 2007

**PUBLIC NOTICE
NOTICE OF RECEIPT OF 401 APPLICATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 certification for a project to be known as RiverWalk, an assisted living/nursing facility. The application was submitted by Superior Marine Ways. The project is located north of State Route 7 and west of State Route 775 in Proctorville, Ohio. The Huntington, WV District Corps of Engineers Public Notice Number for this project is 200401428. The Ohio EPA ID Number for this project is 062713.

As required by the Antidegradation Rule, three alternatives have been submitted for the project. The applicant's proposed preferred alternative, if approved, would impact 3.3 acres of Category II wetlands at the site to allow for construction of the assisted living/nursing facility. The applicant's proposed minimal degradation alternative, if approved, would impact 2.9 acres of Category II wetland. The applicant's proposed non-degradation alternative, if approved, would have no direct impacts on waters of the state.

The discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of the subject wetland areas. The review of the application will be conducted, and a decision whether to grant or deny the application will be made, in accordance with Chapters 3745-1 and 3745-32 of the Ohio Administrative Code (OAC). In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality. Other alternatives resulting in lesser or no degradation, or lowering of water quality, will be considered by Ohio EPA during the review process. Mitigation of the wetland impacts will be made adjacent to the west of the project site at a 2:1 ratio (6.6 acres of created wetland).

No exclusions or waivers, as outlined by 3745-1-05 of the Antidegradation Rule apply or may be granted by the Director of Ohio EPA.

Starting January 15, 2007, copies of the application for the certification and technical support information may be inspected at Ohio EPA/DSW, Lazarus Government Center, 50 West Town Street, Suite 700, Columbus, Ohio, by first calling (614) 644-2001. Applications can be made available at Ohio EPA District Offices by calling the same number.

Written comments must be received by the Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio, 43216-1049 by the close of business on

February 14, 2007. Comments received after this date may not be considered as part of the official record.

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2) request a public hearing, or 3) submit written comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA/DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 within 30 days of the date of this public notice.

Date of Public Notice: January 15, 2007

**PUBLIC NOTICE
NOTICE OF PUBLIC HEARING ON 401 APPLICATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 water quality certification for a project to construct and operate a 600-MW Integrated Gasification Combined Cycle (IGCC) power plant. The application was submitted by Columbus Southern Power Company and Ohio Power Company. The project is located at the intersection of U.S. Route 33 and Meigs County Route 338, adjacent to the Ohio River at River Miles 222-224. The Huntington District Corps of Engineers Public Notice Number for this project is 200500016. The Ohio EPA ID Number for this project is 062643.

As required by the Antidegradation Rule, rule 3745-1-05 of the Ohio Administrative Code (OAC), three alternatives have been submitted for the project. The applicant's proposed preferred alternative, if approved, would remove up to 360,000 cubic yards of material from the Ohio River bank, fill 0.55 acre of wetland, and fill 7,926 linear feet of intermittent streams. The applicant's proposed minimal degradation alternative, if approved, would remove up to 360,000 cubic yards of material from the Ohio River bank. The applicant's proposed non-degradation alternative, if approved, would have no direct impacts on waters of the state.

Discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of the Ohio River and an unnamed intermittent tributary of the Ohio River. Ohio EPA will review the application, and decide whether to grant or deny the application, in accordance with OAC Chapters 3745-1 and 3745-32. In accordance with OAC rule 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of water quality. All three proposed alternatives will be considered during the review process. No exclusions or waivers, as outlined by OAC rule 3745-1-05, apply or may be granted.

Copies of the application and technical support information may be inspected at Ohio EPA-DSW, Lazarus Government Center, 50 West Town Street, Suite 700, Columbus, Ohio, by first calling (614) 644-2001. Copies of the application and technical support information can be made available upon request at Ohio EPA District Offices by calling the same number.

Ohio EPA will hold a public information session and public hearing relative to issues of lower water quality on March 6, 2007, at 6:30 p.m. at Meigs High School Cafeteria, 42091

Pomeroy Pike, Pomeroy, Ohio 45769. The public hearing will end when all interested parties have had an opportunity to provide testimony related to the project.

All interested persons are entitled to attend or be represented and give written or oral comments on the proposed project. The purpose of the hearing is to obtain additional information that will be considered by Ohio EPA prior to any further action on the application.

Ohio EPA will continue to accept written comments on the application through the close of business on March 13, 2007. Comments received after this date may not be considered as part of the official record of the hearing. Anyone may submit written comments or requests to be placed on a mailing list for information by writing to: Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049.

Date of Public Notice: January 23, 2007

**PUBLIC NOTICE
NOTICE OF PUBLIC HEARING ON 401 APPLICATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 certification for the construction of a medically based health and wellness center developed in partnership with Summa Health Care. The application was submitted by Golden Pond LLC, 3321 Kensington Drive, Avon, OH 44011. The project is located at the southwest intersection of Sunnybrook Road and SR 261, in the city of Kent. The Buffalo District Corps of Engineers Public Notice Number for this project is 2004-01563(3). The Ohio EPA ID Number for this project is 062995.

As required by the Antidegradation Rule, three alternatives have been submitted for the project. The applicant's proposed preferred alternative, if approved, would result in impacts to 0.787 acres of wetlands and 335.49 linear feet of stream. The applicant's proposed minimal degradation alternative, if approved, would impact 0.549 acres of wetland and 354.25 linear feet of stream. The applicant's proposed non-degradation alternative, if approved, would have no direct impacts on water of the state.

The discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of in the Plum Creek watershed, within the Cuyahoga River watershed (04110002). The review of the application will be conducted, and a decision whether to grant or deny the application will be made, in accordance with Chapters 3745-1 and 3745-32 of the Ohio Administrative Code (OAC). In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality. Other alternatives resulting in lesser or no degradation, or lowering of water quality, will be considered by Ohio EPA during the review process.

No exclusions or waivers, as outlined by 3745-1-05 of the Antidegradation Rule apply or may be granted by the Director of Ohio EPA.

Starting January 23, 2007 copies of the application for the certification and technical support information may be inspected at Ohio EPA/DSW, P.O. Box 1049, Columbus, Ohio, 43216-1049 by first calling (614) 644-2001. Applications can be made available at Ohio EPA District Offices by calling the same number.

Ohio EPA will hold a public information session and public hearing relative to issues of

lower water quality on March 8, 2007 at 6:30 p.m. at Kent City Council Chambers, 325 Depeyster Street, Kent, Ohio. The public hearing will end when all interested parties have had an opportunity to provide testimony related to the projects.

All interested persons are entitled to attend or be represented and give written or oral comments on the proposed project. The purpose of the hearing is to obtain additional information that will be considered by the Director of Ohio EPA prior to any further action on the application. Written comments must be received by the Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio, 43216-1049 by the close of business on March 15, 2007. Comments received after this date may not be considered as part of the official record of the hearing.

Persons wishing to be on the Ohio EPAÆs interested parties mailing list for this project, or wish to submit written comments for Ohio EPAÆs consideration in reviewing the application should do so in writing to Ohio EPA/DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 by the close of business on March 15, 2007.

PUBLIC NOTICE

OHIO EPA RECEIVES NEW HAZARDOUS WASTE CLOSURE PLAN

On January 9, 2007, Ohio EPA received a new hazardous waste closure plan from the City of Mansfield, f.k.a. Ohio Brass Company-Building # 55, for its container storage units located at 380 North Main Street, Mansfield, Ohio 44902. The EPA Identification Number for this facility is OHD004159083.

Why is the City of Mansfield submitting this New Closure Plan?

At the request of Ohio EPA, the City of Mansfield submitted this new closure plan. This new closure plan describes temporary hazardous waste management units to be closed which were constructed on a concrete floor free of cracks, seams and floor drains. The plan also provides a detailed list of waste stored, a closure schedule; air emissions; personnel health & safety; decontamination efforts; and financial assurance requirements.

When and how do I submit written comments about this New Closure Plan?

You can submit written comments anytime between January 19 and February 20, 2007. Send your comments to: Ohio EPA, Division of Hazardous Waste Management, Attn: Regulatory and Information Services, P.O. Box 1049, Columbus, Ohio 43216, telephone number (614) 644-2977, fax number (614) 728-1245, e-mail address: dhwmcomments@epa.state.oh.us.

Where can I review the New Closure Plan?

You can review the New Closure Plan at the following locations:

Ohio EPA, Northwest District Office, 347 North Dunbridge Road, Bowling Green, Ohio 43402, tel: (419) 352-8461; and,

Ohio EPA, Division of Hazardous Waste Management, 50 West Town Street, Suite 700, Columbus, Ohio 43215, (614) 644-2977.