

PUBLIC NOTICE

FINAL ISSUANCE OF AN AMENDED CERTIFICATE OF REGISTRATION AS A TRANSPORTER OF INFECTIOUS WASTE

Notice is hereby given that on March 15, 2007, the director of Ohio EPA issued an amended infectious waste transporter certificate to Commodore Medical Services of Ohio LP, 1941 Cement Plant Rd, Nashville, TN 37208, Reg. No. 00-T-00259. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614) 644-2621. This final action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth Street, Suite 222, Columbus, Ohio 43215.

**PUBLIC NOTICE
OHIO ENVIRONMENTAL PROTECTION AGENCY
INITIAL CERTIFICATION OF ENVIRONMENTAL PROFESSIONAL
UNDER OHIO'S VOLUNTARY ACTION PROGRAM**

Notice is hereby given that on March 20, 2007, the Director of the Ohio Environmental Protection Agency, pursuant to Ohio Revised Code ("ORC") 3746.04(B)(5) and Ohio Administrative Code ("OAC") 3745-300-05, issued an initial "certified professional" certification to: **Mr. Stephen J. Sebesta, CP308**. The issuance of the certification is a final action of the Director and will be public noticed in accordance with OAC 3745-47-07. The action may be appealed to the Environmental Review Appeals Commission ("Commission"). The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice or issuance of the action. See ORC 3745.04 and 3745.07. A copy of the appeal must be served on the Director within three (3) days after the appeal is filed with the Commission. The appeal may be filed with the Commission at 309 South Fourth Street, Room 222, Columbus, OH 43215.

If you would like to review a copy of the certificate, or any documents related to the certification, please contact Debi Tavizon, Records Management Officer, at Ohio EPA, Division of Emergency and Remedial Response, Voluntary Action Program, P.O. Box 1049, Columbus, OH 43216-1049, or by telephone at (614) 644-2924.

**PUBLIC NOTICE
URBAN SETTING DESIGNATION FOR
THE FORMER LANDOLL FACILITY, CITY OF ASHLAND,
ASHLAND COUNTY, OHIO**

Notice is hereby given that on March 22, 2007, the Director of the Ohio Environmental Protection Agency ("Ohio EPA"), pursuant to Ohio Revised Code ("ORC") Chapter 3746 and Ohio Administrative Code ("OAC") Chapter 3745-300, approved an Urban Setting Designation for property identified as 5.6 acres of land located at 825 Orange Street, in the City of Ashland, Ashland County, Ohio.

Steven M. Gross, a Certified Professional, as defined in ORC 3746.01(E) and OAC 3745-300-01(A)(8), submitted the Urban Setting Designation request, dated December 13, 2005, to the Voluntary Action Program of the Ohio EPA, Division of Emergency and Remedial Response, pursuant to OAC 3745-300-10(D).

An Urban Setting Designation ("USD") authorizes the use of an alternative standard for ground water remediation based upon the urban nature of the area, the availability and widespread use of public drinking water supplies, and the lack of use of ground water in the area for potable purposes. This alternative standard for ground water remediation is applicable only to the property located within the boundary of an approved USD. The issuance of the USD is not a final action of the Director or subject to appeal. Reliance on the USD is only appropriate when a Certified Professional has timely verified in accordance with OAC 3745-300-10(D)(3) that the USD remains protective of the potable use pathway for the property that is the subject of a no further action letter.

If you would like to review a copy of the approved Urban Setting Designation for the Former Landoll Facility, please contact Debi Tavizon, Records Management Officer, Ohio EPA, Division of Emergency and Remedial Response, Voluntary Action Program, P.O. Box 1049, Columbus, OH 43216-1049, or by telephone at (614) 644-2924.

**PUBLIC NOTICE
URBAN SETTING DESIGNATION FOR
THE FORMER COLUMBUS COATED FABRICS FACILITY
AND ADJACENT PROPERTIES,
COLUMBUS, FRANKLIN COUNTY, OHIO**

Notice is hereby given that on March 22, 2007, the Director of the Ohio Environmental Protection Agency ("Ohio EPA"), pursuant to Ohio Revised Code ("ORC") Chapter 3746 and Ohio Administrative Code ("OAC") Chapter 3745-300, approved an Urban Setting Designation for property identified as 24.27 acres of land consisting of 13 parcels located on North Grant Avenue, in the city of Columbus, Franklin County, Ohio.

Matthew D. Knecht, a Certified Professional, as defined in ORC 3746.01(E) and OAC 3745-300-01(A)(8), submitted the Urban Setting Designation request, dated December 15, 2006, to the Voluntary Action Program of the Ohio EPA, Division of Emergency and Remedial Response, pursuant to OAC 3745-300-10(D).

An Urban Setting Designation ("USD") authorizes the use of an alternative standard for ground water remediation based upon the urban nature of the area, the availability and widespread use of public drinking water supplies, and the lack of use of ground water in the area for potable purposes. This alternative standard for ground water remediation is applicable only to the property located within the boundary of an approved USD. The issuance of the USD is not a final action of the Director or subject to appeal. Reliance on the USD is only appropriate when a Certified Professional has timely verified in accordance with OAC 3745-300-10(D)(3) that the USD remains protective of the potable use pathway for the property that is the subject of a no further action letter.

If you would like to review a copy of the approved Urban Setting Designation for the Former Columbus Coated Fabrics facility and adjacent properties, please contact Debi Tavizon, Records Management Officer, Ohio EPA, Division of Emergency and Remedial Response, Voluntary Action Program, P.O. Box 1049, Columbus, OH 43216-1049, or by telephone at (614) 644-2924.

**PUBLIC NOTICE
AMENDMENTS TO THE PROJECT PRIORITY LIST
OF THE WATER POLLUTION CONTROL LOAN FUND**

The Director of the Ohio Environmental Protection Agency is providing notice of the addition of the following assistance proposals as amendments to the Water Pollution Control Loan Fund (WPCLF) Project Priority List and Intended Projects List:

1. Gettysburg: Construction of Sanitary Sewer System - CS392772-02; estimated loan amount is \$2.2 million
2. Mercer County: Construction of West Jefferson Sewer System - CS392773-03; estimated loan amount is \$1.0 million

The Director of the Ohio Environmental Protection Agency is also providing notice of the addition of the following assistance proposal as an amendment to the Water Pollution Control Loan Fund (WPCLF) Intended Projects List:

1. Mount Orab: Construction of Pump Station Improvements/Phase 1 - CS391505-03; estimated loan amount is \$1.7 million

The addition of these activities to the Intended Projects List will not affect the potential for the WPCLF to provide assistance to other activities currently designated as Fundable on the WPCLF Intended Projects list during the current program year.

You are hereby notified that this action of the Director is final and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00 which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address: Environmental Review Appeals Commission, 309 South Fourth Street, Room 222, Columbus, OH 43215.

Additional information regarding these proposals can be obtained by contacting David Reiff at (614) 644-2798, or at this address: Ohio Environmental Protection Agency, Division of Environmental and Financial Assistance, 122 South Front Street, P. O. Box 1049, Columbus, OH 43216-1049.

Date of Public Notice: March 12, 2007

**PUBLIC NOTICE
NOTICE OF RECEIPT OF 401 APPLICATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 certification for a project that involves construction of an aboveground reservoir and associated supply pipeline and pump station for community use. The application was submitted by The City of Lima, 50 Town Square, Lima, Ohio 45801. The project is located at the northeast quadrant of the intersection of Agerter and Grubb Road in Amanda Township, Allen County, Ohio. The Buffalo District Corps of Engineers Public Notice Number for this project is 2006-308-4. The Ohio EPA ID Number for this project is 063003.

As required by the Antidegradation Rule, three alternatives have been submitted for the project. The applicant's proposed preferred alternative, if approved, would impact 11.98 acres of Category 2 wetlands, 1,189 linear feet of intermittent streams, and 100 linear feet of a perennial stream. The applicant's proposed minimal degradation alternative, if approved, would impact 11.98 acres of Category 2 wetlands, 50 linear feet of an intermittent stream, and 100 linear feet of a perennial stream. The applicant's proposed non-degradation alternative, if approved, would have no direct impacts on streams or wetlands.

The discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of an unnamed tributary of Honey Run. The review of the application will be conducted, and a decision whether to grant or deny the application will be made, in accordance with Chapters 3745-1 and 3745-32 of the Ohio Administrative Code (OAC). In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality. Other alternatives resulting in lesser or no degradation, or lowering of water quality, will be considered by Ohio EPA during the review process. No exclusions or waivers, as outlined by Paragraph 3745-1-05 (D) of the Antidegradation Rule apply or may be granted by the Director of Ohio EPA.

Starting March 12, 2007, copies of the application for the certification and technical support information may be inspected at Ohio EPA/DSW, Lazarus Government Center, 50 W. Town Street, Columbus, Ohio, by first calling (614) 644-2001. Applications can be made available at Ohio EPA District Offices by calling the same number.

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2)

request a public hearing, or 3) submit written comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA/DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 within 30 days of the date of this public notice.

Date of Public Notice: March 20, 2007

**PUBLIC NOTICE
NOTICE OF RECEIPT OF 401 & ISOLATED WETLAND PERMIT APPLICATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 water quality certification and an Isolated Wetland permit for a project to construct Loop Road and Associated Parking Lots. The application was submitted by the Columbus Regional Airport Authority, 4600 International Gateway, Columbus, Ohio 43219. The project is located at the Port Columbus International Airport in Columbus, Franklin County, Ohio. The Huntington District Corps of Engineers Public Notice Number for this project is 2006-2164-2. The Ohio EPA ID Numbers for this project are 073082 and 073083.

As required by the Antidegradation Rule, rule 3745-1-05 of the Ohio Administrative Code (OAC), three alternatives have been submitted for the project. The applicant's proposed first alternative, if approved, would potentially impact 7.6 acres of wetlands. The applicant's proposed minimal degradation alternative would impact 0.34 acres of wetlands. The applicant's proposed non-degradation alternative would have no direct impacts on waters of the state.

In addition, the applicant seeks approval to impact 0.08 acres of isolated wetlands to construct the 17th Avenue North Parking Lot. The applicant seeks to have both applications reviewed concurrently.

Discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of a tributary of Turkey Run, which is a tributary of Big Walnut Creek. Ohio EPA will review the application, and decide whether to grant or deny the application, in accordance with OAC Chapters 3745-1 and 3745-32. In accordance with OAC rule 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of water quality. All three proposed alternatives will be considered during the review process. No exclusions or waivers, as outlined by OAC rule 3745-1-05, apply or may be granted.

Starting March 20, 2007, copies of the application and technical support information may be inspected at Ohio EPA-DSW, Lazarus Government Center, 50 West Town Street, Suite 700, Columbus, Ohio, by first calling (614) 644-2001. Copies of the application and technical support information can be made available upon request at Ohio EPA District Offices by calling the same number.

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2)

request a public hearing, or 3) submit written comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 within thirty days of the date of this public notice.

Date of Public Notice: March 20, 2007

**PUBLIC NOTICE
NOTICE OF RECEIPT OF APPLICATION AND PUBLIC HEARING
ANTIDEGRADATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA)-Division of Surface Water (DSW) has received an application for the modification of a National Pollutant Discharge Elimination System (NPDES) permit (1IH00026) for the discharge from the J.M. Smucker Crisco Plant stand-alone water reclamation center to provide treatment for process water. Public notice is also given that Ohio EPA-DSW has received an application for Permit to Install (PTI) (604297) for the construction of the proposed reclamation center. The NPDES and PTI applications were submitted by J.M. Smucker LLC, 5402 Spring Grove Avenue, Cincinnati, Ohio 45217.

The proposed water reclamation facility would remove existing flow from a combined sewer and discharge it directly to waters of the State. The water reclamation facility is proposed to be located at 5204 Spring Grove Avenue, St. Bernard Township, Hamilton County, Ohio. The proposed discharges are to Mill Creek

Other wastewater disposal alternatives resulting in lesser or no degradation or lowering of water quality will be considered by Ohio EPA.

The discharges from this facility, if approved, would result in degradation to, or lowering of, the water quality of the unnamed tributary to Mill Creek. However, the chemical-specific water quality criteria developed to protect aquatic life and human health, set forth in OAC 3745-1, will not be exceeded. In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality.

Copies of the pending NPDES and PTI applications are available for review at Ohio EPA's Southwest District Office, 401 East Fifth Street, Dayton Ohio 43138, (937) 285-6357. An Ohio EPA public hearing on the proposed project has been scheduled for 7:00 P.M. on Wednesday, May 30, 2007, at the St. Bernard City Hall chambers, 110 Washington Avenue, St. Bernard, OH 45217. The public hearing will end when everyone in attendance has had an opportunity to provide testimony related to the project.

All interested persons are entitled to attend or be represented and give written or oral comments on the project. The purpose of the hearing is to obtain additional information that will be considered by the director of Ohio EPA prior to any further action on the

applications. Persons wishing to 1) be on the Ohio EPA's interested parties mailing list for this project, or 2) submit comments for Ohio EPA's consideration must do so in writing to Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 by close of business on June 6, 2007. Comments received after this date may not be considered as part of the official record.

Date of Public Notice: March 21, 2007

**PUBLIC NOTICE
NOTICE OF RECEIPT OF 401 APPLICATION AND PUBLIC HEARING**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, an After-the-Fact Clean Water Act Section 401 water quality certification for a project to construct a commercial development with buildings, associated parking lots, and access roads on an approximately 133-acre property. Approximately 5.66 acres has been impacted by land clearing activities on site. The application was submitted by Warner Farms, LLC, 10039 Hollow Road, Pataskala, Ohio 43062. The project is located at the south east quadrant of Interstate 70 and State Route 310 in Etna Township, Licking County, Ohio. The Huntington District Corps of Engineers Public Notice Number for this project is 200600845. The Ohio EPA ID Number for this project is 073084.

As required by the Antidegradation Rule, rule 3745-1-05 of the Ohio Administrative Code (OAC), three alternatives have been submitted for the project. The applicant's proposed preferred alternative, if approved, would impact 5.66 acres of wetlands to construct 31 buildings, associated parking lots and access roads. The applicant's proposed minimal degradation alternative, if approved, would impact 0.86 acres of wetlands to construct 27 buildings, associated parking lots, and access roads. The applicant's proposed non-degradation alternative, if approved, would have no direct impacts on waters of the state.

Discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of Licking River and Walnut Creek. Ohio EPA will review the application, and decide whether to grant or deny the application, in accordance with OAC Chapters 3745-1 and 3745-32. In accordance with OAC rule 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of water quality. All three proposed alternatives will be considered during the review process. No exclusions or waivers, as outlined by OAC rule 3745-1-05, apply or may be granted.

Starting March 21, 2007 copies of the application and technical support information may be inspected at Ohio EPA-DSW, Lazarus Government Center, 50 West Town Street, Suite 700, Columbus, Ohio, by first calling (614) 644-2001. Copies of the application and technical support information can be made available upon request at Ohio EPA District Offices by calling the same number.

Ohio EPA will hold a public information session and public hearing relative to issues of lower water quality on May 9, 2007 at 6:30 p.m. at Etna Elementary School, 8500 Columbia Road, Etna, Ohio. The public hearing will end when all interested parties have had an

opportunity to provide testimony related to the project.

All interested persons are entitled to attend or be represented and give written or oral comments on the proposed project. The purpose of the hearing is to obtain additional information that will be considered by Ohio EPA prior to any further action on the application.

Ohio EPA will continue to accept written comments on the application through the close of business on May 16, 2007. Comments received after this date may not be considered as part of the official record of the hearing. Anyone may submit written comments or requests to be placed on a mailing list for information by writing to: Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049.

Date of Public Notice: March 22, 2007

**PUBLIC NOTICE
NOTICE OF RECEIPT OF 401 APPLICATION AND PUBLIC HEARING**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 certification for a project to construct a concrete seawall, cap and rear retaining splash wall. The application was submitted by the City of Sheffield Lake, 609 Harris Road, Sheffield Lake, OH 44054. The project is located 1000 feet west of the intersection of Harris and Lake Roads, Sheffield Lake, Lorain County, Ohio. The Buffalo District of the U.S. Army Corps of Engineers intends to authorize construction via Nationwide Permit #13. The Ohio EPA ID Number for this project is 073061.

As required by the Antidegradation Rule, three alternatives have been submitted for the project. The applicant's proposed preferred alternative, if approved, would impact 4,650 square feet of Lake Erie requiring approximately 188 cubic yards of fill. The applicant's proposed minimal degradation alternative, if approved, would impact 4,320 square feet of Lake Erie requiring approximately 140 cubic yards of fill. The applicant's proposed non-degradation alternative, if approved, would have no direct impacts on streams or wetlands.

The discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of Lake Erie. The review of the application will be conducted, and a decision whether to grant or deny the application will be made, in accordance with Chapters 3745-1 and 3745-32 of the Ohio Administrative Code (OAC). In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality. Other alternatives resulting in lesser or no degradation or lowering of water quality, will be considered by Ohio EPA during the review process.

No exclusions or waivers, as outlined by Paragraph 3745-1-05 (D) of the Antidegradation Rule (effective as of May 1, 1998), apply or may be granted by the Director of Ohio EPA.

Beginning March 22, 2007, copies of the application for the certification and technical support information may be inspected at Ohio EPA-DSW, 50 West Town Street, Suite 700, Columbus, Ohio 43216-1049 by first calling (614) 644-2001. Applications can be made available at the Ohio EPA Northeast District Office by calling the same number.

Ohio EPA will hold a public information session and public hearing relative to issues of

lower water quality on May 10, 2007 at 5:00 p.m. at the Lorain Main Library, Meeting Room C, 351 Sixth Street, Lorain Ohio, 44052. The public hearing will end when all interested parties have had an opportunity to provide testimony related to the projects.

All interested persons are entitled to attend or be represented and give written or oral comments on the proposed project. The purpose of the hearing is to obtain additional information that will be considered by the Director of Ohio EPA prior to any further action on the application. Written comments must be received by the Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio, 43216-1049 by the close of business on May 17, 2007. Comments received after this date may not be considered as part of the official record of the hearing.

Persons wishing to be on Ohio EPA's interested parties mailing list for this project, or wish to submit comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 by the close of business on May 17, 2007.