

PUBLIC NOTICE

PIWS 3000 Medical Waste Treatment System OAC 3745-27-38 Approval

Notice is hereby given that on April 9, 2008, the director of Ohio EPA, pursuant to OAC Rule 3745-27-38, granted a statewide approval of the PIWS Medical Waste Treatment System as an alternative method for treatment of infectious waste, provided each statewide installation conforms with all specified conditions. The request was submitted by Medical Waste Recovery, Inc., 2069 Fletcher Avenue, Fort Lee, NJ 07024. This approval is subject to all rules, regulations, and specified conditions. This final action was not preceded by a proposed action and is appealable to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Directors action. The appeal must be accompanied by a filing fee of \$70.00 which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed at the following address: 309 South Fourth Street, Room 222, Columbus, Ohio 43215. Person's wishing to be on Ohio EPA's interested parties mailing list for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, Tel: (614) 644-2621.

PUBLIC NOTICE
Urban Setting Designation for
the Universal Tubular Systems, Inc., City of Ontario,
Richland County, Ohio

Notice is hereby given that on April 4, 2008, the Director of the Ohio Environmental Protection Agency ("Ohio EPA"), pursuant to Ohio Revised Code ("ORC") Chapter 3746 and Ohio Administrative Code ("OAC") Chapter 3745-300, approved an Urban Setting Designation for property identified as 6.9 acres of land located at 525 Beer Road, in the City of Ontario, Ohio.

Steven M. Gross, a Certified Professional, as defined in ORC 3746.01(E) and OAC 3745-300-01(A)(8), submitted the Urban Setting Designation request, dated December 17, 2007, to the Voluntary Action Program of the Ohio EPA, Division of Emergency and Remedial Response, pursuant to OAC 3745-300-10(D).

An Urban Setting Designation ("USD") authorizes the use of an alternative standard for ground water remediation based upon the urban nature of the area, the availability and widespread use of public drinking water supplies and the lack of use of ground water in the area for potable purposes. This alternative standard for ground water remediation is applicable only to the property located within the boundary of an approved USD. The issuance of the USD is not a final action of the Director or subject to appeal. Reliance on the USD is only appropriate when a Certified Professional has timely verified in accordance with OAC 3745-300-10(D)(3) that the USD remains protective of the potable use pathway for the property that is the subject of a no further action letter.

If you would like to review a copy of the approved Urban Setting Designation for the Universal Tubular Systems, Inc., please contact Debi Tavizon, Records Management Officer, Ohio EPA, Division of Emergency and Remedial Response, Voluntary Action Program, P.O. Box 1049, Columbus, OH 43216-1049, or by telephone at (614) 644-2924.

PUBLIC NOTICE
OHIO ENVIRONMENTAL PROTECTION AGENCY
MODIFICATION OF LABORATORY CERTIFICATION UNDER OHIO'S
VOLUNTARY ACTION PROGRAM

Notice is hereby given that on April 7, 2008 , the Director of the Ohio Environmental Protection Agency ("Ohio EPA"), pursuant to Ohio Revised Code ("ORC") 3746.04(B)(6) and Ohio Administrative Code ("OAC") 3745-300-04, issued a modified laboratory certificate to TestAmerica Laboratories, Inc. ("TestAmerica") of 3601 South Dixie Drive, Kettering, Ohio granting the laboratory's request to modify its certification under Ohio's Voluntary Action Program to include the analysis of soil gas and air by method 7471A. The certification number assigned to TestAmerica remains CL0018.

You are hereby notified that this action of the Director is final and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after the notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00 which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
309 South Fourth Street, Room 222
Columbus, Ohio 43215

If you would like to review a copy of the certificate, or any documents related to the laboratory's certification, please contact Ohio EPA, Division of Emergency and Remedial Response, Voluntary Action Program, P.O. Box 1049, Columbus, OH 43216-1049, or by telephone at (614) 644-2924.

**PUBLIC NOTICE
OHIO ENVIRONMENTAL PROTECTION AGENCY
RENEWAL OF LABORATORY CERTIFICATION UNDER OHIO'S VOLUNTARY
ACTION PROGRAM**

Notice is hereby given that on April 7 2008 , the Director of the Ohio Environmental Protection Agency ("Ohio EPA"), pursuant to Ohio Revised Code ("ORC") 3746.04(B)(6) and Ohio Administrative Code ("OAC") 3745-300-04, issued a renewal of laboratory certification to Compuchem, a Division of Liberty Analytical Corporation, or 501 Madison Avenue, Cary, North Carolina. The certification number remains CL0060.

You are hereby notified that this action of the Director is final and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after the notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00 which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
309 South Fourth Street, Room 222
Columbus, Ohio 43215

If you would like to review a copy of the certificate, or any documents related to the laboratory's certification, please contact Ohio EPA, Division of Emergency and Remedial Response, Voluntary Action Program, P.O. Box 1049, Columbus, OH 43216-1049, or by telephone at (614) 644-2924.

**PUBLIC NOTICE
OHIO ENVIRONMENTAL PROTECTION AGENCY
RENEWAL OF CERTIFIED PROFESSIONAL CERTIFICATIONS UNDER OHIO'S
VOLUNTARY ACTION PROGRAM**

Notice is hereby given that on April 10, 2008, the Director of the Ohio Environmental Protection Agency, pursuant to Ohio Revised Code ("ORC") 3746.04(B)(5) and Ohio Administrative Code ("OAC") 3745-300-05, issued a renewal of certification to the following Certified Professionals: **John P. Pierko, CP186, Christina G. Pollock, CP283, Nancy E. Sauer, CP284, Thomas P. Shalala, CP188, Richard W. Volpi, CP193, Bradford S. White, CP146, Marilyn K. Zumbro, CP268, John A. Simon, CP152, Bruce A. Savage, CP265, John L. Payne, CP104.**

The issuance of the renewal certification is a final action of the Director and will be public noticed in accordance with OAC 3745-47-07. The action may be appealed to the Environmental Review Appeals Commission ("Commission"). The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice or issuance of the action. See ORC 3745.04 and 3745.07. The appeal must be accompanied by a filing fee of \$70.00 which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Commission at 309 South Fourth St., Room 222, Columbus, Ohio 43215.

If you would like to review a copy of any renewal certificate, or any documents related to the certification, please contact Debi Tavizon, Records Management Officer, at Ohio EPA, Division of Emergency and Remedial Response, Voluntary Action Program, P.O. Box 1049, Columbus, OH 43216-1049, or by telephone at (614) 644-2924.

Ohio EPA PA No. 634578

Ohio Environmental Protection Agency Draft Plan Approval

PUBLIC NOTICE

Draft Plan Approval for Management, Operation and Maintenance Plan

Ohio Environmental Protection Agency
Permits Section
50 West Town Street, Suite 700
P.O. Box 1049
Columbus, Ohio 43216-1049
(614) 644-2001

Public Notice No.: 08-04-043
Date of Issue of Public Notice: April 17, 2008

Name and Address of Applicant: Mayor and Council, City of Hamilton, 345 High Street, Hamilton, Ohio 45011, Mr. Ralph Reigelsperger, Public Works Director

Name and Address of Facility Where Discharge Occurs: City of Hamilton WWTP, 2451 River Road, Hamilton, Ohio 45015

Public notice is hereby given that Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has issued a draft plan approval for the Management, Operation, and Maintenance Plan for the City of Hamilton. The plan addresses the City of Hamilton's program for preventing and minimizing sewage overflows from the separate sewage collection system.

In accordance with OAC 3745-1-05, Ohio EPA will provide an opportunity for public comment concerning this project. Comments received shall be considered by the Director before the plan is issued as final. Any person may submit written comments on the draft plan and administrative record and may request a public hearing. A request for public hearing shall be in writing and shall state the nature of the issues to be raised. In appropriate cases, including cases where there is significant public interest, the director may hold a public hearing on a draft plan or plans prior to final issuance of the plan or plans. Written comments and/or public hearing requests must be received by the Ohio EPA, Division of Surface Water no later than 30 days from the date of this public notice.

Comments and/or public hearing requests should be delivered or mailed to both of the following locations: 1) Ohio Environmental Protection Agency, Division of Surface Water, Permits Processing Unit, 50 West Town Street, Suite 700, P.O. Box 1049, Columbus, Ohio 43216-1049 and 2) Ohio Environmental Protection Agency, Southwest District Office, 401 East Fifth Street, Dayton, Ohio 45402-2911. Comments received after this date may not be considered by the Director before issuing the final plan.

Copies of the draft Plan and technical support information may be reviewed and/or copies made at the Ohio EPA Southwest District Office, 401 East Fifth Street, Dayton, Ohio 45402-2911, by first calling, (937) 285-6357 to make an appointment.

Date of Public Notice: April 11, 2008

**PUBLIC NOTICE
ISSUANCE OF DRAFT NPDES PERMIT
AND PUBLIC HEARING**

Notice is hereby given that on April 11, 2008, the Director of the Environmental Protection Agency will issue a draft National Pollutant Discharge Elimination System (NPDES) permit (3IG00097) to Ohio River Clean Fuels, LLC, 9013 NE Highway 99, Suite S, Vancouver, WA 98865. The draft permit is for discharge from a proposed facility to be located in Yellow Creek Township that will convert coal and biomass to liquid fuel. By-products from this process (heat and tailgas) will also be used to create electricity for the operation of the plant and for resale on the electrical power grid. "Draft Actions" are written statements of the Director's intent with respect to the issuance, denial, etc. of a permit, license, order, etc. Interested persons may submit written comments regarding draft actions.

The discharges from the facility, if approved, would result in degradation to, or lowering of, the water quality of the Ohio River. However, the chemical-specific water quality criteria developed to protect aquatic life and human health, set forth in OAC 3745-1-07, will not be exceeded.

In accordance with OAC 3745-1-05, Ohio EPA will provide an opportunity for public comment concerning this project. Comments received shall be considered by the Director before the draft action is issued as final. A public hearing has been scheduled for 6:30 P.M. on May 27, 2008 at Wellsville High School, 929 Center Street, Wellsville, Ohio 43968. The public hearing will end when everyone in attendance has had an opportunity to provide testimony related to the project.

All interested persons are entitled to attend or be represented and give written or oral comments on the project. The purpose of the hearing is to obtain additional information that will be considered by the Director of Ohio EPA prior to any further action on the draft permit. Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, or 2) submit comments for Ohio EPA's consideration must do so in writing to Ohio EPA-DSW, Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43126-1049 by the close of business on June 3, 2008. Comments received after this date may not be considered as part of the official record of this hearing.

Copies of the pending NPDES application, draft permit and technical support information may be reviewed and/or copies made at Ohio EPA's Northeast District Office, 2110 East

Aurora Road, Twinsburg, Ohio 43138, by first calling (330) 963-1200 to make an appointment.

Date of Public Notice: April 8, 2008

**PUBLIC NOTICE
NOTICE OF RECEIPT OF 401 APPLICATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 water quality certification for a project for the renewal of a permit for maintenance dredging at Hilltop Basic Resources, Inc. River Terminal facility located on the right bank of the Ohio River at mile 470.8. The application was submitted by Hilltop Basic Resources, Inc., One West Fourth Street, Suite 1100, Cincinnati, Ohio 45202-3610. The project is located at Hilltop Basic Resources, Inc., 511 West Water Street, Cincinnati, Ohio 45202, on right bank Ohio River Mile 470.8. The Louisville District Corps of Engineers Public Notice Number for this project is LRL-2007-1453-jea. The Ohio EPA ID Number for this project is 083316.

As required by the Antidegradation Rule, rule 3745-1-05 of the Ohio Administrative Code (OAC), three alternatives have been submitted for the project. The applicant's proposed preferred alternative, if approved, would dredge 300 linear feet using a Barge Mounted Back Hoe or Crane with clamshell bucket. The applicant's proposed minimal degradation alternative, if approved, would dredge 300 linear feet using a Hydraulic Dredge. The applicant's proposed non-degradation alternative, if approved, would have no direct impacts on waters of the state.

Discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of Ohio River. Ohio EPA will review the application, and decide whether to grant or deny the application, in accordance with OAC Chapters 3745-1 and 3745-32. In accordance with OAC rule 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of water quality. All three proposed alternatives will be considered during the review process. No exclusions or waivers, as outlined by OAC rule 3745-1-05, apply or may be granted.

Starting April 8, 2008, copies of the application and technical support information may be inspected at Ohio EPA-DSW, Lazarus Government Center, 50 West Town Street, Suite 700, Columbus, Ohio, by first calling (614) 644-2001. Copies of the application and technical support information can be made available upon request at Ohio EPA District Offices by calling the same number.

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2) request a public hearing, or 3) submit written comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 within thirty days of the date of this public notice.

**PUBLIC NOTICE
ISSUANCE OF APPROVAL TO RELOCATE A PORTABLE AIR CONTAMINANT
SOURCE FOR **STONECO PORTABLE CRUSHING PLANT** (0664950031)**

Ohio EPA has received a request to relocate a portable air contaminant source for the company identified above. Upon review of the request, the Director has approved the relocation of Stoneco Portable Crushing Plant, consisting of a 600 ton per hour primary crusher, 150 ton per hour secondary crusher, and the associated screens, conveyors, and transfer points (emissions unit F019), permitted under PTI #04-01343 issued on November 18, 2003. The air contaminant source was located at 12484 State Route 701 in Kenton, Ohio (Hardin County), and is authorized to move to 3798 State Route 53 in Forest, Ohio (Hardin County) upon the issuance of this notice.

You are hereby notified that this action of the Director is final and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00 which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
309 South Fourth Street, Room 222
Columbus, Ohio 43215

All inquiries concerning this action may be directed to the contact identified below.
Kimbra Reinbold, Ohio EPA Southeast District Office, Division of Air Pollution Control,
2195 Front St., Logan, OH 43138. (740) 385-8501.

PUBLIC NOTICE

**ISSUANCE OF A DRAFT PERMIT TO INSTALL (PTI #05-14378)
AND
NOTICE OF PUBLIC HEARING**

Notice is hereby given that on April 8, 2008, Ohio EPA issued a draft Permit to Install (PTI-#05-14378) for Cherokee Run Landfill, Inc., 2946 US Route 68 N, Bellefontaine, OH 43311. The permit, if approved, authorizes a vertical expansion of the Cherokee Run Landfill (Facility), an existing municipal solid waste disposal facility, located in Logan County, approximately 2 miles north of US Route 33 on the east side of US Route 68N in Rushcreek and Lake Townships. A Public Hearing will be held on Wednesday, May 21, 2008, at the Bellefontaine Municipal Airport - Conference Room, 3100 State Route 47 West, Bellefontaine, OH 43311. The meeting will start at 6:30 p.m. The draft PTI application may be reviewed in accordance with Ohio EPA's file review procedures by contacting Ohio EPA Southwest District Office, 401 East Fifth Street, Dayton, OH 45402, Tel:(937) 285-6357. Written comments will be accepted for the director's consideration until May 27, 2008 and should be sent to: Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, Tel.: (614)644-2621.

Madison County

**PUBLIC NOTICE
ISSUANCE OF APPROVAL TO RELOCATE A PORTABLE AIR CONTAMINANT
SOURCE FOR
Colvin Gravel Company Incorporated Facility Premise number 01-25943071**

Ohio EPA has received a request to relocate a portable air contaminant source for the company identified above. Upon review of the request, the Director has approved the relocation of portable crusher permitted under 01-08910 issued on 3-1-05. The air contaminant source is currently located at 2290 Mckinley Avenue in Columbus and is authorized to move to 5681 Jefferson Kiosville Road, East of London Ohio upon the issuance of this notice.

You are hereby notified that this action by the Director is final and may be appealed to the Ohio Environmental Review Appeals Commission pursuant to Chapter 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. It must be filed within thirty (30) days after the notice of the Directors action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
309 South Fourth Street, Room 222
Columbus, Ohio 43215

All inquiries concerning this action may be directed to the contact identified below.
Mike Riggleman, 614-995-0668, 50 West Town Street Suite 700 Columbus, Ohio 43215.

Date of Public Notice: April 14, 2008

**PUBLIC NOTICE
NOTICE OF RECEIPT OF 401 APPLICATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 certification for a project to protect approximately 1100 linear feet of the north shoreline of Prairie Creek Island from erosion and lake from sedimentation. The application was submitted by ODNR Division of Engineering, 2045 Morse Road, Columbus, Ohio 43229. The project is located in the south side of Grand Lake St. Marys, along the east and north side of the island, in Franklin Township, Mercer County, Ohio. The Huntington District of the U.S. Army Corps of Engineers Number for this project is 2007-00810. The Ohio EPA ID Number for this project is 073289.

As required by the Antidegradation Rule, 3754-1-05 of the Ohio Administrative Code (OAC), three alternatives have been submitted for the project. The applicant's proposed preferred alternative, if approved, consists of installation of a 1100 linear foot armor stone dike adjacent to the island shoreline. No excavation or clearing of standing trees would be required. The applicant's proposed minimal degradation alternative, if approved, consists of construction of a revetment directly against the shoreline. It would reduce the volume of rock in the lake, but would require excavation of the shore and clearing of trees and vegetation. The applicant's proposed non-degradation alternative, if approved, consists of non performance of the project.

Discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of Grand Lakes St. Marys. Ohio EPA will review the application, and decide whether to grant or deny the application, in accordance with OAC Chapters 3745-1 and 3745-32 of the Ohio Administrative Code (OAC). In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality. All three proposed alternatives will be considered by Ohio EPA during the review process. No exclusions or waivers, as outlined by OAC Rule 3745-1-05 (D), apply or may be granted.

Starting April 14, 2008, copies of the application and technical support information may be inspected at Ohio EPA/DSW, Lazarus Government Center, 50 West Town Street, Suite 700, Columbus, Ohio, by first calling (614) 644-2001. Copies of the application and

technical support information can be made available upon request at Ohio EPA District Offices by calling the same number.

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2) request a public hearing, or 3) submit written comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 within thirty days of the date of this public notice.

**PUBLIC NOTICE
ISSUANCE OF APPROVAL TO RELOCATE A PORTABLE AIR CONTAMINANT
SOURCES FOR
Allied Corporation Plant #70 (0664980013)**

Ohio EPA has received a request to relocate the portable air contaminant source for the company identified above. Upon review of the request, the Director has approved the relocation of Allied Corporation Plant #70 permitted under PTI #13-03827 issued on July 10, 2001 (emissions unit P901). The air contaminant source is currently located at 650 Harrison Street in Cleveland, Ohio (Cuyahoga County), and is authorized to move to 3350 Sawmill Road in Copley, Ohio (Summit County) upon the issuance of this notice.

You are hereby notified that this action of the Director is final and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00 which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
309 South Fourth Street, Room 222
Columbus, Ohio 43215

All inquiries concerning this action may be directed to the contact identified below.
Kimbra Reinbold, Ohio EPA Southeast District Office, Division of Air Pollution Control,
2195 Front St., Logan, OH 43138. (740) 385-8501.