

## **PUBLIC NOTICE**

### **FINAL ISSUANCE OF AN AMENDED CERTIFICATE OF REGISTRATION AS A TRANSPORTER OF INFECTIOUS WASTE**

Notice is hereby given that on June 30, 2008, the director of Ohio EPA issued an amended infectious waste transporter certificate to Stericycle, Inc., 28161 N Keith Dr., Lake Forest, IL 60045, Reg. No. 00-T-00199. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614) 644-2621. This final action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth Street, Suite 222, Columbus, Ohio 43215.

## **PUBLIC NOTICE**

### **ISSUANCE OF SCRAP TIRE TRANSPORTER REGISTRATION**

Notice is hereby given that on July 1, 2008, the director of Ohio EPA issued eight certificates of registration as transporter of scrap tires to Geocycle LLC, 15215 Day Rd., Dundee, MI 48131. This action of the director of Ohio EPA is final and is appealable to the Environmental Review Appeals Commission, at 309 South Fourth Street, Room 222, Columbus, Ohio 43215. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00 which the Commission, in its discretion, may cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA request that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. Person's wishing to be on Ohio EPA's interested parties mailing list for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, Tel: (614) 644-2621. This action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth St, Ste 222, Columbus, OH 43215.

**PUBLIC NOTICE**  
**OHIO ENVIRONMENTAL PROTECTION AGENCY**  
**INITIAL CERTIFICATION OF ENVIRONMENTAL PROFESSIONAL**  
**UNDER OHIO'S VOLUNTARY ACTION PROGRAM**

Notice is hereby given that on June 27, 2008 , the Director of the Ohio Environmental Protection Agency, pursuant to Ohio Revised Code ("ORC") 3746.04(B)(5) and Ohio Administrative Code ("OAC") 3745-300-05, issued an initial "certified professional" certification to: **Mr. Jay T. Simonds, CP316**. The issuance of the certification is a final action of the Director and will be public noticed in accordance with OAC 3745-47-07. The action may be appealed to the Environmental Review Appeals Commission ("Commission") pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice or issuance of the action. See ORC 3745.04 and 3745.07. The appeal must be accompanied by a filing fee of \$70.00 which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Commission at 309 South Fourth St., Room 222, Columbus, Ohio 43215.

If you would like to review a copy of the certificate, or any documents related to the certification, please contact Debi Tavizon, Records Management Officer, at Ohio EPA, Division of Emergency and Remedial Response, Voluntary Action Program, P.O. Box 1049, Columbus, OH 43216-1049, or by telephone at (614) 644-2924.

**PUBLIC NOTICE**  
**OHIO ENVIRONMENTAL PROTECTION AGENCY**  
**RENEWAL OF CERTIFIED PROFESSIONAL CERTIFICATIONS UNDER OHIO'S**  
**VOLUNTARY ACTION PROGRAM**

Notice is hereby given that on June 27, 2008, the Director of the Ohio Environmental Protection Agency, pursuant to Ohio Revised Code ("ORC") 3746.04(B)(5) and Ohio Administrative Code ("OAC") 3745-300-05, issued a renewal of certification to the following Certified Professionals: **Charles R. Bishop, CP253, Daniel M. Bremer, CP311, Thomas E. Barzyk, CP288, Thomas P. Clark, CP210, Scott K. Fennell, CP203, Michael J. Fisher, CP296, Kevin C. Flynn, CP227, Paul P. Gallagher, CP270, Nichole E. Lashley, CP302, Michael J. Luessen, CP267, Ronald F. roelker, CP157, Julianne M. Schucker, CP258, Troy L. Schultz, CP244.** The issuance of the renewal certification is a final action of the Director and will be public noticed in accordance with OAC 3745-47-07. The action may be appealed to the Environmental Review Appeals Commission ("Commission"). The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice or issuance of the action. See ORC 3745.04 and 3745.07. The appeal must be accompanied by a filing fee of \$70.00 which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Commission at 309 South Fourth St., Room 222, Columbus, Ohio 43215.

If you would like to review a copy of any renewal certificate, or any documents related to the certification, please contact Debi Tavizon, Records Management Officer, at Ohio EPA, Division of Emergency and Remedial Response, Voluntary Action Program, P.O. Box 1049, Columbus, OH 43216-1049, or by telephone at (614) 644-2924.

**PUBLIC NOTICE  
FINAL ACTIONS OF THE DIRECTOR  
ISSUANCE OF CERTIFICATES TO REPAIR FACILITIES UNDER  
THE MOTOR VEHICLE EMISSION INSPECTION AND MAINTENANCE PROGRAM**

Notice is hereby given that the Director of the Ohio Environmental Protection Agency, pursuant to Ohio Revised Code Chapter 3704.14 and Ohio Administrative Code rule 3745-26-15, has issued certificates to perform work as a Certified Repair Facility under the Motor Vehicle Emission Inspection and Maintenance Program, consistent with the requirements of that program, to the facilities listed below. All certificates are issued 7/1/2008.

For information regarding these final actions, contact David Alspaugh, Ohio EPA, Division of Air Pollution Control, Mobile Sources Section, P.O. Box 1049, Columbus, Ohio 43216-1049, or by telephone at (614) 644-3059. These final actions of the Director were not preceded by proposed actions, and are appealable to the Environmental Review Appeals Commission within thirty (30) days after issuance of the Director's action, pursuant to section 3745.07 of the Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. Appeals must be sent to the following address: Environmental Review Appeals Commission, 309 South Fourth Street, Room 222, Columbus, Ohio 43215.

COUNTY	SHOP NAME	CITY	STATE
Cuyahoga	THE RIGHT WRENCH, INC	Cleveland	OH
Medina	AUTOMOTIVE SERVICE TECHNOLOGY	BRUNSWICK	OH
SUMMIT	FIRESTONE TIRE & SERVICE	CUYAHOGA FALLS	OH

**PUBLIC NOTICE**  
**FINAL ACTIONS OF THE DIRECTOR**  
**ISSUANCE OF CERTIFICATES TO REPAIR TECHNICIANS UNDER**  
**THE MOTOR VEHICLE EMISSION INSPECTION AND MAINTENANCE PROGRAM**

Notice is hereby given that the Director of the Ohio Environmental Protection Agency, pursuant to Ohio Revised Code Chapter 3704.14 and Ohio Administrative Code rule 3745-26-16, has issued certificates to perform work as a Certified Repair Technician under the Motor Vehicle Emission Inspection and Maintenance Program, consistent with the requirements of that program, to the repair technicians listed below. All certificates are issued 7/1/2008.

For information regarding these final actions, contact David Alspaugh, Ohio EPA, Division of Air Pollution Control, Mobile Sources Section, P.O. Box 1049, Columbus, Ohio 43216-1049, or by telephone at (614) 644-3059. These final actions of the Director were not preceded by proposed actions, and are appealable to the Environmental Review Appeals Commission within thirty (30) days after issuance of the Director's action, pursuant to section 3745.07 of the Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. Appeals must be sent to the following address: Environmental Review Appeals Commission, 309 South Fourth Street, Room 222, Columbus, Ohio 43215.

FIRST	LAST	CITY	STATE
JOHN	FORRO	HINCKLEY	OH
MICHAEL	COWLEY	STRONGSVILLE	OH

**PUBLIC NOTICE**

**Ohio EPA Issues Preferred Plan for  
Operable Unit 15 of the Diamond Shamrock Painesville Works Site,  
Painesville, Ohio;  
Public Meeting to be held.**

On June 26, 2008, Ohio EPA issued Preferred Plans concerning Operable Unit 3 (OU3) and Operable Unit 15 (OU15) of the Diamond Shamrock Painesville Works Site (Site) located in Painesville Township, Ohio (Lake County). OU3 is approximately 25-acres in size and is located on the northeastern corner of the Diamond Shamrock Painesville Works Site, adjacent to Lake Erie. OU15 is approximately 100 acres in size and is located in the central portion of the Site and borders both Lake Erie and the Grand River. These Preferred Plans summarize the history of these portions of the Diamond Shamrock Painesville Works Site and the investigations of contamination within these study areas provides an analysis of the feasibility of remedial alternatives and outlines Ohio EPA's preferred alternative for remediation.

Ohio EPA's Preferred Plan for OU3

Ohio EPA's preferred remedial alternative presented in the Preferred Plan for OU3 includes:

- Remediating soils to eliminate direct contact exposure risks to human health through the placement of clean soils cover, excavation and backfilling with clean soils, or a combination of these two methods, in order to achieve the applicable minimum four-foot (4') point of compliance (POC).
- Establishing an Environmental Covenant which will: prohibit residential land use and construction of buildings within 150' of the slurry wall installed on OU10 (One Acre Site) in accordance with the recommended remedy for OU10; limit building construction to slab-on-grade, with no basements or crawl spaces permitted; prevent the extraction of ground water for potable and non-potable use; ensure the maintenance of the minimum 4' clean soil cover across the OU; and require all post-remedial construction activities be completed under a risk mitigation plan (RMP), which includes pre-trenching for all sub-surface work.
- Developing a risk management plan (RMP) to address potential exposure to

contaminated soils, ground water and other materials during future redevelopment and maintenance activities.

### Ohio EPA's Preferred Plan for OU15

Ohio EPA's preferred remedial alternative presented in the Preferred Plan for OU15 includes:

- Remediating soils in three (3) areas to eliminate direct contact exposure risks to protect human and the environment from OU15 soils through the excavation of contaminated soils and/or placement of clean soils to meet a minimum clean soil cover of four-foot (4') for residential properties.
- Remediating areas containing chromium ore processing residue (COPR) in concentrations in excess of site-specific risk based remediation goals (RBRGs) for direct contact exposures through either removal or capping in place of the contaminated material and providing the appropriate long-term monitoring.
- Establishing an Environmental Covenant which will: restrict the construction of habitable structures in areas with potential indoor air exposure issues, unless an Ohio EPA-approved engineering control is put into place to eliminate potential risk to human health; limit building construction to slab-on-grade, with no basements or crawl spaces; prohibit residential development on portions of OU15 which are restricted to recreational/commercial use only; prevent the extraction of ground water for potable and non-potable use; ensure the maintenance of the minimum 4' clean soil cover in residential areas and 2' clean soil cover in recreational/commercial areas (to comply with the applicable points of compliance) and require all post-remedial construction activities be completed under a risk mitigation plan (RMP), which includes pre-trenching for all sub-surface work.
- Developing a risk management plan (RMP) to address potential exposure to contaminated soils, ground water and other materials during future redevelopment and maintenance activities.

Ohio EPA will hold a public meeting on July 31, 2008, to answer questions and to accept comments on the Preferred Plans. The public meeting will begin at 6:30 p.m. in the Painesville Township Hall located at 55 Nye Road in Painesville Township. The public meeting will begin with an information session during which Ohio EPA will present a summary of the Preferred Plans. After the information session the public can submit oral or written comments for the record regarding the Preferred Plans. Representatives from Ohio EPA, the Diamond Shamrock Community Relations Team, the Painesville PRP Group, Lake County General Health District and Hemisphere Corporation will be available following the public hearing portion of the program to answer general questions about the Diamond Shamrock Painesville Works Site.

In addition to comments provided during the public hearing, Ohio EPA will accept written comments through August 8, 2008. Anyone may submit written comments on the Preferred Plans by writing to: Teri Heer, Site Coordinator, Ohio EPA Northeast District Office, 2110 East Aurora Road, Twinsburg, Ohio, 44487. Comments can also be faxed to Teri Heer at (330) 487-0769 or e-mailed to her at [teri.heer@epa.state.oh.us](mailto:teri.heer@epa.state.oh.us). Ohio EPA will consider all comments before taking a final action.

Copies of the Preferred Plans have been provided to the document repositories at the Morley Library in Painesville, Ohio and the Fairport Public Library in Fairport Harbor, Ohio. The Preferred Plans and related documents are available for review at Ohio EPA's Northeast District Office by calling Lily Aaron, Information Specialist, at (330) 963-1200 for an appointment. In addition, the Diamond Shamrock Community Relations Team will be placing copies of the Preferred Plans for OU3 and OU15 on its web page, which will be available after July 1, 2008 at [www.ds crt.com](http://www.ds crt.com).

**Date of Public Notice: 5 July 2008**

**PUBLIC NOTICE  
NOTICE OF RECEIPT OF 401 APPLICATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 water quality certification for the West Side Office Park Phase II development, which will facilitate commercial development on property that was previously mined for peat. The goals of the City of Akron in undertaking this project are: 1) to eliminate blight and to prevent recurrence of blight; 2) to provide for new office park development; and 3) to preserve and increase employment and the economic base of the City of Akron. The application was submitted by the City of Akron. The project is located at White Pond Drive northeast of the I-77 interchange. The Huntington District Corps of Engineers Public Notice Number for this project is 2007-297-TUS. The Ohio EPA ID Number for this project is 083341.

As required by the Antidegradation Rule, rule 3745-1-05 of the Ohio Administrative Code (OAC), three alternatives have been submitted for the project. The applicant's proposed preferred alternative, if approved, would provide 1,126,966 square feet of total office space. One unnamed tributary in the Schocalog Run watershed would be impacted by the Preferred Alternative. Total stream impacts are 735 linear feet from this intermittent stream, which is designated a modified class 2 primary headwater habitat. Five Category 1, scrub-shrub and emergent wetlands will be impacted by the Preferred Alternative. In addition, one category 2 combination emergent, scrub-shrub, open water and forested wetland will be impacted, as well as five Category 1 non-forested isolated wetlands. Total impacts (Preferred Alternative) are 6.568 acres of jurisdictional wetlands, and 0.239 acres of isolated wetlands. The applicant's proposed minimal degradation alternative, if approved, would provide 848,534 square feet of total office space. One unnamed tributary in the Schocalog Run watershed would be impacted by the Minimal Degradation Alternative. Total stream impacts are 835 linear feet from this intermittent stream, which is designated a modified class 2 primary headwater habitat. Three Category 1, scrub-shrub and emergent wetlands will be impacted by the Minimal Degradation Alternative. In addition, one category 2 combination emergent, scrub-shrub, open water and forested wetland will be impacted, as well as five Category 1 non-forested isolated wetlands. Total impacts for the Minimal Degradation Alternative are 0.984 acres of jurisdictional wetlands, and 0.239 acres of isolated wetlands. The applicant's proposed non-degradation alternative, if approved, would have no direct impacts on waters of the state.

Discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of an intermittent tributary to Schocalog Run, which is a minor tributary to the Tuscarawas River (05040001-010). Ohio EPA will review the application, and decide whether to grant or deny the application, in accordance with OAC Chapters 3745-1 and 3745-32. In accordance with OAC rule 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of water quality. All three proposed alternatives will be considered during the review process. No exclusions or waivers, as outlined by OAC rule 3745-1-05, apply or may be granted.

Starting 5 July 2008, copies of the application and technical support information may be inspected at Ohio EPA-DSW, Lazarus Government Center, 50 West Town Street, Suite 700, Columbus, Ohio, by first calling (614) 644-2001. Copies of the application and technical support information can be made available upon request at Ohio EPA District Offices by calling the same number.

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2) request a public hearing, or 3) submit written comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 within thirty days of the date of this public notice.