

**PUBLIC NOTICE  
Alternative Infectious Waste Treatment Technology Approval**

Notice is hereby given that on October 7, 2011, the director of Ohio Environmental Protection Agency (OEPA) granted statewide approval of The Thermal Tissue Digester (TTD), formerly the Caustic Digester Unit (CDU), as an alternative infectious waste treatment technology for Progressive Recovery, Inc., 700 Industrial Drive, Dupo, IL 62239. This approval is subject to all rules, regulations, and specified conditions. This final action was not preceded by a proposed action and is appealable to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code.

The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Directors action. The appeal must be accompanied by a filing fee of \$70.00 which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office Environmental Enforcement Section. An appeal may be filed at the following address: 309 South Fourth Street, Room 222, Columbus, Ohio 43215. Persons wishing to be on Ohio EPA's interested parties mailing list for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, Tel: (614) 644-2621.

**PUBLIC NOTICE  
FINAL ISSUANCE OF AN AMENDED CERTIFICATE  
OF REGISTRATION AS A TRANSPORTER OF INFECTIOUS WASTE**

Notice is hereby given that on October 7, 2011, the director of Ohio EPA issued an amended infectious waste transporter certificate to Stericycle, Inc., 28161 N Keith Dr., Lake Forest, IL 60045, Reg. No. 00-T-00199. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614) 644-2621. This final action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth Street, Suite 222, Columbus, Ohio 43215.

**PUBLIC NOTICE  
FINAL ISSUANCE OF AMENDED CERTIFICATE OF  
REGISTRATION AS A GENERATOR OF INFECTIOUS WASTE**

Notice is hereby given that on October 7, 2011; the director of Ohio EPA issued an amended infectious waste generator certificate to Dialysis Corporation of America, 2400 Dallas Pkwy Ste 350, Plano, TX 75093, Reg. No.: 00-G-01240. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614) 644-2621. This final action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth Street, Suite 222, Columbus, Ohio 43215.

**Date of Public Notice: October 13, 2011**

**PUBLIC NOTICE  
NOTICE OF RECEIPT OF APPLICATION AND PUBLIC HEARING  
ANTIDEGRADATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA)-Division of Surface Water (DSW) has received an application for the renewal of a National Pollutant Discharge Elimination System (NPDES) permit (3IE00016) for the discharge from ASHTA Chemicals treatment system. The application was submitted by the ASHTA Chemicals, P.O. Box 858, 3509 Middle Road, Ashtabula, Ohio 44005-0858. ASHTA Chemicals is requesting approval of a general mercury variance from the existing permit limitation of 1.3ng/l to 250 ng/l. The ASHTA Chemical treatment system is located at 3509 Middle Road, Ashtabula Township, Ashtabula County, Ohio. The discharges are to an unnamed drainage ditch to the Ashtabula River.

Other wastewater disposal alternatives resulting in lesser or no degradation or lowering of water quality will be considered by Ohio EPA.

In accordance with the antidegradation rule, OAC 3745-1-05, I have determined that a lowering of water quality in an unnamed drainage ditch to the Ashtabula River is necessary. Provision (D)(1)(g) was applied to this application. This provision excludes the need for the submittal and subsequent review of technical alternatives and social and economic issues related to the degradation. Other rule provisions, however, including public participation and appropriate intergovernmental coordination were required and considered prior to reaching this decision.

Copies of the pending NPDES renewal application are available for review at Ohio EPA's Northeast District Office, 2110 East Aurora Road, Twinsburg, Ohio 44087 (330-963-1200). An Ohio EPA public hearing on the proposed project has been scheduled for 6:00 P.M. on December 1, 2011 at the Ashtabula Township Hall, 2718 North Ridge Road, Ashtabula, Ohio 44044. The public hearing will end when everyone in attendance has had an opportunity to provide testimony related to the project.

All interested persons are entitled to attend or be represented and give written or oral comments on the project. The purpose of the hearing is to obtain additional information that will be considered by the Director of Ohio EPA prior to any further action on the applications. Persons wishing to 1) be on the Ohio EPA's interested parties' mailing list for this project, or 2) submit comments for Ohio EPA's consideration must do so in writing to Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 by close of business on December 8, 2011. Comments received after this date may not be considered as part of the official record.

**PUBLIC NOTICE  
ISSUANCE OF APPROVAL TO RELOCATE A PORTABLE AIR CONTAMINANT  
SOURCE  
Melvin Stone Company**

Issue Date: 10/12/2011  
Relocation Number: REL01950  
Facility ID: 1431954306

Facility Location: Melvin Stone Company  
11641 Mosteller Road,  
Sharonville, OH 45241

Facility Description: Crushed and Broken Limestone Mining and Quarrying

Ohio EPA has received a request to relocate a portable air contaminant source for the company identified above. Upon review of the request, the Director has approved the relocation and the facility is authorized to move to 1665 Enon Road Springfield, OH 45502 upon the publication of this notice.

You are hereby notified that this action of the Director is final and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00, made payable to "Ohio Treasurer Josh Mandel," which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission  
77 South High Street, 17th Floor  
Columbus, OH 43215

All inquiries concerning this action may be directed to Hamilton County Dept. of Environmental Services at (513)946-7777.

**PUBLIC NOTICE  
ISSUANCE OF APPROVAL TO RELOCATE A PORTABLE AIR CONTAMINANT  
SOURCE  
NATIONAL LIME & STONE CO**

Issue Date: 10/11/2011  
Relocation Number: REL01980  
Facility ID: 0332950003

Facility Location: NATIONAL LIME & STONE CO  
560 Claycraft Rd,  
Gahanna, OH 43230

Facility Description: Crushed and Broken Limestone Mining and Quarrying

Ohio EPA has received a request to relocate a portable air contaminant source for the company identified above. Upon review of the request, the Director has approved the relocation and the facility is authorized to move to 569 Wilson Road Columbus OH 43204 upon the publication of this notice.

You are hereby notified that this action of the Director is final and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00, made payable to "Ohio Treasurer Josh Mandel," which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission  
77 South High Street, 17th Floor  
Columbus, OH 43215

All inquiries concerning this action may be directed to Ohio EPA DAPC, Northwest District Office at (419)352-8461.

**PUBLIC NOTICE  
ISSUANCE OF APPROVAL TO RELOCATE A PORTABLE AIR CONTAMINANT  
SOURCE  
National Lime and Stone Company**

Issue Date: 10/11/2011  
Relocation Number: REL01983  
Facility ID: 0332950004

Facility Location: National Lime and Stone Company  
560 Claycraft Rd,  
Gahanna, OH 43230

Facility Description: Crushed and Broken Limestone Mining and Quarrying

Ohio EPA has received a request to relocate a portable air contaminant source for the company identified above. Upon review of the request, the Director has approved the relocation and the facility is authorized to move to 569 Wilson Road Columbus OH 43204 upon the publication of this notice.

You are hereby notified that this action of the Director is final and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00, made payable to "Ohio Treasurer Josh Mandel," which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission  
77 South High Street, 17th Floor  
Columbus, OH 43215

All inquiries concerning this action may be directed to Ohio EPA DAPC, Northwest District Office at (419)352-8461.

**PUBLIC NOTICE  
ISSUANCE OF APPROVAL TO RELOCATE A PORTABLE AIR CONTAMINANT  
SOURCE  
National Lime & Stone**

Issue Date: 10/11/2011  
Relocation Number: REL01982  
Facility ID: 0332012007

Facility Location: National Lime & Stone  
551 Lake Cascades Parkway,  
Findlay, OH 45840

Facility Description: Crushed and Broken Limestone Mining and Quarrying

Ohio EPA has received a request to relocate a portable air contaminant source for the company identified above. Upon review of the request, the Director has approved the relocation and the facility is authorized to move to 569 Wilson Road Columbus OH 43204 upon the publication of this notice.

You are hereby notified that this action of the Director is final and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00, made payable to "Ohio Treasurer Josh Mandel," which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission  
77 South High Street, 17th Floor  
Columbus, OH 43215

All inquiries concerning this action may be directed to Ohio EPA DAPC, Northwest District Office at (419)352-8461.

**PUBLIC NOTICE  
ISSUANCE OF APPROVAL TO RELOCATE A PORTABLE AIR CONTAMINANT  
SOURCE  
National Lime & Stone**

Issue Date: 10/11/2011  
Relocation Number: REL01982  
Facility ID: 0332012007

Facility Location: National Lime & Stone  
551 Lake Cascades Parkway,  
Findlay, OH 45840

Facility Description: Crushed and Broken Limestone Mining and Quarrying

Ohio EPA has received a request to relocate a portable air contaminant source for the company identified above. Upon review of the request, the Director has approved the relocation and the facility is authorized to move to 569 Wilson Road Columbus OH 43204 upon the publication of this notice.

You are hereby notified that this action of the Director is final and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00, made payable to "Ohio Treasurer Josh Mandel," which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission  
77 South High Street, 17th Floor  
Columbus, OH 43215

All inquiries concerning this action may be directed to Ohio EPA DAPC, Northwest District Office at (419)352-8461.

**Date of Public Notice: October 7, 2011**

**PUBLIC NOTICE  
NOTICE OF RECEIPT OF 401 APPLICATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 water quality certification to construct an approximately 201,400 linear foot gravity fed sanitary sewer system with supporting pump stations and a new 300,000 gallon per day oxidized ditch waste water treatment plant to serve the existing populations of approximately 1,340 residences and businesses in the Communities of Minford, Muletown, Clarktown, Rubyville and adjacent neighborhoods in Clay, Harrison, Jefferson and Madison Townships, Scioto County, Ohio. The application was submitted by the Scioto County Sanitary Engineer, 602 7<sup>th</sup> Street, Courthouse RM 104, Portsmouth, Ohio 45662. The Huntington District Corps of Engineers Public Notice Number for this project is LRH-2011-404-SCR. The Ohio EPA ID Number for this project is 113790.

As required by the Antidegradation Rule, rule 3745-1-05 of the Ohio Administrative Code (OAC), three alternatives have been submitted for the project. The applicant's proposed preferred alternative, if approved, would include 123 stream crossings, impacting 2,356 linear feet of 67 different stream channels.

The applicant's proposed minimal degradation alternative, if approved, would include 69 stream crossings, impacting 1,776 linear feet of 44 different stream channels.

The applicant's proposed non-degradation alternative, if approved, would have no direct impacts on waters of the state.

Discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of wetlands and streams within the Little Scioto watershed. Ohio EPA will review the application, and decide whether to grant or deny the application, in accordance with OAC Chapters 3745-1 and 3745-32. In accordance with OAC rule 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of water quality. All three proposed alternatives will be considered during the review process. No exclusions or waivers, as outlined by OAC rule 3745-1-05, apply or may be granted.

Starting October 7, 2011, copies of the application and technical support information may be inspected at Ohio EPA-DSW, Lazarus Government Center, 50 West Town

Street, Suite 700, Columbus, Ohio, by first calling (614) 644-2001. Copies of the application and technical support information can be made available upon request at Ohio EPA District Offices by calling the same number. The application materials are also available online via the Ohio EPA's website at <http://www.epa.ohio.gov/dsw/401/applications.aspx>

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2) request a public hearing, or 3) submit written comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 within thirty days of the date of this public notice.