

State of Ohio
Environmental Protection Agency

February 13, 2012

Notice of Final Rule-making

Notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Drinking and Ground Waters (DDAGW) adopted revisions to the operator certification rules in the Ohio Administrative Code (OAC). The rule revisions are, in part, a result of the five year rule review requirements of Section 119.032 of the Revised Code.

The division has adopted amendments to the water and wastewater operator certification rules add new definitions; establish limits for use of provisions allowing for operators of lower levels of classifications; designate treatment lagoon systems with a design flow of greater than 25,000 gallons per day as Class I; allow for reduced staffing of seasonal Class A or I treatment works during the off-season; revise Class A eligibility requirements to reflect current practices; add provisions for suspension and revocation of a certificate; add language to further specify the types of systems in which records must be maintained; add clarification regarding the examination process; and remove outdated language.

The Director of Environmental Protection, after considering public comment, adopted these rules in final form, pursuant to Section 6109.04 of the Ohio Revised Code. The Director's order of adoption was issued on February 13, 2012. The effective date of these new rules will be February 23, 2012 in accordance with Section 119.04(A) of the Revised Code.

A copy of the rules may be obtained, at cost, by contacting the Hearing Clerk, Ohio EPA, 50 West Town Street, Suite 700, P.O. Box 1049, Columbus, Ohio 43216-1049, or (614) 644-2129. These rules are also available electronically at the following internet address: <http://www.epa.ohio.gov/ddagw/rulemaking.aspx#final> .

You are hereby notified that this action of the Director is final and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00, made payable to "Ohio Treasurer Josh Mandel," which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
77 South High Street, 17th Floor
Columbus, OH 43215

Statewide

Public Notice by February 22, 2012

**PUBLIC NOTICE
FINAL 2012 PROGRAM MANAGEMENT PLAN FOR THE WATER POLLUTION
CONTROL LOAN FUND
AND
WATER POLLUTION CONTROL LOAN FUND PROJECT PRIORITY LIST
FOR PROGRAM YEAR 2012**

Notice is hereby given that the Director issued a final action on February 10, 2012, approving the Final 2012 Program Management Plan for the Water Pollution Control Loan Fund and the Water Pollution Control Loan Fund Project Priority List, under authority of Ohio Revised Code 6111.036. These actions may be appealed, in writing, within thirty (30) days of this notice, to the Environmental Review Appeals Commission, 309 South Fourth Street, Room 222, Columbus, Ohio 43215. Notice of any appeal shall be filed with the Director within three (3) days. This notice of appeal shall be sent to: Hearing Clerk, OEPA, P.O. Box 1049, Columbus, Ohio 43216-1049, Phone (614) 644-3037. Consult ORC Chapter 3745 and OAC Chapters 3745-47 and 3746-05 for requirements. Copies of the Final 2012 Program Management Plan are available upon request and also through the internet at: at:

<http://www.epa.ohio.gov/Default.aspx?alias=www.epa.ohio.gov/defa>

**NOTICE OF ADOPTION OF RULE
OHIO ENVIRONMENTAL PROTECTION AGENCY
Rule Governing
Wastewater Permits to Install**

Notice is hereby given that the Director of the Ohio Environmental Protection Agency (Ohio EPA) has amended the following rule of the Ohio Administrative Code:

<u>Rule #</u>	<u>Title:</u>
3745-42-05	Design flow and waste strength requirements for treatment works sized for one hundred thousand gallons per day or less.

The Director's order of adoption was issued on **February 15, 2012**. This adopted rule will become effective on **March 1, 2012**.

The Director's action in this matter is pursuant to the procedural requirements of Ohio Revised Code Chapter 119 and is based upon the record of the public hearing conducted by Ohio EPA on **January 3, 2012**, and comments received during the public comment period.

A copy of the rule may be obtained, at cost, by contacting the Hearing Clerk, Ohio EPA, 122 South Front Street, Lazarus Government Center, P.O. Box 1049, Columbus, Ohio 43216-1049, or (614) 644-2129. This rule is also available electronically at the following internet address: <http://epa.ohio.gov/dsw/rules/index.aspx>.

You are hereby notified that this action of the Director is final and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00, made payable to "Ohio Treasurer Josh Mandel," which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

The Environmental Review Appeals Commission
77 South High Street, 17th Floor
Columbus, Ohio 43215

PUBLIC NOTICE
2/10/2012 Issuance of Draft Air Pollution Permit-To-Install

DP&L, O.H. Hutchings Generating Station
9200 Chautauqua Road,
Miamisburg, OH 45432-4103
Montgomery County

FACILITY DESC.: Fossil Fuel Electric Power Generation
PERMIT #: P0109108
PERMIT TYPE: OAC Chapter 3745-31 Modification

PERMIT DESC: Synthetic Minor PTI to convert two coal fired electric generating units from coal to natural gas fuel.

The Director of the Ohio Environmental Protection Agency issued the draft permit above. The permit and complete instructions for requesting information or submitting comments may be obtained at: <http://epa.ohio.gov/dapc/permitsonline.aspx> by entering the permit # or: Andrew Weisman, Regional Air Pollution Control Agency, 117 South Main Street, Dayton, OH 45422-1280. Ph: (937) 225-4435.

PUBLIC NOTICE
FINAL ISSUANCE OF AMENDED CERTIFICATE OF
REGISTRATION AS A GENERATOR OF INFECTIOUS WASTE

Notice is hereby given that on February 13, 2012; the director of Ohio EPA issued an amended infectious waste generator certificate to Bio Medical Applications of Ohio Inc, 10585 N Meridian St Ste 160, Indianapolis, IN 46290, Reg. No.: 00-G-00986. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614) 644-2621. This final action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth Street, Suite 222, Columbus, Ohio 43215.

PUBLIC NOTICE
COVENANT NOT TO SUE/FINAL FINDINGS AND ORDERS
American Can Building, LLC and Port of Greater Cincinnati Development
Authority,
Former American Can Building and Outlots

Notice is hereby given that on February 14, 2012, the Director of the Ohio Environmental Protection Agency ("Ohio EPA"), pursuant to Ohio Revised Code ("ORC") Chapter 3746 and Ohio Administrative Code ("OAC") Chapter 3745-300, issued a Covenant Not To Sue/Final Findings and Orders to the American Can Building, LLC, (the "Volunteer"), and the Port of Greater Cincinnati Development Authority, the ("Co-Volunteer"), for property known as the Former American Can Building and Outlots (the "Property").

The Volunteers conducted a voluntary action of the 5.256 acre-Property, which is located at 4101 Spring Grove Avenue, Cincinnati, Hamilton County, Ohio. A no further action letter for the Property was submitted on July 29, 2011, to the Voluntary Action Program of the Ohio EPA Division of Environmental Response and Revitalization by Donald A. Fay, a Certified Professional as defined in ORC 3746.01(F) and OAC 3745-300-01(A).

This action of the Director is final and may be appealed to the Environmental Review Appeals Commission (the "Commission") pursuant to ORC 3745.04. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the action. The appeal must be accompanied by a filing fee of \$70.00, made payable to "Treasurer, State of Ohio", which the Commission, in its discretion, may reduce if by affidavit it is demonstrated that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Commission at the following address: 77 South High Street, 17th Floor, Columbus, Ohio 43215.

If you would like to review a copy of the Covenant Not To Sue/Final Findings and Orders, please contact the Records Management Officer, Ohio EPA, Division of Environmental Response and Revitalization, P.O. Box 1049, Columbus, OH 43216-1049, or by telephone at (614) 644-2924.

PUBLIC NOTICE
COVENANT NOT TO SUE/FINAL FINDINGS AND ORDERS
Weinland Park Development, LLC, Weinland Park Homes, LLC, Weinland Park
Reinvestment Corporation, City of Columbus Department of Development, and
Momentive Specialty Chemicals, Inc., for the Former Columbus Coated Fabrics
Property

Notice is hereby given that on February 14, 2012, the Director of the Ohio Environmental Protection Agency (Ohio EPA), pursuant to Ohio Revised Code (ORC) Chapter 3746 and Ohio Administrative Code (OAC) Chapter 3745-300, issued a covenant not to sue/final findings and orders to Weinland Park Development, LLC, Weinland Park Homes, LLC, Weinland Park Reinvestment Corporation, city of Columbus, and Momentive Specialty Chemicals, Inc., the volunteers for the property known as the Former Columbus Coated Fabrics Property.

The volunteers conducted a voluntary action of the approximately 21.5-acre property, which is located at North Grant Avenue and Sixth Street, Columbus, Franklin County, Ohio. A no further action letter for the property was submitted on April 12, 2011 to the Voluntary Action Program of the Ohio EPA, Division of Environmental Response and Revitalization by Matthew Knecht, a certified professional as defined in ORC 3746.01(F) and OAC 3745-300-01(A).

This action of the Director is final and may be appealed to the Environmental Review Appeals Commission pursuant to ORC 3745.04. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within 30 days after notice of the action. The appeal must be accompanied by a filing fee of \$70.00, made payable to "Treasurer, State of Ohio," which the Commission, in its discretion, may reduce if by affidavit it is demonstrated that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Commission at the following address: 77 South High Street, 17th Floor, Columbus, Ohio 43215.

If you would like to review a copy of the covenant not To sue/final findings and orders, please contact the Records Management Officer, Ohio EPA, Division of Environmental Response and Revitalization, P.O. Box 1049, Columbus, OH 43216-1049, or by telephone at (614) 644-2924.

PUBLIC NOTICE
2/14/2012 Issuance of Draft Air Pollution Permit-To-Install and Operate

CCR Asphalt Manufacturing, LTD
8215 Seville Rd,
Lodi, OH 44254
Medina County

FACILITY DESC.: Asphalt Paving Mixture and Block Manufacturing
PERMIT #: P0109302
PERMIT TYPE: Renewal

PERMIT DESC: Renewal of federally enforceable PTIO (FEPTIO) for a 250 ton/hour hot mix asphalt plant.

The Director of the Ohio Environmental Protection Agency issued the draft permit above. The permit and complete instructions for requesting information or submitting comments may be obtained at: <http://epa.ohio.gov/dapc/permitsonline.aspx> by entering the permit # or: Russell Risley, Akron Regional Air Quality Management District, 146 South High Street, Room 904, Akron, OH 44308. Ph: (330) 375-2480.

PUBLIC NOTICE
2/16/2012 Issuance of Draft Air Pollution Permit-To-Install

Core Molding Technologies
800 Manor Park,
Columbus, OH 43228-0183
Franklin County

FACILITY DESC.: Automobile Manufacturing
PERMIT #: P0109467
PERMIT TYPE: Initial Installation

PERMIT DESC: Initial installation for a gel coating booth. VOC/HAP emissions will be restricted to 37.58 tons per year by limiting the annual usage of coating.

The Director of the Ohio Environmental Protection Agency issued the draft permit above. The permit and complete instructions for requesting information or submitting comments may be obtained at: <http://epa.ohio.gov/dapc/permitsonline.aspx> by entering the permit # or: Pamela McCoy, Ohio EPA DAPC, Central District Office, 50 West Town Street, 6th Floor P.O. Box 1049, Columbus, OH 43216-1049. Ph: (614) 728-3778.

Date of Public Notice: February 1, 2012

**PUBLIC NOTICE
NOTICE OF RECEIPT OF 401 APPLICATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 water quality certification for a landfill expansion and remediation project. The application was submitted by USA Waste Geneva Landfill, Inc. The project is located at the Geneva Landfill, 4339 Tuttle Road, Geneva Ohio. The Buffalo District Corps of Engineers Public Notice Number for this project is 1997-4920020. The Ohio EPA ID Number for this project is 113841.

As required by the Antidegradation Rule, rule 3745-1-05 of the Ohio Administrative Code (OAC), three alternatives have been submitted for the project. The applicant's proposed preferred alternative, if approved, would provide 19.1 million cubic yards of landfill airspace, allow for remediation of the Doherty Landfill closure site, extend the expected site life to approximately 75 years, and result in impacts to 22.47 acres of wetland (which would include 6.49 acres of high quality wetland) and 2,270 linear feet of natural stream channel, 2,511 linear feet of maintained road drainage ditches, 1,784 linear feet of open drainage ditch and former agricultural drainage ditches and 629 linear feet of ephemeral flow paths within a wooded understory. The applicant's proposed minimal degradation alternative, if approved, would provide 14.6 million cubic yards of landfill airspace, allow for remediation of the Doherty Landfill closure site, extend the expected site life to approximately 38 years, and result in impacts to 9.68 acres of wetland and 2,511 linear feet of maintained road drainage ditches, 1,784 linear feet of open drainage ditch and former agricultural drainage ditches and 629 linear feet of ephemeral flow paths within a wooded understory. The applicant's proposed non-degradation alternative, if approved, would have no direct impacts on waters of the state.

Discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of Cowles Creek, a direct tributary to Lake Erie. Ohio EPA will review the application, and decide whether to grant or deny the application, in accordance with OAC Chapters 3745-1 and 3745-32. In accordance with OAC rule 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of water quality. All three proposed alternatives will be considered during the review process. No exclusions or waivers, as outlined by OAC rule 3745-1-05, apply or may be granted.

Starting February 1, 2012, copies of the application and technical support information may be inspected at Ohio EPA-DSW, Lazarus Government Center, 50 West Town Street, Suite 700, Columbus, Ohio, by first calling (614) 644-2001. Copies of the application and technical support information can be made available upon request at Ohio EPA District Offices by calling the same number.

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2) request a public hearing, or 3) submit written comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 within thirty days of the date of this public notice.

Date of Public Notice: February 9, 2012

**PUBLIC NOTICE
NOTICE OF RECEIPT OF 401 APPLICATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 certification for an Ohio River Harbor Expansion project on a 4.75 acres site. The application was submitted by MPR Supply Chain Solutions, Inc. The project is located at 5310 Guernsey Street, Bellaire, Ohio 43906. The Pittsburgh District of the U.S. Army Corps of Engineers Number for this project is 11-55. The Ohio EPA ID Number for this project is 123872.

As required by the Antidegradation Rule for water dependent projects, two alternatives have been submitted for the project. The applicant's proposed preferred design alternative, if approved, would impact approximately 335 feet of Ohio River bank by discharging 16,500 cubic yards of fill for the creation of a loading/unloading pad and a support system for an overhead crane. The proposed minimal degradation alternative if approved, would impact approximately 20 feet of the Ohio River by discharging 1,200 cubic yards of fill for the creation of a support system for an overhead crane.

The discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of the Ohio River watershed. The review of the application will be conducted, and a decision whether to grant or deny the application will be made, in accordance with Chapters 3745-1 and 3745-32 of the Ohio Administrative Code (OAC). In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality. Other alternatives resulting in lesser or no degradation, or lowering of water quality, will be considered by Ohio EPA during the review process.

No exclusions or waivers, as outlined by Paragraph 3745-1-05 (D) of the Antidegradation Rule (effective as of May 1, 1998), apply or may be granted by the Director of Ohio EPA.

Starting February 9, 2012, copies of the application for the certification and technical support information may be inspected at Ohio EPA/DSW, Lazarus Government Center, 50 West Town Street, Columbus, Ohio, by first calling (614) 644-2001. Applications can be made available at Ohio EPA District Offices by calling the same number.

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2) request a public hearing, or 3) submit written comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA/DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 within 30 days of the date of this public notice.

Date of Public Notice: February 16, 2012

**PUBLIC NOTICE
NOTICE OF RECEIPT OF 401 APPLICATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 water quality certification for a project to construct a transmission line and associated substation from the Meldahl powerhouse on the Ohio River to the existing Zimmer-Spurlock Transmission Line approximately two miles north of the Ohio River. The application was submitted by the City of Hamilton. The project is located at 2443 US Highway 52 west of Chilo. The Huntington District Corps of Engineers Public Notice Number for this project is LRH-2009-00080-OHR. The Ohio EPA ID Number for this project is 113840.

As required by the Antidegradation Rule, rule 3745-1-05 of the Ohio Administrative Code (OAC), three alternatives have been submitted for the project. The applicant's proposed preferred alternative, if approved, would cross thirteen streams, including Bear Creek, for a total of 390 linear feet of impacts; and, result in the discharge of fill into 0.05 acre of one wetland. The applicant's proposed minimal degradation alternative, if approved, would involve ten stream crossings for a total of 210 linear feet of impacts. Direct impacts to Bear Creek and wetlands would be avoided under this alternative. The applicant's proposed non-degradation alternative, if approved, would have no direct impacts on waters of the state. The Corps public notice for this project presents the minimal degradation alternative.

Discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of Bear Creek. Ohio EPA will review the application, and decide whether to grant or deny the application, in accordance with OAC Chapters 3745-1 and 3745-32. In accordance with OAC rule 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of water quality. All three proposed alternatives will be considered during the review process. No exclusions or waivers, as outlined by OAC rule 3745-1-05, apply or may be granted.

Starting February 16, 2012, copies of the application and technical support information may be inspected on Ohio EPA-DSW website: www.epa.ohio.gov/dsw

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2) request a public hearing, or 3) submit written comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 within thirty (30) days of the date of this public notice.

**PUBLIC NOTICE
ISSUANCE OF APPROVAL TO RELOCATE A PORTABLE AIR CONTAMINANT
SOURCE
GoGreen, LLC**

Issue Date: 02/14/2012
Relocation Number: REL02092
Facility ID: 0369002002

Facility Location: GoGreen, LLC
Carey Compost Site, Route 199 North, at RR crossing north
of town, Carey, OH 43316

Facility Description: Crushed and Broken Granite Mining and Quarrying

Ohio EPA has received a request to relocate a portable air contaminant source for the company identified above. Upon review of the request, the Director has approved the relocation and the facility is authorized to move to Findlay Warehousing, 200 Northparke Drive, Findlay, OH 45840 upon the publication of this notice.

You are hereby notified that this action of the Director is final and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00, made payable to "Ohio Treasurer Josh Mandel," which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
77 South High Street, 17th Floor
Columbus, OH 43215

All inquiries concerning this action may be directed to Ohio EPA DAPC, Northwest District Office at (419)352-8461.

PUBLIC NOTICE
ISSUANCE OF APPROVAL TO RELOCATE A PORTABLE AIR CONTAMINANT
SOURCE
Perrin Asphalt Co., Inc.

Issue Date: 02/15/2012
Relocation Number: REL02090
Facility ID: 1677011216

Facility Location: Perrin Asphalt Co., Inc.
4343 E. Royalton Road,
Broadview Heights, OH 44147

Facility Description: All Other Miscellaneous Nonmetallic Mineral Product
Manufacturing

Ohio EPA has received a request to relocate a portable air contaminant source for the company identified above. Upon review of the request, the Director has approved the relocation and the facility is authorized to move to 4566 Orchard St Mantua OH 44255 upon the publication of this notice.

You are hereby notified that this action of the Director is final and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00, made payable to "Ohio Treasurer Josh Mandel," which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
77 South High Street, 17th Floor
Columbus, OH 43215

All inquiries concerning this action may be directed to Akron Regional Air Quality Management District at (330)375-2480.