

PUBLIC NOTICE
2/18/2014 Issuance of Draft Air Pollution Title V Permit

Thermoseal Inc.
2350 Campbell Road,
Sidney, OH 45365-9573
Shelby County

FACILITY DESC: Gasket, Packing, and Sealing Device Manufacturing
PERMIT #: P0115944
PERMIT TYPE: Renewal

PERMIT DESC: Title V permit renewal for manufacturing of gaskets, packing and sealing devices

The Director of the Ohio Environmental Protection Agency issued the draft permit above. The permit and complete instructions for requesting information or submitting comments may be obtained at: <http://epa.ohio.gov/dapc/permitsonline.aspx> by entering the permit # or: Craig Osborne, Ohio EPA DAPC, Southwest District Office, 401 East Fifth Street, Dayton, OH 45402. Ph: (937)285-6357.

PUBLIC NOTICE
2/18/2014 Issuance of Draft Air Pollution Permit-To-Install

Honda of America Mfg., Inc. Anna Engine Plant
12500 Meranda Road,
Anna, OH 45302-9699
Shelby County

FACILITY DESC: Gasoline Engine and Engine Parts Manufacturing
PERMIT #: P0116195
PERMIT TYPE: Initial Installation

PERMIT DESC: Installation of firing stands for a conditioning of assembled automobile and light duty truck engines.

The Director of the Ohio Environmental Protection Agency issued the draft permit above. The permit and complete instructions for requesting information or submitting comments may be obtained at: <http://epa.ohio.gov/dapc/permitsonline.aspx> by entering the permit # or: Craig Osborne, Ohio EPA DAPC, Southwest District Office, 401 East Fifth Street, Dayton, OH 45402. Ph: (937)285-6357.

PUBLIC NOTICE
2/19/2014 Issuance of Draft Air Pollution Permit-To-Install and Operate

TRANSPORTATION RESEARCH CENTER INC
10820 S.R. 347,
East Liberty, OH 43319
Logan County

FACILITY DESC: Testing Laboratories
PERMIT #: P0116121
PERMIT TYPE: Initial Installation

PERMIT DESC: Installation of two dynamometers (40 hp and 322 hp units) with limits on the hours of operation.

The Director of the Ohio Environmental Protection Agency issued the draft permit above. The permit and complete instructions for requesting information or submitting comments may be obtained at: <http://epa.ohio.gov/dapc/permitsonline.aspx> by entering the permit # or: Craig Osborne, Ohio EPA DAPC, Southwest District Office, 401 East Fifth Street, Dayton, OH 45402. Ph: (937) 285-6357.

**PUBLIC NOTICE
ISSUANCE OF A DIRECTOR INITIATED CORRECTIVE ACTION MODIFICATION DRAFT
PERMIT**

On February 20, 2014, the director of Ohio EPA issued a Director Initiated Corrective Action Modification Permit to Spring Grove Resource Recovery, Inc. for its facility located at 4879 Spring Grove Avenue, Cincinnati, Ohio 45232, Ohio EPA ID number is OHD000816629. Spring Grove Resource Recovery, Inc. (SGRR) operates as a commercial hazardous waste treatment and storage facility under a permit recognized by Ohio EPA. SGRR's current hazardous waste management activities include solidification and stabilization of chemical wastes; blending, storage, and shipping of organic material; drum crushing; decommissioning of polychlorinated biphenyl (PCB) transformers; lab pack and waste consolidation; hazardous and non-hazardous wastewater treatment; and storage and trans-shipment of flammable and nonflammable liquid wastes. Typical process materials include waste paints, solvents, acids, resins, metal sludge, inks, and wash waters.

The purpose of this director initiated modification is to select and implement site-wide corrective measures to reduce contaminant concentrations in ground water to acceptable levels. You may send written comments or request a public meeting concerning the Director Initiated Corrective Action Modification Draft Permit to Ohio EPA, Division of Materials and Waste Management, Attn: Steve Tuozzolo, P.O. Box 1049, Columbus, Ohio 43216-1049, no later than the close of business on April 7, 2014. The draft permit modification package may be reviewed at the following locations: Cincinnati/Hamilton County Library, St. Bernard Branch, 4803 Tower Avenue, Cincinnati, Ohio 45217; Ohio EPA Southwest District Office, 401 E. Fifth Street, Dayton, Ohio 45402, Tel: (937) 285-6357; or Ohio EPA Central District Office, Division of Materials and Waste Management, 50 West Town Street Suite 700, Columbus, Ohio 43215, Tel: (614) 644-2621.

PUBLIC NOTICE
ISSUANCE OF APPROVAL TO RELOCATE A PORTABLE AIR CONTAMINANT SOURCE
Cardinal Aggregates Inc.

Issue Date: 02/18/2014
Relocation Number: REL02793
Facility ID: 0387042011

Facility Location: Cardinal Aggregates Inc.
4710 Soldiers Home West Carrollton Road,
West Carrollton, OH 45342

Facility Description: Crushed and Broken Limestone Mining and Quarrying

Ohio EPA has received a request to relocate a portable air contaminant source for the company identified above. Upon review of the request, the Director has approved the relocation and the facility is authorized to move to 9999 County Road 313 Findlay, Ohio 45840 upon the publication of this notice.

You are hereby notified that this action of the Director is final and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00, made payable to "Ohio Treasurer Josh Mandel," which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
77 South High Street, 17th Floor
Columbus, OH 43215

All inquiries concerning this action may be directed to Ohio EPA DAPC, Northwest District Office at (419) 352-8461.

PUBLIC NOTICE
Issuance of Draft Air Pollution Permit-To-Install
DTE Marietta

Issue Date: 2/ 21/2014
Permit Number: P0115137
Permit Type: Initial Installation PTI
Permit Description: Initial installation of a new cogeneration facility
Facility ID: 0684015015

Facility Location: DTE Marietta
17005 State Route 7
Marietta, OH 45750

Facility Description: Cogeneration Facility

The Director of the Ohio Environmental Protection Agency, 50 West Town Street, Columbus Ohio has issued a draft action of an air pollution control permit-to-install (PTI) for the facility at the location identified above on the date indicated. The draft permit proposes to allow the installation of an 8 MW natural gas-fired turbine/HRSG, two 96.5 mmBtu/hour boilers and a back-up generator.

This facility is subject to the applicable provisions of the Prevention of Significant Deterioration (PSD) regulations as promulgated by U.S. EPA (40 CFR 52.21). The draft permit proposed allowable emissions rates of PSD pollutants from the facility are: 208,455 tons per year of CO₂e. Ohio EPA has determined that ambient air quality impacts from the project comply with the PSD increment requirements.