

**PUBLIC NOTICE  
OHIO ENVIRONMENTAL PROTECTION AGENCY  
RENEWAL OF CERTIFIED PROFESSIONAL  
CERTIFICATIONS UNDER OHIO'S VOLUNTARY ACTION PROGRAM**

Notice is hereby given that on May 27, 2014 the Director of the Ohio Environmental Protection Agency, pursuant to Ohio Revised Code ("ORC") 3746.04(B)(5) and Ohio Administrative Code ("OAC") 3745-300-05, issued a renewal of certification to the following Certified Professionals: Paul Gallagher, CP270, Atul Pandey, CP224, Troy Schultz, CP244, John Tiffany, CP300 and Michael Weinstein, CP126.

The issuance of the renewal certification is a final action of the Director and will be public noticed in accordance with ORC 3746.04(B)(5). The action may be appealed to the Environmental Review Appeals Commission ("Commission"). The appeal must be filed with the Commission within thirty (30) days after notice of the action. The appeal must be accompanied by a filing fee of \$70.00, made payable to "Treasurer, State of Ohio", which the Commission, in its discretion, may reduce if by affidavit it is demonstrated that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Commission at the following address: 77 South High Street, 17th Floor, Columbus, Ohio 43215.

If you would like to review a copy of any renewal certificate, or any documents related to the certification, please contact DERR Records Management Officer, at Ohio EPA, Division of Environmental Response and Revitalization, Voluntary Action Program, P.O. Box 1049, Columbus, OH 43216-1049, or by telephone at (614) 644-2924.

**PUBLIC NOTICE**  
**5/27/2014 Issuance of Draft Air Pollution Permit-To-Install**

BP-Husky Refining LLC  
4001 Cedar Point Road, P.O. Box 696  
Oregon, OH 43697  
Lucas County

FACILITY DESC: Petroleum Refineries  
PERMIT #: P0115518  
PERMIT TYPE: Administrative Modification

PERMIT DESC: Administrative modification for P036 (Reformer 3 Heater) and P803 (Reformer 3 Process unit) to clarify monitoring terms and update to reflect rule changes.

The Director of the Ohio Environmental Protection Agency issued the draft permit above. The permit and complete instructions for requesting information or submitting comments may be obtained at: <http://epa.ohio.gov/dapc/permitonline.aspx> by entering the permit # or: Peter Park, Toledo Department of Environmental Services, 348 South Erie Street, Toledo, OH 43604. Ph: (419)936-3015.

**PUBLIC NOTICE**  
**5/28/2014 Issuance of Draft Air Pollution Title V Permit**

Process Solutions a division of Veolia Water Americas  
1819 Woodville Road,  
Oregon, OH 43616  
Lucas County

FACILITY DESC: Other Waste Collection, All Other Miscellaneous Waste Management Services  
PERMIT #: P0116060  
PERMIT TYPE: Renewal

PERMIT DESC: Title V Permit Renewal for the sludge dewatering process that generates solids and water/oil mixture returned to wastewater treatment plant. (The WWTP then processes this material to recover oil to recycle back to the refinery). Solids generated by Process Solutions are disposed offsite.

The Director of the Ohio Environmental Protection Agency issued the draft permit above. The permit and complete instructions for requesting information or submitting comments may be obtained at: <http://epa.ohio.gov/dapc/permitonline.aspx> by entering the permit # or: Pam Barnhart, Toledo Department of Environmental Services, 348 South Erie Street, Toledo, OH 43604. Ph: (419)936-3015.

## **PUBLIC NOTICE**

**COUNTIES: Athens, Cuyahoga, Franklin, Hamilton, Jefferson, Lucas,  
Mahoning, Montgomery, Scioto, Stark, Summit, Washington**

### **STATEWIDE LAND APPLICATION MANAGEMENT PLAN PERMIT**

On May 23, 2014, the director of Ohio EPA, pursuant to Ohio Revised code Chapter 6111 and 3734, has authorized Beneficial Reuse Management/Gypsoil, LLC to beneficially use FGD Gypsum from the Monroe Power Plant, 3500 E. Front Street, Monroe, MI 48161. This authorization is subject to all rules, regulations, and specified conditions.

**PUBLIC NOTICE  
ISSUANCE OF APPROVAL TO RELOCATE A PORTABLE AIR CONTAMINANT  
SOURCE**

**George J. Ingel & Co., Inc.**

Issue Date: 05/29/2014  
Relocation Number: REL02896  
Facility ID: 0125044190

Facility Location: George J. Ingel & Co., Inc.  
2040 Alum Creek Drive,  
Columbus, OH 43207

Facility Description: Ready-Mix Concrete Manufacturing

Ohio EPA has received a request to relocate a portable air contaminant source for the company identified above. Upon review of the request, the Director has approved the relocation and the facility is authorized to move to Grandview Yard: 775 Yard Street Columbus Ohio 43212 upon the publication of this notice.

You are hereby notified that this action of the Director is final and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00, made payable to "Ohio Treasurer Josh Mandel," which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission  
77 South High Street, 17th Floor  
Columbus, OH 43215

All inquiries concerning this action may be directed to Ohio EPA DAPC, Central District Office at (614)728-3778.

Date of Public Notice: May 29, 2014

**PUBLIC NOTICE  
NOTICE OF RECEIPT OF 401 APPLICATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an After the Fact (ATF) application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 water quality certification for a project that has filled 635 linear feet of an unnamed tributary to Opossum Creek as a result of a hillside slip on the western slope during construction of a ridge top well pad. The application was submitted by Stat Oil USA Onshore Properties, Inc. The project is located at 42171 Long Ridge Rd. Clarington Ohio 43915. The Pittsburgh District Corps of Engineers Public Notice Number for this project is 14-23. The Ohio EPA ID Number for this project is 144362.

As required by the Anti-degradation Rule, 3745-1-05, of the Ohio Administrative Code (OAC), three alternatives have been submitted for the project. The applicant's proposed preferred alternative, if approved, would maintain the modified slope and rock buttress for a permanent loss of 250 linear feet of intermittent stream and 385 linear feet of ephemeral stream. The applicant's proposed minimal degradation alternative, if approved, would redistribute the slip material and reduce the gradient of the western slope as part of the original efforts to stabilize the slope. This alternative would result in a permanent loss of 385 linear feet of ephemeral stream. The applicant's proposed non-degradation alternative, if approved, would have no direct impacts on waters of the state.

Discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of Opossum Creek. Ohio EPA will review the application, and decide whether to grant or deny the application, in accordance with OAC Chapters 3745-1 and 3745-32. In accordance with OAC rule 3745-1-05, an anti-degradation review of the application will be conducted before deciding whether to allow a lowering of water quality. All three proposed alternatives will be considered during the review process. No exclusions or waivers, as outlined by OAC rule 3745-1-05, apply or may be granted.

Starting May 29, 2014, copies of the application and technical support information may be inspected on Ohio EPA-DSW website: [www.epa.ohio.gov/dsw](http://www.epa.ohio.gov/dsw)

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2) request a public hearing, or 3) submit written comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 within thirty days of the date of this public notice.

**Date of Public Notice: May 23, 2014**

**PUBLIC NOTICE  
NOTICE OF RECEIPT OF 401 APPLICATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 water quality certification for a project for additional parking spaces and the reconfiguration of access roads to the parking areas at the Akron Canton Airport. The application was submitted by Akron Canton Regional Airport Authority. The project is located at 5400 Lauby Road NW in North Canton. The Huntington District Corps of Engineers Public Notice Number for this project is LRH 2009-338-TUS. The Ohio EPA ID Number for this project is 134280.

As required by the Anti-degradation Rule, 3745-1-05, of the Ohio Administrative Code (OAC), three alternatives have been submitted for the project. The applicant's proposed preferred alternative, if approved, would impact 0.19 acres of Category 2 forested wetland and 376 linear feet of stream. The applicant's proposed minimal degradation alternative, if approved, would impact 0.06 acres of Category 2 forested wetland and 376 linear feet of stream. The applicant's proposed non-degradation alternative, if approved, would have no direct impacts on waters of the state.

Discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of the West Branch of Nimishillen Creek, a tributary to the Tuscarawas River. Ohio EPA will review the application, and decide whether to grant or deny the application, in accordance with OAC Chapters 3745-1 and 3745-32. In accordance with OAC rule 3745-1-05, an anti-degradation review of the application will be conducted before deciding whether to allow a lowering of water quality. All three proposed alternatives will be considered during the review process. No exclusions or waivers, as outlined by OAC rule 3745-1-05, apply or may be granted.

Starting May 23, 2014, copies of the application and technical support information may be inspected on Ohio EPA-DSW website: [www.epa.ohio.gov/dsw](http://www.epa.ohio.gov/dsw)

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2) request a public hearing, or 3) submit written comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 within thirty days of the date of this public notice.

**Date of Public Notice: May 27, 2014**

**PUBLIC NOTICE  
NOTICE OF RECEIPT OF 401 APPLICATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a modification to a Clean Water Act Section 401 water quality certification for a project to expand and improve the efficiency of the peat mining operation. The application was submitted by Jeffrey Kendra of The Scotts Company. The project is located on a 570 acre parcel at 3875 Elyria Rd. in Shreve, Wayne County, Ohio (40.74563°N, -82.07805°W). The Huntington District Corps of Engineers Public Notice Number for this project is LRH-0-52798-WAL. The Ohio EPA ID Number for this project is 103673.

The applicant's previously approved water quality certification authorizes impacts to 160 linear feet of perennial and intermittent streams, 24.9 acres of category 2 wetland, and 4.63 acres of open water. The applicant's modification, if approved, would impact an additional 45 linear feet of perennial stream, 0.46 acres of category 2 wetland, and 27.1 acres of open water.

Discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of Kiser Ditch and adjacent wetlands. Ohio EPA will review the application, and decide whether to grant or deny the application, in accordance with OAC Chapters 3745-1 and 3745-32. In accordance with OAC rule 3745-1-05, an anti-degradation review of the application will be conducted before deciding whether to allow a lowering of water quality. No exclusions or waivers, as outlined by OAC rule 3745-1-05, apply or may be granted.

Starting May 27, 2014, copies of the application and technical support information may be inspected on Ohio EPA-DSW website: [www.epa.ohio.gov/dsw](http://www.epa.ohio.gov/dsw)

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2) request a public hearing, or 3) submit written comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 within thirty days of the date of this public notice.