

PUBLIC NOTICE
8/25/2014 Issuance of Draft Air Pollution Permit-To-Install

Liberty Casting Co
550 Liberty Rd,
Delaware, OH 43015
Delaware County

FACILITY DESC: Iron Foundries
PERMIT #: P0116874
PERMIT TYPE: Initial Installation

PERMIT DESC: Initial PTI for (4) electric induction furnaces and scrap handling operations for green sand foundry expansion.

The Director of the Ohio Environmental Protection Agency issued the draft permit above. The permit and complete instructions for requesting information or submitting comments may be obtained at: <http://epa.ohio.gov/dapc/permitonline.aspx> by entering the permit # or: Stephanie Habinak, Ohio EPA DAPC, Central District Office, 50 West Town Street, 6th Floor P.O. Box 1049, Columbus, OH 43216-1049. Ph: (614)728-3778.

PUBLIC NOTICE
8/25/2014 Issuance of Draft Air Pollution Permit-To-Install and Operate

Sun Pipeline Company
2196 Brandeberry Road,
Fostoria, OH 44830
Wood County

FACILITY DESC: Natural Gas Distribution
PERMIT #: P0117349
PERMIT TYPE: Initial Installation

PERMIT DESC: Large portable maintenance flare with a capacity of 260 million British thermal units per hour

The Director of the Ohio Environmental Protection Agency issued the draft permit above. The permit and complete instructions for requesting information or submitting comments may be obtained at: <http://epa.ohio.gov/dapc/permitonline.aspx> by entering the permit # or: Mohammad Smidi, Ohio EPA DAPC, Northwest District Office, 347 North Dunbridge Road, Bowling Green, OH 43402. Ph: (419)352-8461.

**PUBLIC NOTICE
ISSUANCE OF APPROVAL TO RELOCATE A PORTABLE AIR CONTAMINANT
SOURCE**

American Eagle Recycling, Inc.

Issue Date: 08/26/2014
Relocation Number: REL02980
Facility ID: 1318008731

Facility Location: American Eagle Recycling, Inc.
403 North Main Street,
Niles, OH 44446

Facility Description: Crushed and Broken Limestone Mining and Quarrying

Ohio EPA has received a request to relocate a portable air contaminant source for the company identified above. Upon review of the request, the Director has approved the relocation and the facility is authorized to move to 4140 East River Road Sheffield, Ohio 44054 upon the publication of this notice.

You are hereby notified that this action of the Director is final and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00, made payable to "Ohio Treasurer Josh Mandel," which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
77 South High Street, 17th Floor
Columbus, OH 43215

All inquiries concerning this action may be directed to Cleveland Division of Air Quality at (216)664-2297.

**PUBLIC NOTICE
ISSUANCE OF APPROVAL TO RELOCATE A PORTABLE AIR CONTAMINANT
SOURCE
AMERICAN EAGLE RECYCLING, INC.**

Issue Date: 08/26/2014
Relocation Number: REL02981
Facility ID: 1318008084

Facility Location: AMERICAN EAGLE RECYCLING, INC.
7899 W. Ridgewood Dr.,
Parma, OH 44129

Facility Description: Construction Sand and Gravel Mining

Ohio EPA has received a request to relocate a portable air contaminant source for the company identified above. Upon review of the request, the Director has approved the relocation and the facility is authorized to move to 4140 East River Road Sheffield, Ohio 44054 upon the publication of this notice.

You are hereby notified that this action of the Director is final and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00, made payable to "Ohio Treasurer Josh Mandel," which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
77 South High Street, 17th Floor
Columbus, OH 43215

All inquiries concerning this action may be directed to Cleveland Division of Air Quality at (216)664-2297.

Date of Public Notice: August 9, 2014

**PUBLIC NOTICE
NOTICE OF RECEIPT OF 401 APPLICATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 water quality certification for a project to expand the existing medical facility to accommodate a second 170-bed hospital tower and associated medical support infrastructure, including diagnostic centers, laboratory facilities, operating rooms and administrative spaces. The application was submitted by the Cleveland Clinic. The project is located north of Just Imagine Dive in Avon. The Buffalo District Corps of Engineers Public Notice Number for this project is 2009-01856. The Ohio EPA ID Number for this project is 144419.

As required by the Antidegradation Rule, 3745-1-05, of the Ohio Administrative Code (OAC), three alternatives have been submitted for the project. The applicant's proposed preferred alternative, if approved, would impact 6.770 acres of Category 2 wetlands (1.107 acres non-forested, 5.600 acres forested) and 671 linear feet of perennial stream. The applicant's proposed minimal degradation alternative, if approved, would impact 4.81 acres of Category 2 wetlands (1.170 acres non-forested, 3.640 acres forested) and 671 linear feet of perennial stream. The applicant's proposed non-degradation alternative, if approved, would have no direct impacts on waters of the state.

Discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of Porter Creek, a direct tributary to Lake Erie. Ohio EPA will review the application, and decide whether to grant or deny the application, in accordance with OAC Chapters 3745-1 and 3745-32. In accordance with OAC rule 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of water quality. All three proposed alternatives will be considered during the review process. No exclusions or waivers, as outlined by OAC rule 3745-1-05, apply or may be granted.

Starting August 9, 2014, copies of the application and technical support information may be inspected on Ohio EPA-DSW website:

www.epa.ohio.gov/dsw

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2) request a public hearing, or 3) submit written comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 within thirty days of the date of this public notice.

**PUBLIC NOTICE
Issuance of Draft Air Pollution Permit-To-Install
Oregon Clean Energy Center**

Issue Date: 08/25/2014
 Permit Number: P0117413
 Permit Type: Administrative Modification

Permit Description: Administrative modification to revise emissions limitations based on updated information from the turbine manufacturer and to revise the projected operating scenario for a natural gas fired combined cycle combustion turbine power plant.

Facility ID: 0448020102

Facility Location: 816 Lallendorf Rd,
 Oregon, OH 43616

Facility Description: Fossil Fuel Electric Power Generation

The Director of the Ohio Environmental Protection Agency issued the draft permit above. The initial permit (P0110840) allowed for the installation of a combined cycle gas turbine facility. A number of minor changes are being proposed to the original permit, which was approved in June 2013.

Minor changes in the draft permit result in reductions in most air emissions, including nitrogen oxide (NO_x), carbon monoxide (CO) and volatile organic compounds (VOC). However, there would be emission increases in sulfur dioxide (SO₂), Particulate Matter <10 microns (PM₁₀), Particulate Matter <2.5 microns (PM_{2.5}), sulfuric acid (H₂SO₄) and greenhouse gases (GHG).

Emissions from the proposed Facility are as follows:

Pollutant	Existing Emissions (TPY)	Proposed Emissions (TPY)	PDS Trigger Level (TPY)
NO _x	199	193	100
CO	378	193	100
VOC	114	79	40
PM ₁₀	94	128	15
PM _{2.5}	90	124	10
SO ₂	34	38	40
H ₂ SO ₄	11	13	7
Pb	0.00008	0.00008	0.6
GHGs (CO ₂ e)	2,801,858	2,966,778	100,000

CO₂e = CO₂ equivalent

Oregon Clean Energy Center has conducted ambient air quality modeling to determine the potential impact due to the proposed changes. For the initial PTI for this facility, startup and shutdown emissions were modeled for operation of an individual turbine over the duration of the startup and shutdown period. For this Administrative Modification, the facility has revised the projected operating scenario to allow for flexibility to operate two turbines simultaneously resulting in overlapping startup periods. The overlapping startup and shutdown periods create increased potential startup and shutdown emissions and a resulting increase in modeled concentrations. Based on an analysis of the potential emissions from the modification to the proposed facility, the project triggers Federal Prevention of Significant Deterioration (PSD) and Ohio modeling requirements for its emissions of CO, NO_x, PM₁₀, and PM_{2.5}.

The maximum predicted impacts for all of the steady state operating conditions were below the SIL. However, the worst-case startup conditions, a cold start of two turbines with the auxiliary boiler, resulted in a maximum predicted impact above the 1-hour NO₂ PSD Class II Significant Impact Level (SIL), triggering PSD/NAAQS modeling for all pollutants above the PSD Significant Emission Rate (SER). PSD Increment modeling was submitted and reviewed for NO₂, PM_{2.5} and PM₁₀. NAAQS modeling was submitted and reviewed for NO₂ and CO. Modeling for PM_{2.5}, PM₁₀, and annual NO₂ showed a maximum incremental predicted impact below one half of the PSD increment.

The maximum predicted impacts from CO and 1-hour NO₂ were less than one quarter of the NAAQS in accordance with the Ohio EPA Engineering Guide #69. The proposed facility will also emit air toxics (sulfuric acid, ammonia, formaldehyde, toluene, and xylene) that were subject to modeling review and were found to be below the Maximum Allowable Ground Level Concentrations (MAGLC).

The permit and complete instructions for requesting information or submitting comments may be obtained at: <http://epa.ohio.gov/dapc/permitonline.aspx> by entering the permit # or: Matt Stanfield, Toledo Department of Environmental Services, 348 South Erie Street, Toledo, OH 43604. Ph: (419)936-3015.

**PUBLIC NOTICE
Director Issues Trade Secret Determination**

On August 25, 2014, the Director of the Ohio Environmental Protection Agency (“Ohio EPA”), pursuant to Ohio Revised Code Chapter 1333 and Ohio Administrative Code Chapter 3745-49, issued a letter which determined that certain information submitted to Ohio EPA by Halliburton Energy Services, Inc. regarding the Eisenbarth well pad located in Monroe County, Ohio constitutes a trade secret.

You are hereby notified that this action of the Director is final and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00, made payable to “Treasurer, State of Ohio” which the Commission, in its discretion, may reduce if by affidavit it is demonstrated that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General’s Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the Environmental Review Appeals Commission, 77 South High Street, 17th Floor, Columbus, Ohio 43215.

Documents related to the site and to the Director’s decision are available for review at Ohio EPA’s Southeast District Office by calling (740) 385-8501 or e-mailing penny.hataway@epa.ohio.gov for an appointment.

Date of Public Notice: August 29, 2014

**PUBLIC NOTICE
NOTICE OF RECEIPT OF ISOLATED WETLAND PERMIT
APPLICATION (LEVEL 2)**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, an Isolated Wetland Permit (Level 2) for a project to Construct Single Family Residential Development, **impacting 0.51 acres of Category 2 wetlands**. The application was submitted by Yankee Trace Woods LLC. The project is located west of Paragon Road, and east of Yankee Trace Boulevard (39.604325 °N, 84.185030°W). The Ohio EPA Number for this project is 134314.

The review of the application will be conducted, and a decision whether to grant or deny the application will be made, in accordance with Ohio Revised Code (ORC) Sections 6111.02 to 6111.028 and other applicable provisions of state laws. Other alternatives as proposed by the applicant resulting in less adverse impact to the isolated wetland ecosystem, will be considered by Ohio EPA during the review process.

Starting August 29, 2014, copies of the application and technical support information may be inspected on Ohio EPA-DSW website: www.epa.ohio.gov/dsw

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2) request a public hearing, or 3) submit written comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA/DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 within 20 days of the date of this public notice.

**PUBLIC NOTICE
ISSUANCE OF APPROVAL TO RELOCATE A PORTABLE AIR CONTAMINANT
SOURCE
Stoneco Equipment #21.8789**

Issue Date: 08/26/2014
Relocation Number: REL02975
Facility ID: 0664960032

Facility Location: Stoneco Equipment #21.8789
600 N. Sugar Street,
Lima, OH 45801

Facility Description: Asphalt Paving Mixture and Block Manufacturing

Ohio EPA has received a request to relocate a portable air contaminant source for the company identified above. Upon review of the request, the Director has approved the relocation and the facility is authorized to move to 11580 South Dixie Hwy, Portage, Ohio 43451 upon the publication of this notice.

You are hereby notified that this action of the Director is final and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00, made payable to "Ohio Treasurer Josh Mandel," which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
77 South High Street, 17th Floor
Columbus, OH 43215

All inquiries concerning this action may be directed to Ohio EPA DAPC, Southeast District Office at (740)385-8501.

PUBLIC NOTICE
ISSUANCE OF APPROVAL TO RELOCATE A PORTABLE AIR CONTAMINANT
SOURCE
Stoneco Equipment #21.8789

Issue Date: 08/26/2014
Relocation Number: REL02976
Facility ID: 0664960032

Facility Location: Stoneco Equipment #21.8789
600 N. Sugar Street,
Lima, OH 45801

Facility Description: Asphalt Paving Mixture and Block Manufacturing

Ohio EPA has received a request to relocate a portable air contaminant source for the company identified above. Upon review of the request, the Director has approved the relocation and the facility is authorized to move to 12570 Greensburg Pike, Portage, Ohio 43451 upon the publication of this notice.

You are hereby notified that this action of the Director is final and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00, made payable to "Ohio Treasurer Josh Mandel," which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
77 South High Street, 17th Floor
Columbus, OH 43215

All inquiries concerning this action may be directed to Ohio EPA DAPC, Southeast District Office at (740)385-8501.